

Township 5, Range 3-7 Ranges.

Chs. Lks.

a Red Oak, 15 ins. diam. bears S. 88 W. 15 lks.
and a Sugar, 8 ins. diam. bears S. 44 E. 30 lks.
distant.

West Corner between Sections 21 & 22. Set Dr.
Sec. Post at average measure; from which
an Elm, 6 ins. diam. bears S. 88 W. 44 lks,
and a Sugar, — ins. diam. bears N. 84 E. 48
links distant.

Surveyed in September, 1805. by
Alexander Holmes,
Deputy Surveyor.

Township 6, Range 3-7 Ranges.

Chs. Lks.

North Boundary.

Beginning at [a Post] the North East corner of Town-
ship 7, in Range 4. Here stands a Sugar stump,
12 ins. diam. with 6 notches on the East and
West sides, for corner; from which a W. Oak,
24 ins. diam. bears S. 55 1/2 W. 37 lks, and
a W. Walnut, 14 ins. diam. bears S. 37 1/2 E. 45
links distant. Thence along North Boun-
dary of T. 6, R. 3:—

- East 1st Mile [North side of Section 36.]
- 26-40 Wheeling creek, 2-20 wide runs [South.]
- 30-80 A line tree.
- 43-39 A Hickory, 10 inches diameter.
- 56-68 A B. Walnut, 24 inches diameter.
- 61-60 Entered a Bottom.
- 69-58 A Red Elm, 18 inches diameter.
- 78-10 Wheeling creek, 50 links wide, runs N. 30 E., and over
creek, and on to an Island.
- 80-00 [Set Post, on Island, corner to Secs. 30 & 36, where] an
Elm, 20 ins. diam. bears N. 75 1/4 W. 49 links,
and a Sycamore, 20 ins. diam. bears N. 87 1/2 W.
34 1/2 links distant.

The first 7-50 on the top of a high ridge, of
strong soil, timber Oaks and Hickory. From
7 1/2 to 20 chs. down an E. & S. descent; and
from 28 to 61 chs. over a high ridge, the land
in general very rich, equal to the produc-
tion of indian corn, hemp, or tobacco, timbered
with Bk. and W. Walnut, Hickory, Ash, Oaks,
Beech, Cherry and Sugar. From 20 to 28 chs. &
from 61 to the end of the mile, in rich bottom land,
through which runs Wheeling creek. The bottom
is excellent for meadow or tillage, shaded with W.
& B. Walnut, Elm, Cherry, Sycamore and Buckeye.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 East 2^d Mile - [North side of Section 30.]
 42 East part of Wheeling Creek, 1.58 Mts. wide, [runs S. E.]
 18-40 A Sugar, 6 inches diameter.
 34-33 Wheeling Creek, 1 ch. 39 Mts. wide, runs South, through
 39-48 A Sugar, 30 inches diameter.
 60-17 A B. Oak, 20 inches diameter.
 75-65 A W. Oak, 12 inches diameter.
 80-00 Set Post, [corner to Secs. 24 & 30.] from which
 a Hickory, 12 ins. diam. bears S. 17 1/2 - 13 1/2
 links, and a W. Oak, 20 ins. diam. bears N.
 67 1/2 39 links distant.
 The first 9 chs. is in Creek Bottom. From 9 to 33 chs.
 60 Mts. over a ridge of rich tillable land, timber
 Oak, Sugar, B. & W. Walnut. From 33 1/2 to 41 1/2 chs.
 in a Bottom, through which Wheeling Creek
 runs, exceedingly rich, shaded with W. & B. Wal-
 nut, Cherry, Sycamore and Buckeye. From 41 1/2
 chs. to end of the mile, over improvable hills
 of good land, proper for the cultivation of wheat,
 and would produce good crops of indian corn;
 Timber, Oaks, Sugar and Beech.

East 3^d Mile - [North side of Section 24.]
 23-85 A Sugar, 8 inches diameter.
 27-25 A Branch of Wheeling Creek, 50 links wide, runs
 S. 10 W. through a Bottom 2 1/2 chs. wide.
 39-37 A Sugar, 6 inches diameter.
 51-64 A W. Oak, 18 inches diameter.
 68-08 A W. Oak, 36 inches diameter.
 80-00 Set Post, [corner to Sections 18 & 24.] from which
 a W. Elm, 12 ins. diam. bears S. 54:7 W. 15 Mts.,
 and a W. Oak, 15 ins. diam. bears N. 56 3/4 E. 19
 links distant.
 The upland of the first 30 chs. is rich, timbered

Township 6, Range 3-7 Ranges.

Chs. Lks.
 with Oak, Sugar, B. & W. Walnut. The small bot-
 tom through which the branch of Wheeling Creek
 runs, is fine for meadow or tillage. From
 30 to 50 chs. ascending a high ridge, of rich soil,
 but the land stony. From 50 chs. to end of mile,
 on the top and down an eastern descent of a high
 ridge of rich land, shaded with Oaks, Sugar,
 Elm, Ash, B. & W. Walnut.

East 4th Mile - [North side of Section 18.]
 11-00 A Branch, 2 1/2 yards wide, runs S. 45 E. through a
 Bottom 4 chains wide.
 15-25 A W. Oak, 20 inches diameter.
 22-58 Same Branch, runs N. 50 E. through Bottom 2 chs. wide.
 37-17 A W. Oak, 30 inches diameter.
 42-00 A Branch, 2 feet wide, runs S. 45 E.
 55-00 A W. Oak, 22 inches diameter.
 73-85 A Branch, 2 yard wide, runs S.
 78-82 A Sugar, 14 inches diameter.
 80-00 Set Post, [corner to Sections 12 & 18.] from which
 a W. Oak, 24 ins. diam. bears N. 57 E. 17 1/2 Mts.,
 and a Sugar, 8 ins. diam. bears N. 47 1/2 W.
 27 links distant.
 Over hills gradually ascending and descending, and
 the narrow Bottoms on the Branches, very rich,
 equal to the production of any thing requiring
 a fertile soil. The land on the last 25 chs.
 of this mile is exuberantly rich; Timber, Oak,
 Ash, Sugar, Beech, Hickory, Locust, B. & W.
 Walnut.

East 5th Mile - [North side of Section 12.]
 13-50 A Beech, 13 inches diameter.
 33-55 A Sugar, 19 inches diameter.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 51.40 A Beech, 15 inches diameter.
 80.00 Set Post, [corner to Sections 6 & 12.] from which a Beech, 18 ins. diam. bears N 87° 8' W. 33 3/4 links, and a Beech, - ins. diam. bears N. 85° 8' E. 38 3/4 links distant.
 This runs over, and on the sides of fine tillable hills. The first 29 chs. a strong soil, answerable to the production of wheat, and would produce good crops of indian corn. From 45 to 60 chs. rich Bottom land, shaded with Ash, Beech, some Chestnut, Sugar & Poplar. From 29 to 45 chs., and 60 chs. to the end, the land is extraordinarily rich; Timber, Ash, Sugar, B. & W. Walnut.

East 6th Mile - [North side of Section 6.]
 12.00 A Branch, 25 links wide, runs S. 60° E.
 21.34 A B. Oak, 10 inches diameter.
 33.70 A Branch, - links wide, runs S., in a Bottom 2.70 links wide.
 46.73 A Sugar, 8 inches diameter.
 59.17 A Beech, 17 inches diameter.
 73.93 A W. Oak, 20 inches diameter.
 80.00 The South East [North East?] corner of the Township. Here stands an Elm, 48 ins. diam. marked with 6 notches on the East and West sides, from which a W. Walnut, 6 ins. diam. bears N. 22° 8' W. - links, and a Sugar, 14 ins. diam. bears N. 31° 52' E. - links distant.

This runs over, and on the sides of, improvable hills. The first 17 chs. & 60 lks., and from 30 chs. to the end, exceedingly rich land, shaded with B. & W. Walnut, Ash, Sugar, and Beech. From 18 1/2 to 30 chs. on the S.W. side of a ridge of good land, timbered with Oak, Sugar, and Hickory. The N.E. side of this ridge, good Walnut land

Township 6, Range 3-7 Ranges.

West Boundary.
 Beginning at the North East corner of Township 7, in Range 4, [and North West corner of this Township.] Here stands a Sugar, 12 ins. diam. having 6 notches on the E. & W. sides. A W. Oak, 24 ins. diam. bears S. 55 1/2° W. 37 links, and a W. Walnut, 14 ins. diam. bears S. 37 1/2° E. 45 lks. distant. Thence along the West Boundary of T. 6, R. 3.

South 1st Mile - [West side of Section 36.]
 18.03 A Red Oak, 15 inches diameter.
 34.26 A Water course, 8 yards wide, runs East, in a Bottom 4 chains wide.
 42.40 A B. Oak, 40 inches diameter.
 70.70 A Hickory, 8 inches diameter.
 80.00 Set Post, [corner to Sections 35 & 36.] from which a W. Oak, 12 ins. diam. bears S. 58° W. 18 links, and a W. Oak, 12 ins. diam. bears N. 58° E. 21 links distant.
 Land proper for growing wheat or indian corn; Timber, Oak, Hickory and Beech. The Bottom answerable for meadow or tillage.

South 2d Mile - [West side of Section 35.]
 14.02 A Beech, 13 inches diameter.
 34.75 A B. Oak, 14 inches diameter.
 40.00 A Stream, 4 yards wide, runs -
 52.92 A Beech, 7 inches diameter.
 69.04 A W. Oak, 10 inches diameter.
 80.00 Set Post, [corner to Sections 34 & 35.] from which a Hickory, 20 ins. diam. bears S. 25° W. 34 links, and a Hickory, 14 ins. diam. bears N. 57° E. 13 links distant.
 Soil of a good quality, would produce large

Township 6, Range 3-7 Ranges.

Chs. Lks.
 crops of English grain or indian corn; Timber, Oak, Hickory, Beech and Maple. The hills are not steep.

South 3^d Mile [West side of Section 34.]
 11.20 A Black Walnut, 10 inches diameter.
 29.73 A W. Oak, 30 inches diameter.
 44.61 A Beech, 13 inches diameter.
 50.80 A B. Oak, 14 inches diameter.
 80.00 Set Post, [corner to Sections 33 & 34.] from which a Sugar, 14 ins. diam. bears S. 59 W. 12 links, and a Beech, 16 ins. diam. bears N. 57 E. 13 links distant.
 Land, very fertile soil, amenable for growing wheat, indian corn, flax, hemp, tobacco, or grass; ascents and descents gentle; Timber, Beech, Maple, Hickory, B. Walnut and Oaks.

South 4th Mile [West side of Section 33.]
 13.05 A Red Oak, 36 inches diameter.
 31.25 A Hickory, 30 inches diameter.
 57.44 A W. Oak, 8 inches diameter.
 76.65 A Stream, 3 yards wide, runs E. - bottom, 4 chs. wide.
 80.00 Set Post, [corner to Sections 32 & 33.] from which a W. Oak, 10 ins. diam. bears N. 16 E. 38 links, and a W. Oak, 18 ins. diam. bears S. 66 1/2 W. 43 links distant.
 Soil rich and fertile, equal to the production of indian corn, wheat, flax, hemp, or grass. The hills are formed by gentle ascents and descents, and not high; Timber, Oaks, Hickory, Beech and Maple.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 South 5th Mile [West side of Section 32.]
 21.50 A W. Oak, 12 inches diameter.
 41.50 A Stream, 4 yards wide, runs S. E.
 49.48 A W. Oak, 7 inches diameter.
 57.10 A Stream, 10 yards wide, runs East; bottom 4 chains wide.
 80.00 Set Post, [corner to Sections 31 & 32.] from which a B. Oak, 15 ins. diam. bears S. 61 1/2 W. 18 links, and a W. Oak, 16 ins. diam. bears S. 63 E. 28 links distant.
 Soil suitable for growing wheat, Timber, Oaks, Hickory, Beech and Maple, large and thickly; the bottom proper for meadow.

South 6th Mile [West side of Section 31.]
 9.40 A Poplar, 16 inches diameter.
 37.19 A Hickory, 9 inches diameter.
 77.40 A Gum, 7 inches diameter.
 80.00 Set Post, [corner of Township] from which a W. Oak, 14 ins. diam. bears N. 55 W. 6 lks., and a W. Oak, 16 ins. diam. bears S. 35 1/4 W. 18 links distant.
 This line continued [South] 4 chs. 36 lks. will be 1 ch. 32 lks. due East of the N. E. corner of Township 6, Range 4.
 Land along the first 1/2 mile, would produce good crops of wheat. The other half is very poor land, being of a thin soil, and stony; Timber, Oak and Hickory.

South Boundary.
 Beginning at the North East corner of Township 6, in Range 4; a Post, from which a W. Oak, 30 ins. diam. bears S. 70 W. 27 1/2 links,

Township 6, Range 3-7 Ranges

| chs. lks. | |
|---------------------------|--|
| | and a W. Oak, 12 ins. diam. bears S. 18 E. 3 1/2 links distant. |
| | Thence on South Boundary of T. C. R. B. |
| East 1 st Mile | [South side of Section 31.] |
| 25.72 | A Hickory, 7 inches diameter. |
| 43.11 | A B. Oak, 14 inches diameter. |
| 56.38 | A W. Oak, 9 inches diameter. |
| 78.50 | A Stream, 5 yards wide, runs S. E. |
| 80.00 | Set Post, [corner to Sections 25 & 31,] from which a W. Oak, 14 ins. diam. bears S. 6 W. 13 lks., and a W. Oak, 18 ins. diam. bears N. 10 1/2 E. 4 3 links distant. |
| | The first 76 chs. the land is uneven, and the soil thin, shaded with Beech, Maple, Oaks and Hickory. The residue is bottom land, the soil of which is of a quality fully answerable to the production of grass, Timber, Oak, Maple, Hickory and Sycamore. |
| East 2 ^d Mile | [South side of Section 25.] |
| 10.60 | A W. Oak, 16 inches diameter. |
| 21.85 | A B. Oak, 20 inches diameter. |
| 41.66 | A W. Oak, 12 inches diameter. |
| 47.50 | A Stream, 4 yard wide, runs South. |
| 80.00 | Set Post, [corner to Sections 19 & 25,] from which a Red Oak, 24 ins. diam. bears N. 35 W. — links, and a W. Oak, 18 ins. diam. bears S. — — links distant. |
| | Soil thin, but would grow wheat many years, land broken, hills high and steep; Timber, Oak, Hickory and Maple. |
| East 3 ^d Mile | [South side of Section 19.] |
| 7.00 | A Stream, 6 yards wide, runs South. 50 links |

*A hiatus here, supplied
from the boundary of T.C.
R. B.

Township 6, Range 3-7 Ranges

| chs. lks. | |
|---------------------------|--|
| | South of the line, is a perpendicular fall of water, of 12 feet, little water in a dry season. |
| 18.35 | A W. Oak, 8 inches diameter. |
| 26.00 | A Sugar, 14 inches diameter. |
| 48.34 | A W. Oak, 24 inches diameter. |
| 52.80 | A Branch, 5 yards wide, runs S. |
| 59.00 | Same Branch, runs [N. 78 E.] |
| 67.90 | Same Branch, runs [South] |
| 80.00 | Set Post, [corner to Sections 13 & 19,] from which a Hickory, 12 ins. diam. bears N. 49 1/2 E. 19 links, and a Hickory, 8 ins. diam. bears S. 54 1/2 E. 17 links distant. |
| | The first 40 chs. land uneven, hills steep, and soil thin; Timber, Oak and Hickory. 8 chs. further down an easterly descent of good land. From 48 to 70 chs. rich bottom, shaded with Maple, Oak, Hickory, B. & W. Walnut, and Cherry tree. Thro- ugh this Bottom meanders a branch of Mc Ma- han's creek. The remainder of the mile, up an easterly ascent, steep, soil rich, suitable for indian corn, or wheat; Timber, Oak, Hickory, and Blk. Walnut. |
| East 4 th Mile | [South side of Section 13.] |
| 9.02 | A Red Oak, 20 inches diameter. |
| 12.94 | A W. Oak, 10 inches diameter. |
| 29.12 | A Hoop Ash, 10 inches diameter. |
| 33.70 | A Black Walnut, 14 ins. diam. — 50 lks. S. W. of this tree, is a bank of stone coal, and a Deer Lick. |
| 54.00 | Mc Mahan's creek, 16 yards wide, runs N. 80 E. |
| 80.00 | Set Post, [corner to Sections 7 & 13,] from which a Sugar, 10 ins. diam. bears N. 49 W. 24 lks., and a W. Oak, 24 ins. diam. bears N. 11 E. 57 links distant. |

Township 6, Range 3-7 Ranges

Chs. Ls.

First 35 chs. land very uneven, hills high and steep, soil thin; Timber, Oak and Hickory. From 35 to 65 chains through an excellent bottom, the soil rich, shaded with B. & W. Walnut, Sycamore, Oaks, and Honey Locust. The remainder of the mile is along the side of an exceedingly steep hill, which is untilled, ascending to the North into the above said Bottoms; Timber, Oak and Hickory.

East 5th Mile—[South side of Section 7.]

- 12.73 A Sugar, 20 inches diameter.
- 16.34 Mc Mohan's Creek, runs S. E.
- 24.68 A W. Oak, 16 inches diameter.
- 64.07 A Maple, 10 inches diameter.
- 71.00 Mc Mohan's Creek, runs N. W.
- 80.00 Set Post, [corner to Sections 1 & 7,] from which a Hoop Ash, 14 ins. diam. bears N. 16 1/2 E. 17 links, and a W. Walnut, 12 ins. diam. bears S. 33 1/2 W. 26 links distant.

The first 5 chs. down an East descent, very steep, poor land. From 5 to 24 chs. an exceedingly rich Bottom, shaded with Sycamore, B. & W. Walnut. From 24 to 65 chs. over uneven land, hills very steep, and soil thin; Timber, Oak and Hickory. The remainder of the mile is in a Bottom of the same quality as last described.

East 6th Mile—[South side of Section 1.]

- 5.62 A Sugar, 12 inches diameter.
- 11.00 Mc Mohan's Creek, runs S.; a small island leads to it.
- 16.00 Across island, and part of creek on East side of it.
- 28.05 A W. Oak, 8 inches diameter.

Township 6, Range 3-7 Ranges

Chs. Ls.

- 52.30 A Hickory, 10 inches diameter.
 - 70.12 A W. Ash, 9 inches diameter.
 - 80.00 Set Post, [corner to Section 1, T. 6, R. 3,] from which a W. Oak, 12 ins. diam. bears S. 57 W. 35 links, and a Red Oak, 14 ins. diam. bears S. 65 E. 14 links distant.
- First 20 chs. Bottom, described as last mile. The residue uneven land, soil suitable for wheat, timbered with Oak, Hickory, Sugar, B. Walnut.

East Boundary.

[Beginning at N. C. corner, before described.]

- South 1st Mile—[East side of Section 6.]
 - 48.50 A B. Walnut, 24 inches diameter.
 - 80.00 Set Post, [corner to Sections 5 & 6,] from which a W. Oak, 36 ins. diam. bears S. 22 W. 14 links, and a Hickory, 20 ins. diam. bears N. 22 E. 19 links distant.
- Soil, in general, good; Timber, Oak, Sugar, Hickory, Walnut, Beech.

South 2^d Mile—[East side of Section 5.]

- 32.50 A W. Oak, 10 inches diameter.
- 63.30 A Hickory, 14 inches diameter.
- 80.00 Set Post, [corner to Sections 4 & 5,] from which a W. Walnut, 12 ins. diam. bears S. 71 1/2 W. 8 links, and a Sugar, 14 ins. diam. bears N. 86 E. 34 links distant.

The soil in general rich; Timber, Oak, Hickory, Sugar, Ash, Walnut, Chestnut.

South 3^d Mile—[East side of Section 4.]

- 80.00 Set Post, [corner to Sections 3 & 4,] from which

Township 6, Range 3-7 Ranges.

Chs. Lks.

a W. Oak, 10 ins. diam. bears N. 66 E. 9 links, and
a Sugar, 10 ins. diam. bears W. 8 links
distant.

Soil generally good, suitable for wheat, corn, tobacco
and hemp, well timbered with Oak,
Hickory, Sugar, Beech, Walnut and Ash.

South 4th Mile - [East side of Section 3.]

80.00 Set Post, [corner to Sections 2 & 3,] from which
a Beech, 10 ins. diam. bears S. 40 links,
and a Sugar, 6 ins. diam. bears S. 23 W. 20
links distant.

Soil rich, some of it first rate Bottom, suitable
for raising tobacco, hemp, and indian
corn, to great perfection.

South 5th Mile - [East side of Section 2.]

12.50 A W. Oak, 36 inches diameter.

80.00 Set Post, [corner to Sections 1 & 2,] from which
a W. Walnut, 5 ins. diam. bears N. 29 E. 17 W.,
and a W. Oak, 16 ins. diam. bears S. 11 1/2 W. 48
links distant.

Soil generally middling good, suitable for
wheat, rye, corn, &c.

South 6th Mile - [East side of Section 1.]

80.00 Set Post, [S. E. corner of the Township,] where
a Beech, 15 ins. diam. bears N. 51 E. 6 W.,
and a Sugar, 11 ins. diam. bears S. 74 W.
51 links distant.

Soil not rich, but would produce wheat and
other small grain.

N.B. - Trees in the line are marked with

Township 6, Range 3-7 Ranges. 157

2 notches on each side in line. Trees at
the corner of Townships, with 6 notches and
a blaze below them. Those at the corner of
Lots, [i.e. Sections,] with notches denoting the
number of miles from the Township corner
started from. At the end of each mile fixed
a Post, notched as the trees.

Surveyed in 1786, by
Isaac Sherman,
Surveyor from Connecticut.

Township 6, Range 3-7 Ranges.

Chs. Lks.

Saturday, 30th April, 1803.

Began at the S. E. Corner of the Township, from which a Poplar, - ins. diam. bears N. - E. - links, and a Sugar, - ins. diam. bears S. - W. - links distant. Then ran -

- West 1st Mile - South Boundary of Section 1.
- 9.94 A W. Oak, 18 inches diameter.
- 10.19 A W. Oak, 24 inches diameter.
- 12.00 Old corner.
- 17.80 A W. Oak, 18 inches diameter.
- 29.00 A Sugar, 16 inches diameter.
- 53.00 A Brook, 10 links, S.
- 64.00 A W. Oak, 12 inches diameter.
- 71.25 A W. Oak, 18 inches diameter.
- 75.00 Part of brook.
- 78.00 Residue, S. E.
- 80.00 Biggs' corner - [On N. Boundary of E. 5, R. 3.]
Hilly rich land; Timber, Oak, Sugar, Hickory, &c.

Tuesday, 3^d of May, 1803.

Began at the corner we quit at, on Saturday last, viz: - Biggs' corner.

- West 3^d Mile - South Boundary of Sec. 7.
- 6.15 A Sugar, 12 inches diameter.
- 7.50 Where the Old Line intersects the South Boundary of the Township.
- 11.75 Old corner.
- 18.00 A brook, 1.00 links wide, N. E.
- 43.00 A Spring, 2 links, South.
- 49.00 Do. Do.
- 68.00 A W. Oak, 30 inches diameter.
- 76.00 A brook, 100 links, S. E.
- 80.50 Biggs' Post.
Generally in bottom land; Timber, Sugar, Buckeye, Sycamore, &c.

Township 6, Range 3-7 Ranges.

Chs. Lks.

- West 3^d Mile - South Boundary of Section 13.
- 11.75 Old corner.
- 23.40 A Sugar, 13 inches diameter.
- 27.50 A Brook, 4 links, N. E.
- 35.00 A Walnut, 50 inches diameter.
- 38.00 A brook, 1.25 links, R.
- 57.50 A Brook, 6 links, South.
- 58.00 Great appearance of bog on the South side of the line.
- 61.50 A Buckeye, 8 inches diameter.
- 80.00 Biggs' corner.
Generally rich bottom land; Timber, Sugar, Hickory, Oak, &c.

West 4th Mile - South Boundary of Section 19.

- 6.50 A Brook, 3 links, S.
- 12.00 Old Post.
- 20.25 A Walnut, 36 inches diameter.
- 25.00 A Brook, 8 links, South.
- 33.00 A Brook, 8 links, N. E.
- 39.00 A Brook, 8 links, S. E.
- 48.40 A Sugar, 8 inches diameter.
- 60.25 A Hickory, 18 inches diameter.
- 64.00 A Brook, 3 links South.
- 79.50 Biggs' corner.
Generally good farming land, part rich; Timber, Oak, Hickory, Sugar, &c.

West 5th Mile - South Boundary of Section 25.

- 5.00 A Brook, 6 links, S.
- 12.50 Old corner.
- 45.00 A Brook, 8 links, S.
- 51.10 A W. Oak, 16 inches diameter.
- 76.00 A Brook, 4 links, S.
- 81.00 Post set by Biggs.

Township 6, Range 3-7 Ranges.

Chs. Lhs. Land generally tillable, thin soil; Timber, Oak, Dogwood, Hickory, &c.

- West 6th Mile - South Boundary of Section 31.
.86 A W. Oak, 24 inches diameter.
11.50 Old corner.
13.00 A Brook, 15 links, S. E.
21.60 A W. Oak, 16 inches diameter.
48.60 A R. Oak, 16 inches diameter.
66.15 A Hickory, 12 inches diameter.
75.00 A Brook, 3 links, S.
91.50 To the [N.E.] corner of Township 6, in the 4th Range.

Generally good farming land; Timber, Oak, Dogwood, Hickory, &c.

Measured back East-

- 1.35 Set a Post at the corner of Township No. 6, of the 3rd Range, and Township 7, of Range 4; from which a W. Oak, 16 ins. diam. bears S. 9 E. 14 links, and a Beech, 4 ins. diam. bears N. 44 W. 12 links distant. Thence-

- North 1st Mile - West Boundary of Section 31.
4.36 Old corner, intended for the S. E. corner of Township No. 7, of Range 4.
38.40 A W. Oak, 12 inches diameter.
50.00 A Hickory, 12 inches diameter.
61.00 A Brook, 5 links, S. E.
67.60 A W. Oak, 46 inches diameter.
80.00 Set a Post, corner of Sections 31 & 32, T. 6, R. 3, 4 Sections 1 & 2, T. 7, R. 4; from which a W. Oak, 10 ins. diam. bears S. 89 W. 4 links, and a W. Oak, 14 ins. diam. bears N. 89 E. 18 links distant.

Township 6, Range 3-7 Ranges.

Chs. Lhs. Good farming land; Timber, Oak, Hickory, Sugar, &c.

- North 2d Mile - West Boundary of Section 32.
4.50 Old corner
20.00 A Spring, 2 links, N. E.
24.00 A Spring, N. W.
27.00 A beech, 30 links, Eastward.
36.00 A W. Oak, 10 inches diameter.
43.00 A Brook, 5 links, S. E.
63.30 A W. Oak, 14 inches diameter.
80.00 Set a Post.

Land generally level, soil thin; Timber, Oak, Dogwood, &c.

- North 3d Mile - West side of Section 33.
4.50 Old corner.
8.00 A Brook, 8 links, S. E.
16.00 A Brook, 3 links, S. W.
26.80 A W. Oak, 12 inches diameter.
34.50 A Spring, 2 links, W.
53.60 A Hickory, 36 inches diameter.
65.80 A Sugar, 16 inches diameter.
80.00 Set a Post.

Rick land, and generally level; Timber, Oak, Sugar, Hickory, &c.

- North 4th Mile - West Boundary of Section 34.
4.00 A Brook, 10 links, E.
4.50 Old corner.
9.80 A Poplar, 15 inches diameter.
40.00 A Beech, 24 inches diameter.
72.50 Road from [?] to Chillicothe.
80.00 Set a Post.

4th of April.

Township 6, Range 3-7 Ranges

6th Lk. Rich land; Timber, Oak, Sugar, Hickory, &c.

North 5th Mile - West Boundary of Section 35.

- 4.50 Old corner.
- 15.00 Martin's Road.
- 31.90 A Beech, 12 inches diameter.
- 45.00 A Brook, 10 links, E.
- 50.00 A W. Oak, 24 inches diameter.
- 56.00 A Brook, 3 links, S. E.
- 80.00 Set a Post, on the East bank of a Brook, 4 links, runs S. E.

Good level farming land; Timber, Oak, Hickory, Sugar, &c.

North 6th Mile - West Boundary of Section 36.

- 4.50 Old corner.
- 13.80 A Hickory, 12 inches diameter.
- 30.00 A Spring, 2 links, N. E. A W. Oak, 12 ins. diam.
- 36.50 A Spring, 2 links, E.
- 47.60 A Hickory, 8 inches diameter.
- 50.00 A Creek, 50 links, Eastward.

58.50 Vance's Mill Race.

84.50 A Sugar, 15 ins. diam., corner of this Township, and the 7th Township in the 4th Range; from which a W. Oak, 30 ins. diam. bears S. 55 1/2 W. 37 links, and a Sugar, 8 ins. diam. bears S. 43 E. 31 links distant. This corner stands 2.43 East of the corner of Township No. 7 of this Range, and 8 of the 4th Range. Rich land, generally good soil; Timber, Oak, Dogwood, &c.

East 1st Mile - North Boundary of Section 36.

27.00 Wheeling Creek, 1.50 links, Southward.

Township 6, Range 3-7 Ranges

6th Lk.

- 35.75 A Beech, 16 inches diameter.
 - 44.00 A Hickory, 12 inches diameter.
 - 54.75 A Sugar, 12 inches diameter.
 - 61.00 A Spring, 2 links, S.
 - 70.50 A Buckeye, 15 inches diameter.
 - 79.00 Part of Creek.
 - 80.50 Old corner.
 - 82.00 Residue of Creek, N. E. Rapid.
 - 88.10 Biggs' corner.
- Rich land; Timber, Oak, Sugar, Walnut, &c.

East 2nd Mile - North Boundary of Section 30.

- 8.12 A Cherry, 12 inches diameter.
- 27.00 Mill Dam.
- 37.30 A Sugar, 10 inches diameter.
- 45.00 A Spring, 2 links, N.
- 53.00 A B. Oak, 24 inches diameter.
- 65.00 A Spring, 2 links, S.
- 67.90 A W. Oak, 15 inches diameter.
- 72.75 Old corner.
- 79.75 Biggs' corner.

Rich land; Timber, Oak, Sugar, Walnut, &c.

East 3rd Mile - North Boundary of Section 24.

- 6.90 A Sugar, 5 inches diameter.
- 17.20 A Sugar, 12 inches diameter.
- 20.50 A Brook, 20 links, S.
- 73.50 Set a Post at the Old corner of Secs. 18 & 24; from which an Elm, 15 ins. diam. bears S. 40 W. 14 links, and a W. Oak, 16 ins. diam. bears N. 40 E. 19 links distant.

80.00 Biggs' corner.

Part of this suite broken, though generally rich; Timber, Oak, Sugar, &c.

Township 6, Range 3-7 Ranges.

| Chs. Lks. | |
|-----------|---|
| | East North Boundary of Section 18. |
| 5:00 | A Brook, 5 links, S. |
| 9:00 | A W. Oak, 24 inches diameter. |
| 16:00 | A Brook, 5 links, S. |
| 18:50 | A R. Oak, 18 inches diameter. |
| 56:50 | A Spring, 2 links, N. E. |
| 68:00 | A Brook, 8 links, S. |
| 74:25 | Old Corner. |
| 80:00 | Biggs' corner. Level land, good soil; Timber, Oak, Hickory, Sugar, &c. |
| | East 5 th Mile - North Boundary of Section 12. |
| 5:00 | Martin's Road. |
| 7:55 | A Beech, 16 inches diameter. |
| 16:00 | Martin's Road. |
| 75:00 | Old corner. |
| 77:00 | A Spring, 2 links, N. E. |
| 80:25 | Biggs' corner. Uneven rich land; Timber, Oak, Sugar, Hickory, &c. |
| | East 6 th Mile - North Boundary of Section 6. |
| 6:00 | A Brook, 15 links, S. E. |
| 17:50 | Lick - |
| 18:50 | A Brook, 3 links, S. |
| 28:50 | A Brook, 15 links, S. |
| 45:50 | A Brook, 4 links, S. |
| 76:00 | Old Township corner. |
| 76:50 | A Brook, 6 links, S. |
| 80:00 | Post, N. E. corner of the Township, and corner of the 7 th Township in this Range; from which a W. Oak, 30 ins. diam. bears N. 64 W. 19 Ms., and a Sugar, 6 ins. diam. bears N. 38 E. 20 Ms. distant. Hilly rich land; Timber, Oak, Sagartee, &c. |

Township 6, Range 3-7 Ranges.

| Chs. Lks. | |
|--|--|
| | Thursday, 5 th April. Began at the Old corner of Sections 6 & 12, & ran |
| South 1 st Mile - Random Line, allowing only 30" variation. | |
| 80:00 | Set a Random Post. |
| South 2 ^d Mile - Random Line. | |
| 80:00 | Random Post. |
| South 3 ^d Mile - Random Line. | |
| 80:00 | Random Post. |
| South 4 th Mile - Random Line. | |
| 80:00 | Random Post. |
| South 5 th Mile - Random Line. | |
| 80:00 | Random Post. |
| South 6 th Mile - Random Line. | |
| 85:40 | Intersected the South Boundary Line, 1.90 East of the Old corner. Established the corner of Sections 1 & 7 - 1.35 East of the Old corner. Set a Post, from which a Buckeye, 6 ins. diam. bears N. 59 W. 19 links, and a Walnut, 45 ins. diam. bears S. 59 E. 60 links distant. |
| North 1 st Mile - allowing 25" variation. | |
| 10:00 | McMahon's creek, 130 links; rapid. |
| 11:45 | A Walnut, 12 inches diameter. |
| 27:00 | A Brook, 20 links, S. E. |
| 58:50 | A Brook, 20 links, S. W. |
| 60:00 | An Elm, 15 inches diameter. |
| 80:00 | Post, corner of Sections 7 & 8; from which an Ash, 8 ins. diam. bears N. 33 E. 14 links, and a |

6 h. Lk. Sugar, 14 ins. diam. bears S. 50 W. 40 links distant.
Rich Sugar tree bottom, first 27 chs.; residue hilly rich land; Timber, Oak, Elm, &c.

North Between Sections 7 & 8.
.90 Set a Post, corner of Sections 1 & 2; from which a Sugar, 7 ins. diam. bears S. 70 W. 12 links, and an Elm, 6 ins. diam. bears N. 46 E. 29 links distant.

Friday, May 6th.

North ^{or continuing} continued North, from the corner of Sect 1 & 2.
21.47 A Sugar, 12 inches diameter.
30.00 A Spring, 2 links, E.
36.00 A Sugar, 12 inches diameter.
42.00 A Spring, 2 links, E.
48.00 A W. Oak, 16 inches diameter.
80.00 Post, corner of Sections 8 & 9; from which a W. Oak, 40 ins. diam. bears N. 48 E. 15 links, and a Sugar, 4 ins. diam. bears S. 64 W. 29 links distant. Hilly rich land; Timber, Oak, Sugar, Poplar, &c.

North 3^d Mile, by Section 9.
1.80 Post, corner of Sections 2 & 3; from which a Sugar, 12 ins. diam. bears N. 3 W. 33 links, and an Iron-wood, 6 ins. diam. bears S. 39 E. 27 links distant.
25.00 A Brook, 4 links, E.
31.50 A Sugar, 12 inches diameter.
58.95 A Walnut, 20 inches diameter.
80.00 Post, corner to Sections 9 & 10; from which a Beech, 6 ins. diam. bears N. 88 W. 13 links, and a Beech, 4 ins. diam. bears S. 77 E. 22 links distant. Rich hilly land; Timber, Oak, Hickory, Sugar, &c.

6 h. Lk. North 4th Mile by Section 10.
2.70 Post, corner of Sections 3 & 4; from which a Beech, 16 ins. diam. bears N. 47 W. 13 links, and a Beech, 4 ins. diam. bears S. 67 E. 22 links distant.

35.00 A creek, 1.50 links, East.
45.00 A Brook, 10 links, S.
80.00 Post, corner of Sections 10 & 11; from which a Sugar, 12 ins. diam. bears S. 11 E. 29 links, and a W. Oak, 24 ins. diam. bears N. 6 W. 44 links distant. Sand rich, part bottom, Sugar, ^{Elm, &c.} Walnut.

North 5th Mile by Section 11.
3.60 Post, corner of Sections 4 & 5; from which a Sugar, 15 ins. diam. bears N. 43 W. 35 links, and an Ash, 24 ins. diam. bears S. 69 E. 80 links distant.

33.50 A Sugar, 12 inches diameter.
42.60 A Spring, 2 links, E.
61.30 A Beech, 12 inches diameter.
67.50 A Brook, 8 links, S. E.
75.00 A Brook, 5 links, S. W.
80.00 A Sugar, 14 ins. diam. corner of Sects. 11 & 12; from which a W. Oak, 18 ins. diam. bears N. 84 W. 15 links, and a Sugar, 12 ins. diam. bears S. 84 E. 37 links distant. Rich hilly land; Timber, Oak, Sugar, Ash, Elm, &c.

North 6th Mile by Section 12.
4.50 Post, corner of Sections 5 & 6; from which a W. Oak, 24 ins. diam. bears S. 65 W. 20 links, and a Sugar, 10 ins. diam. bears East 22 links distant.
22.50 Martin's Road.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 24.00 A Hickory, 12 inches diameter.
 32.00 A Spring, 2 links, E.
 54.00 A Brook, 3 links, E.
 57.30 A W. Oak, 5 inches diameter.
 61.00 A Brook, 4 links, S.E.
 85.50 Post, corner of Sections 6 & 12; from which
 a Beech, 18 ins. diam. bears N. 87 W. 33 links,
 and a Beech, 7 ins. diam. bears S. 70 E. 42
 links distant.
 Rich land; Timber, Oak, Sugar, Hickory, &c.

Saturday, 7th May.

From Biggs' corner of Sections 12 & 18, T. 5, R. 3, ran-

West
 10.40 Set a Post, corner of Sections 7 & 13 - 1.35 East of
 old corner; from which a Sugar, 12 ins. diam.
 bears S. 79 E. 9 links, and a Walnut 14 ins. diam.
 bears West 44 links distant.

North Between Sections 7 & 13.
 2.50 A Creek, 1.20 links, course E. - a little below the
 Forks.

8.80 A Sugar, 36 inches diameter.
 39.25 A Walnut, 34 inches diameter.
 52.23 A Sugar, 26 inches diameter.
 69.50 A Spring, 2 links, E.
 80.00 A Sugar, 18 inches diameter, corner of Secs.
 7, 8, 13, 14; from which a Lym, 20 ins. diam.
 bears East 18 links, and a Sugar, 16 ins. diam.
 bears S. 82 W. 42 links distant.
 Rich sidling ground, timbered with Sugar, Elm,
 Walnut, &c.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 North Between Sections 8 & 14.
 7.00 A Brook, 5 links, S. E.
 23.80 A Beech, 10 inches diameter.
 44.50 A Brook, 3 links, W.
 50.25 A Beech, 12 inches diameter.
 80.00 Post, corner of Sections 8, 9, 14, 15, in the head of
 a rich hollow.
 Thin broken land, timbered with Beech, Oak,
 Ironwood, &c.

East Raudora Line between Sections 8 & 9.
 80.50 Fell 25 link North of corner.

N. 89.50 W. Between Sections 8 & 9.
 14.70 A W. Oak, 16 inches diameter.
 50.00 A Spring, 2 links, S.
 57.70 A Sugar, 11 inches diameter.
 80.50 Corner of Sections 8, 9, 14, 15; from which a
 Sugar, 16 ins. diam. bears N. 50 E. 13 links, and a
 Sugar, 14 ins. diam. bears S. 50 W. 36 links distant.
 Good land, generally level; Timber, Oak, Sugar, Wal-
 nut, &c.

Monday, 9th May.

Began at the corner of Secs. 8, 9, 14, 15, and ran -
 North Between Sections 9 & 15.
 5.60 A Beech, 16 inches diameter.
 45.00 A Brook, 5 links, N. E.
 51.70 A Double Poplar.
 61.00 A Spring, 2 links, E.
 62.00 Road.
 66.00 Giffins' Dam.
 80.00 Post, corner of Sections 9, 10, 15, 16; from which
 a Sugar, 12 ins. diam. bears N. 62 E. 37 links,

Township 6, Range 3-7 Ranges.

Chs. Lks.
 and a Walnut, 8 ins. diam. bears N. 77 W. 23 links distant.
 Hilly rich land; Timber, Oak, Sugar, Poplar.

North Between Sections 10 & 16.
 28.00 A R. Oak, 24 inches diameter.
 39.00 A Brook, 3 links, S. E.
 49.30 A W. Oak, 20 inches diameter.
 67.00 A Brook, 4 links, S. E.
 67.50 A Hickory, 12 inches diameter.
 80.00 Post, corner of Sections 10, 11, 16, 17.
 Land generally level and rich; Timber, Oak, Sugar, Hickory, &c.

East Random Line between Secs. 10 & 11.
 80.50 Fell 8 links North of corner of Secs. 10 & 11.

West Between Sections 10 & 11.
 12.09 A Hickory, 12 inches diameter.
 19.00 A Brook, 20 links, South.
 25.50 A Buckeye, 6 inches diameter.
 49.30 A Hickory, 10 inches diameter.
 62.00 A Brook, 4 links, South.
 80.50 Post, corner of Sections 10, 11, 16, 17; from which a Sugar, 10 ins. diam. bears N. 78 W. 31 links, and a Sugar, 8 ins. diam. bears S. 32 E. 35 1/2 links distant.
 Hilly rich land; Timber, Oak, Sugar, Hickory, &c.

North Between Sections 11 & 17.
 33.90 A Sugar, 9 inches diameter.
 42.50 An Ash, 30 inches diameter.
 50.00 A Brook, 3 links, S. E.
 63.00 A Beech, 30 inches diameter.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 80.00 Post, corner of Sections 11, 12, 17, 18; from which a Sugar, 12 ins. diam. bears N. 48 W. 8 links, and a Sugar, 12 ins. diam. bears S. 48 E. 24 links distant.
 Rich level land; Timber, Oak, Ash, Sugar, Walnut, &c.

North 6th Mile - Between Sections 12 & 18.
 33.80 A Hickory, 10 inches diameter.
 43.16 A Sugar, 10 inches diameter.
 68.00 A Brook, 3 links, W.
 69.00 A Brook, 3 links, W.
 83.00 Martin's Road.
 85.00 Post, in Township Line, 25 links East of Old Corner; from which a W. Oak, 30 ins. diam. bears N. 52 W. 14 links, and a W. Oak, 16 ins. diam. bears S. 52 E. 34 links distant.
 Level rich land; Timber, Sugar, Ash, Hickory, &c.

Tuesday, 10th May.
 Set a Post, corner of Sections 13 & 19 - 1.35 th. East of Old Corner; from which a Hickory, 9 ins. diam. bears S. 24 W. 5 links, and a Sugar, 5 ins. diam. bears N. 13 E. 7 1/2 links distant.

Went to Old Corner of Sections 19 & 25, and set a Post, 1.35 links East of it; from which a Dogwood, 6 ins. diam. bears S. 26 W. 9 links, and a W. Oak, 12 ins. diam. bears N. 13 E. 37 links distant.

Went to Old Corner of Sections 25 & 31, and set a Post, 1.35 links East; from which a Sugar, 10 ins. diam. bears S. 61 E. 33 links, and a W.

Township 6, Range 3-7 Ranges.

| Chs. Lks. | |
|-----------|--|
| | Oak, 24 ins. diam. bears N. 85 W. 45 links distant. |
| | From the corner of Sections 19 & 25, ran- |
| | North Between Sections 19 & 25. |
| 8.00 | A Spring, 2 links, E. |
| 18.50 | A Brook, 5 links, S. E. |
| 20.40 | A Beech, 6 inches diameter. |
| 36.50 | A Spring, 2 links, S. W. |
| 40.33 | A Hickory, 12 inches diameter. |
| 50.00 | A Sugar, 12 inches diameter. |
| 61.45 | A W. Oak, 12 inches diameter. |
| 74.00 | A Spring, 2 links, E. |
| 80.00 | A Post, by a good Spring, running East, corner of Sections 19, 20, 25, 26; from which an Ash, 12 ins. diam. bears S. 11 E. 21 links, and a Sugar, 12 ins. diam. bears N. 23 W. 35 links distant. Generally poor hilly land; Timber, Oak, Beech, Dogwood, &c. |
| | North Between Sections 20 & 26. |
| 14.00 | A Spring, 2 links, E. |
| 21.40 | A R. Oak, 30 inches diameter. |
| 29.00 | A creek, 40 links, E. |
| 41.00 | A W. Oak, 24 inches diameter. |
| 57.50 | A W. Oak, 12 inches diameter. |
| 80.00 | Corner of Sections 20, 21, 26, 27. Hilly poor land; Timber, Oak, Hickory, Dogwood, &c. |
| | East Random Line, between Secs. 20 & 21. |
| 80.00 | Random Post. |
| | East Between Secs. 14 & 15, Random continued. |
| 79.50 | Fell 25 links North of corner of Secs. 8, 9, 14, 15. |

Township 6, Range 3-7 Ranges.

| Chs. Lks. | |
|-----------|---|
| | N. 89° 55' W. Between Sections 14 & 15. |
| 11.30 | A R. Oak, 36 inches diameter. |
| 26.00 | A Spring, 2 links, S. W. |
| 30.00 | A W. Oak, 12 inches diameter. |
| 34.00 | A Brook, 5 links, South. |
| 60.10 | A Beech, 12 inches diameter. |
| 74.00 | A Spring, 2 links, S. |
| 76.00 | A Brook, 3 links, S. |
| 79.75 | A W. Oak, 18 ins. diam. corner of Sections 14, 15, 20, 21; from which a W. Oak, 16 ins. diam. bears N. 70 E. 27 links, and a W. Oak, 12 ins. diam. bears S. 85 W. 45 links distant. Rich land, generally level; Timber, Oak, Poplar, Hickory, &c. |
| | N. 89° 55' W. Between Sections 20 & 21. |
| 25.75 | A W. Oak, 30 inches diameter. |
| 27.00 | A Brook, 8 links, S. |
| 43.10 | A W. Oak, 16 inches diameter. |
| 62.00 | A Spring, 2 links, S. |
| 67.00 | A Brook, 8 links, S. |
| 79.75 | Post, corner of Secs. 20, 21, 26, 27; from which a W. Oak, 16 ins. diam. bears S. 56 E. 15 links, and a Dogwood, 6 ins. diam. bears N. 4 W. 19 links distant. Hilly poor land; Timber, Oak, Dogwood, &c. |
| | North Between Sections 21 & 27. |
| 20.70 | A W. Oak, 18 inches diameter. |
| 38.40 | An Elm, 6 inches diameter. |
| 59.80 | A Walnut, 16 inches diameter. |
| 73.50 | A Spring, 2 links, S. E. |
| 80.00 | Post, corner of Sections 21, 22, 27, 28; from which a W. Oak, 15 ins. diam. bears S. 38 E. 10 links, and a Beech, 12 ins. diam. bears N. 63 W. 52 links distant. Rich level land; Timber, Oak, Sugar, Walnut, Elm, &c. |

Chs. Lks. Wednesday, 11th May.

From the corner of Secs. 20, 21, 26, 27, ran

West Between Sections 26 & 27.

12.50 A Brook, 8 links, S.

13.80 A Walnut, 8 inches diameter.

36.00 A Maple, 10 inches diameter.

39.50 A Brook, 3 links, South.

46.10 A Sugar, 12 inches diameter.

48.00 A Brook, 10 links, S. E.

80.00 Post, corner of Secs. 26, 27, 32, 33; from which
a W. Oak, 10 ins. diam. bears N. 52 E. 7 links, and
a Poplar, 8 ins. diam. bears S. 72 W. 31 links
distant.

Hilly land, generally good soil; Timber, Oak, Hick-
ory, Poplar, &c.

West Between Sections 32 & 33.

3.50 A Brook, 3 links, S.

12.31 A Sugar, 12 inches diameter.

32.00 A Brook, 8 links, S.

34.35 A Gum, 12 inches diameter.

37.00 A Spring, 2 links, S. E.

54.00 A Brook, 3 links, S.

76.00 A Brook, 8 links, S.

81.25 Post in Range Line, 60 links South of our
mile Post; from which a W. Oak, 12 ins. diam.
bears S. 83 E. 13 links, and a Maple, 8 ins. diam.
bears N. 50 W. 9 links distant.

Generally level land; Timber, Oak, Hickory and
Dogwood.

From the Corner of Secs. 21, 22, 27, 28, ran—

North Between Sections 22 & 28.

6.00 A Road.

Chs. Lks.

20.60 A Gum, 18 inches diameter.

23.00 A Spring, 2 links, East.

55.10 A Sugar, 12 inches diameter.

65.00 A Brook, 15 links, N. E.

80.00 Set a Post, corner of Sections 28 & 29. Continued—

81.75 Old line of ^{Sec.} 23.

84.00 Post, in line of Sections 22 & 23; from which
a Walnut, 10 ins. diam. bears N. 80 W. 9 links,
and a Buckeye, 8 ins. diam. bears S. 84 E. 21
links distant.

Hilly rich land; Timber, Sugar, Ash, Elm, Buckeye, &c.

North Random Line.

161.00 ~~Pr~~ line, fell 1.50 East of Old Corner.

Went to Old Corner of Sections 30 & 36. Set a
Post, 50 links East of it; from which a Sycamore,
16 ins. diam. bears N. 53 W. 56 links, and an
Ash, 9 ins. diam. bears S. 46 E. 1.29 links distant.

Went to Old Corner of Secs. 24 & 30: a Hickory,
12 ins. diam. bears S. 18 W. 13 1/2 links, and a W.
Oak, 18 ins. diam. bears N. 67 E. 39 links distant.

South Between Sections 24 & 30. Variation 1°.

22.75 A W. Oak, 15 inches diameter

37.00 A Brook, 3 links, S. W.

41.00 Part of Creek.

43.50 Residue, Eastward.

48.24 A Walnut, 8 inches diameter.

61.00 Martin's Road.

72.50 A Spring, 2 links, East.

80.50 A Sugar, 12 ins. diam. corner of Secs. 23 & 24;
from which a Sugar, 15 ins. diam. bears S.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 50 E. 30 links, and an Ash, 10 ins. diam. bears N. 31 W. 33 links distant.
 85.00 Post, corner of Sections 29 & 30; from which a B. Oak, 36 ins. diam. bears N. 6 E. 22 links, and a W. Oak, 20 ins. diam. bears S. 43 W. 29 links distant.
 Hilly, rich land; Timber, Oak, Sugar, Ash, &c.
 [South Between Sections 28 & 29.]
 20.10 A W. Oak, 20 inches diameter.
 31.00 A Brook, 10 links, E.
 71.00 A Sugar, 14 inches diameter.
 77.00 A Brook, 3 links, E.
 80.50 Post, corner of Section 23; from which a Sugar, 15 ins. diam. bears N. 38 W. 18 links, and a Walnut, 8 ins. diam. bears S. 54 E. 11 lks. distant.
 Rich hilly land; Timber, Walnut, Ash, Sugar, &c.
 East [Between Sections 22 & 23]
 .94 Corner of Section 22, set before.
 15.00 A Brook, 4 links, S. E.
 17.10 A Sugar, 18 inches diameter.
 20.00 A Brook, 12 links, N. E.
 45.80 A Walnut, 18 inches diameter.
 50.00 A creek, 1.30 links, South Eastward.
 80.50 Set a Post, corner of Sections 22 & 23; from which a Hickory, 13 ins. diam. bears S. 22 E. 23 links, and a Sugar, 8 ins. diam. bears N. 30 E. 21 lks. distant.
 Rich Bottom land; Timber, Sugar, Elm, Walnut, &c.
 From the corner of Sections 10, 11, 16, 17, run
 West Between Sections 16 & 17.
 7.00 A Brook, 3 links, S.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 18.80 A Walnut, 15 inches diameter.
 37.50 A Brook, 15 links, S.
 45.50 A R. Oak, 7 inches diameter.
 59.40 A Walnut, 18 inches diameter.
 80.00 Post, corner of Sections 16 & 17; from which a Hickory, 6 ins. diam. bears North 10 links, and a Sugar, 6 ins. diam. bears S. 32 E. 26 links distant.
 Hilly rich land; Timber, Oak, Hickory, Sugar, &c.
 North
 4.00 Corner of Sections 21 & 23.
 Took bearings at the Post, set for the corner of Secs. 28 & 27, viz: - a Walnut, 9 ins. diam. bears S. 50 W. 14 links, and an Ash, 5 ins. diam. bears N. 43 E. 15 links distant.
 West Between Sections 28 & 29.
 15.00 A Spring, 2 links, S.
 35.80 A Sugar, 7 inches diameter.
 36.50 A Brook, 3 links, S. E.
 41.50 A Spring, 2 links, N. E.
 57.50 A W. Oak, 16 inches diameter.
 80.00 Post, corner of Sections 28 & 34; from which a Sugar, 6 ins. diam. bears East 25 links, and a Sugar, 6 ins. diam. bears S. 61 W. 17 lks. distant.
 Level rich land; Timber, Oak, Sugar, Ash, &c.
 West Between Sections 34 & 35.
 .90 Post, corner of Sections 29 & 35; from which a Sugar, 7 ins. diam. bears S. 46 E. 12 links, and a B. Oak, 34 ins. diam. bears S. 70 W. 28 links distant.
 15.00 A Spring, 2 links, N.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 20.00 A Brook, 3 links, N. E.
 29.10 A W. Oak, 16 inches diameter.
 30.00 A Beech, 18 inches diameter.
 51.00 A Spring, 2 links, N.
 51.50 A Barok, 4 links, N. E.
 57.00 A Brook, 4 links, S. E.
 81.25 Post in Range Line, 1.00 South of my 4
 mile Post, corner of Sections 34 & 35; from
 which a Sugar, 10 ins. diam. bears N. 7
 W. 23 1/2 links, and a Sugar, 30 ins. diam.
 bears S. 18 W. 97 links distant.
 Good farming land; Timber, Oak, Beech,
 Hickory, &c.

Went to the 3rd mile Post, set in running the
 West Boundary of T. 6, R. 3. Made it the cor-
 ner of Secs. 34 & 35, in T. 7, R. 4; from which a
 W. Oak, 20 ins. diam. bears N. 50 W. 40 links,
 and a Sugar, 12 ins. diam. bears S. 55 E. 40
 links distant.

Measured 60 links South. Set a Post, corner
 of Secs. 33 & 34, T. 6, R. 3; from which a Su-
 gar, 8 ins. diam. bears N. 47 W. 9 links, and
 a W. Oak, 24 ins. diam. bears S. 30 E. 20
 links distant.

Established the 5th mile Post, set in running
 the West Boundary of T. 6, R. 3, for the corner
 of Secs. 5 & 6, T. 7, R. 4; from which a W. Oak,
 10 ins. diam. bears N. 13 W. 32 links, and a
 Maple, 8 ins. diam. bears S. 52 E. 33 links
 distant.

Measured 81 links South, and set a Post, cor-
 ner of Sections 35 & 36, T. 6, R. 3; from which

Township 6, Range 3-7 Ranges.

Chs. Lks.
 a Maple, 16 ins. diam. bears N. 14 W. 32
 links, and a Maple, 6 ins. diam. bears S.
 23 E. 34 links distant.

Surveyed in 1803, by
 Alexander Holmes,
 Deputy Surveyor.

Township 6, Range 3-7 Ranges.

Subdivision of "2 Mile Blocks."

Tuesday, September 3, 1805.

From the corner of Sections 28 & 29, ran East Between Sections 28 & 29. - for Wm. Bell. 13.50 A Brook, 15 links wide, runs N. E. 67.00 To creek bank - continued down it. 79.00 To opposite bank of creek, running S. E. 80.00 To corner of Sections 16 & 17. Rich Walnut and Sugar land.

From last mentioned corner, ran South On Random Line, between Sections 16 & 22 12.00 A creek, 150 links wide, runs East. 15.00 A Brook, 6 links wide, runs E. 36.00 A Spring, runs E. 40.00 Set temporary Quarter Section Post. 60.00 A Spring, runs East. 80.00 Set temporary Center Post. Hilly rich land; Timber, Oak, Sugar, Beech.

South continued Random Line between Secs. 15 & 21. 7.00 A Brook, 3 links wide, runs E. 30.00 Wheeling Road. 40.00 Set temporary Quarter Section Post. 80.00 Fell 200 links East of corner of Secs. 14, 15, 20, 21. Land same as last.

North Connected line between Sections 15 & 21, and between Sections 16 & 22, and set Center and Quarter Section Posts on true line.

From the corner of Sections 21, 22, 27, 28, ran East On Random line between Sections 21 & 22. 23.50 A Spring, runs S. E.

Township 6, Range 3-7 Ranges.

Chs. Lks. 35.00 Wheeling Road. 40.00 Set temporary Quarter Section Post. 66.00 A Brook, 2 links wide, runs S. E. 80.00 Crossed North and South Line. Generally good Oak land.

East continued Random Line between Sections 15 & 16. 8.00 A Brook, 5 links wide, runs S. E. 15.50 A Brook, 2 links wide, runs South. 40.00 Set temporary Quarter Section Post. 45.00 A creek, 150 links wide, runs South. 79.50 Fell 9 links North of corner of Secs. 9, 10, 15, 16. Hilly, rich land; Timber, Oak, Sugar, &c.

West Connected the line between Sections 15 & 16, and moved temporary Quarter Section Post to true line, at average measure; from which a Sycamore, 48 ins. diam. bears South ^{Ch. Lks.} 3.48, and a W. Oak, 36 ins. diam. bears N. 7 W. 44 links distant. Set Center Post at the intersection of true lines, corner to Sections 15, 16, 21, 22; from which a Hickory, 9 ins. diam. bears N. 20 W. 13 links, and a Hickory, 18 ins. diam. bears S. 16 W. 14 links distant.

North Traveled between Sections 16 & 22, and set Cr. Sec. Post at average measure; from which a Beech, 16 ins. diam. bears S. 65 W. 17 links, and a Beech, 9 ins. diam. bears N. 81 E. 21 links distant.

South Traveled between Sections 15 & 21, and set Cr. Sec. Post at average distance; from which

Township 6, Range 3-7 Ranges.

Chs. Lks.
 a W. Oak, 30 ins. diam. bears N. 77 E. 8 Ms.,
 and a W. Oak, 12 ins. diam. bears N. 86 W.
 19 links distant.

West Corrected the line between Secs. 21 & 22, and
 moved Dr. Sec. Corner, to a W. Oak, 36 ins.
 diam. on true line, corner tree; from which
 a Sugar, 14 ins. diam. bears N. 40 E. 26 links,
 and a Dogwood, 5 ins. diam. bears S. 13 W.
 31 links distant.

South On Random Line between Sections 14 & 20.
 15.00 A Spring, runs East.
 40.00 Set temporary Quarter Section Post.
 80.00 Set temporary Center Post.
 Level, thin land; Timber, Oak.

South Continued Random Line between Secs. 13 & 19.
 16.00 A creek, 50 links wide, runs East-rapid.
 23.00 A Spring, runs N. E.
 40.00 Set temporary Quarter Section Post.
 46.00 A Brook, 3 links wide, runs S. E.
 80.00 Fell 12 links West of corner of Secs. 13 & 19, on
 South Boundary of the Township.
 Hilly rich land; Timber, Oak, Sugar, &c.

North Corrected line between Secs. 13 & 19, and between
 Sections 14 & 20, and set temporary Center and
 Quarter Section Posts on true line.

From the corner of Sections 19, 20, 25, 26, ran
 East on Random Line between Sections 19 & 20.
 25.00 A Spring, runs ^{North} East.
 32.00 A creek, 50 links wide, runs S. E.

Township 6, Range 3-7 Ranges.

Chs. Lks.
 40.00 Set temporary Quarter Section Post.
 45.00 To creek; kept down it.
 53.00 Left the creek, running S. E.
 58.50 A Brook, 15 links wide, runs South.
 72.00 A Spring, runs S. W.
 80.00 Crossed North and South Lines.
 Hilly, poor Oak land.

East Continued Random Line between Secs. 13 & 14.
 11.50 A Brook, 10 links wide, runs South.
 29.50 A Spring, runs South.
 40.00 Set temporary Quarter Section Post.
 44.50 A Brook, 15 links wide, runs South.
 60.00 A Brook, 3 links wide, runs S. W.
 81.00 Fell 83 links South of corner of Secs. 7, 8, 13, 14.
 Hilly land, timbered with Oak, Sugar, &c.

West Corrected line between Secs. 13 & 14, and moved
 temporary Dr. Sec. Post to average measure,
 on true line; from which a Walnut, 18 ins.
 diam. bears N. 66 E. 24 links, and an Ash,
 6 ins. diam. bears S. 4 E. 31 links distant.
 Set Center Post, at intersection of true lines,
 corner to Sections 13, 14, 19, 20; from which
 a W. Oak, 16 ins. diam. bears N. 43 E. 40 Ms.,
 and a W. Oak, 8 ins. diam. bears S. 49 W. 40
 links distant.

North Traveled between Sections 14 & 20, and set
 Dr. Sec. Post, at average distance; from which
 a Hickory, 12 ins. diam. bears S. 18 W. 17
 links, and a Dogwood, 8 ins. diam. bears
 N. 79 E. 29 links distant.

Township 6, Range 3-7 Ranges.

Chs. Sh.
 South Traveled South between Sections 13 & 19, and set Dr. Sec. Post at average distance; from which a Beech, 14 ins. diam. bears S. 59 W. 2 links, and a Hickory, 10 ins. diam. bears N. 53 E. 10 links distant.

West Connected line between Sections 19 & 20, and moved temporary Dr. Sec. Post to average distance; on true line; from which a W. Oak, 10 ins. diam. bears S. 4 E. 31 links distant. No other timber near.

East On Random Line between Sections 7 & 8.
 1.50 A Brook, 8 links wide, runs S.
 28.50 A Brook, 8 links wide, runs S.
 40.00 Set temporary Quarter Section Post.
 60.50 A Brook, 12 links wide, runs South.
 81.00 Struck the corner of Sections 7 & 8. Hilly rich land; Timber, Oak, Sugar, Walnut.

West Connected, or marked back, between Sections 7 & 8, & set the Dr. Sec. Post at the average distance; from which a Walnut, 14 ins. diam, bears S. 86 E. 6 links, and an Ash, 16 ins. diam. bears S. 63 W. 20 links distant.

Wednesday, September 4, 1805.

From the corner of Secs. 26, 27, 32, 33, ran-
 South On Random Line between Secs. 26 & 32.
 11.00 A Brook, 3 links wide, runs S. E.
 40.00 Set temporary Quarter Section Post.
 57.50 A Brook, 40 links wide, runs East.
 80.00 Set temporary Center Post. Hilly land, good soil; Timber, Oak, Hickory, &c.

Township 6, Range 3-7 Ranges.

Chs. Sh.
 South Continued Random Line between Secs. 25 & 31.
 9.50 A Brook, 3 links wide, runs S. E.
 21.00 A Brook, 2 links wide, runs E.
 40.00 Set temporary Quarter Section Post.
 40.50 A Brook, 4 links wide, runs S. W. kept down the brook, crossing it often.
 72.00 Left the Brook, running S. W.
 80.00 Fell 34 links West of corner of Secs. 25 & 31, on South Boundary of Township. Hilly, poor land; Timber, Oak, Beech, &c.

North Connected the line between Secs. 25 & 31, and between Secs. 26 & 32, and moved temporary Center and Quarter Section Posts to true line.

From corner of Sections 19, 20, 25, 26, ran-
 West On Random Line between Sections 25 & 26.
 40.00 Set temporary Quarter Section Post.
 45.00 A Brook, 3 links wide, runs South.
 50.00 A Spring, runs N. E.
 80.00 Crossed North and South Line. Generally rich land; Timber, Oak, Sugar, &c.

West Continued Random Line between Secs. 31 & 32.
 30.00 A Brook, 3 links wide, runs S.
 40.00 Set temporary Quarter Section Post.
 66.00 A Brook, 3 links wide, runs South.
 80.66 Struck corner of Sections 31 & 32, on West Boundary. Generally good land; Timber, Oak and Hickory.

East Connected between Sections 31 & 32, and set Dr. Sec. Post at average distance; from which a Beech, 12 ins. diam. bears S. 42 W. 1.52 links distant. No other trees near.

Township 6, Range 3-7 Ranges.

Chs. Lk.
 Set ~~at~~ Center Post at intersection of true line, corner to Sections 25, 26, 31, 32; from which a W. Oak, 15 ins. diam. bears N. 41 E. 8 Ms., and a Dogwood, 4 ins. diam. bears N. 86 W. 4 links distant.

North Traveled between Sections 26 & 32, and set Dr. Sec. Post at average distance; from which a W. Oak, 18 ins. diam. bears N. 60 E. 15 links, and a W. Oak, 15 ins. diam. bears S. 36 W. 25 links distant.

South Traveled between Secs. 25 & 31. Set Dr. Sec. Post at average distance; from which a Sugar, 12 ins. diam. bears S. 8 E. 12 links, and a Hickory, 6 ins. diam. bears N. 52 W. 46 Ms. distant.

East Corrected the line between Secs. 25 & 26. Set Dr. Sec. Post at average distance; from which a Sugar, 8 ins. diam. bears N. 19 E. 38 Ms., and a Sugar, 18 ins. diam. bears S. 11 W. 5 links distant.

Wednesday, Nov. 14, 1805.

From the corner of Sections 28 & 34, ran-

South On Random Line between Secs. 28 & 34.
 80.00 Set temporary center Post.

South On Random Line between Secs. 27 & 33.
 80.00 Fell 25 links East of corner of Secs. 26, 27, 32, 33.

North On true Line between Sections 27 & 33.
 10.00 A Sugar, 12 inches diameter.
 17.50 A Spring, near East.

Township 6, Range 3-7 Ranges.

Chs. Lk.
 30.50 A Branch, 10 links wide, near S. E.
 41.75 A W. Oak, 18 inches diameter.
 43.00 A Spring, near S. W.
 61.00 A Spring, near W.
 76.50 A Spring, near W.
 80.50 Moved temporary center Post to true line. Willy, Oak land.

North Continued true line, between Sections 28 & 34.
 13.25 A W. Oak, 16 inches diameter.
 33.50 Wheeling Road.
 50.00 A Brook, 3 links wide, near E.
 80.00 To corner of Sections 28 & 34. Generally good Oak land.

From the corner of Sections 21, 22, 27, 28, ran-

West On Random Line between Secs. 27 & 28.
 80.00 Crossed North and South Line.

West Continued Random Line between Secs. 33 & 34.
 81.00 Fell 33 links North of corner of Secs. 33 & 34.

East Corrected between Secs. 33 & 34, on true line.
 5.00 A Brook, 3 links wide, near North - keeping down a large Brook, 5 chains further - at
 10.00 Left it, running S. E.
 17.50 A Brook, 3 links wide, near S.
 29.00 A Brook, 3 links wide, near S.
 35.00 A W. Oak, 8 inches diameter.
 67.00 A Brook, 6 links wide, near S.
 81.00 Crossed North and South Line at center Post. Set center Post, corner to Secs. 27, 28, 33, 34; where a Sugar, 6 ins. diam. bears N. 20 W. 4 links, and a Hickory, 12 ins. diam. bears

Township 6, Range 3-7 Ranges.

66.51 links distant.
 Hilly thin land; Timber, Oak, Dogwood, &c.

East corrected between Sections 27 & 28, on true line.
 20.00 A Brook, 3 links wide, runs S.
 40.00 To the corner of Sections 21, 22, 27, 28.
 Pretty good Oak land.

Between Sections 27 & 33. Set Dr. Sec. Post,
 where a W. Oak, 18 ins. diam. bears North
 1.50 links distant. No other timber near.

Between Sections 33 & 34. Set Dr. Sec. Post,
 where a W. Oak, 18 ins. diam. bears West 5.50
 links distant. No other near.

Between Sections 27 & 28. Set Dr. Sec. Post,
 where a Hickory, 9 ins. diam. bears S. 32 W.
 30 links, and a Hickory, 12 ins. diam. bears
 S. 28 E. 49 links distant.

Between Sections 28 & 34. Set Dr. Sec. Post,
 where a Sugar, 5 ins. diam. bears N. 40 E. 4
 links, and an Ash, 14 ins. diam. bears S. 76
 W. 11 links distant.

Thursday, November 13, 1805.

From the corner of Sections 29 & 30, ran-

West Between Sections 29 & 30, on true line.
 33.75 A Red Oak, 24 inches diameter.
 58.50 A W. Oak, 16 inches diameter.
 73.50 A Brook, 2 links wide, runs S.
 80.00 Set temporary center Post.
 First rate Oak land.

Township 6, Range 3-7 Ranges.

66.51 links distant.
 West Between Sections 35 & 36, on true line.
 29.50 A W. Oak, 16 inches diameter.
 35.25 A Brook, 6 links wide, runs N. E.
 50.50 A Brook, 3 links wide, runs S. E.
 60.75 A W. Oak, 15 inches diameter.
 80.00 A Brook, 3 links wide, runs South.
 81.00 To the corner of Sections 35 & 36, on West
 Boundary.
 Hilly, thin, Oak land.

From the Corner of Sections 30 & 36, ran-

South Between Sections 30 & 36, on true line.
 50 A Brook, links wide, runs East.
 12.20 A Sugar, 9 inches diameter.
 29.25 A Sugar, 15 inches diameter.
 54.00 A W. Oak, 18 inches diameter.
 57.00 A Brook, 10 links wide, runs E.
 81.00 A Brook, 2 links wide, runs S. E.
 85.50 Crossed the East and West line at center Post.
 Set Post, come to Sections 29, 30, 35, 36, where
 a W. Oak, 36 ins. diam. bears S. 62 W. 18 links,
 and a W. Oak, 16 ins. diam. bears N. 7 E. 3
 links distant.
 Hilly land, good soil; Timber, Oak, Hickory, &c.

South Between Sections 29 & 35, on True line.
 17.50 A W. Oak, 16 inches diameter.
 21.50 A Brook, 3 links wide, runs S. E.
 42.75 A Brook, 3 links wide, runs S. E.
 55.25 A W. Oak, 16 inches diameter.
 69.00 A Brook, 8 links wide, runs E.
 80.50 To the corner of Sections 29 & 35.
 Generally good Oak land.

Township 6, Range 3-7 Ranges.

Chs. Lks.

Between Sections 29 & 35. Set Dr. Sec. Post, where a W. Oak, 24 ins. diam. bears S. 4 W. 22 links, and a Poplar, 4 ins. diam. bears N. 27 E. 7 links distant.

Between Sections 35 & 36. Set Dr. Sec. Post, where a Dogwood, 6 ins. diam. bears N. 1 W. 16 links, and a Dogwood, - ins. diam. bears S. 24 E. 17 links distant.

Between Sections 30 & 36. Set Dr. Sec. Post, where a W. Oak, 24 ins. diam. bears S. 24 W. 13 links, and a W. Oak, 20 ins. diam. bears N. 4 E. 26 links distant.

Between Sections 29 & 30. Set Dr. Sec. Post, where a W. Oak, 18 ins. diam. bears S. 18 E. 13 links, and a W. Oak, 24 ins. diam. bears N. 6 E. 33 links distant.

Monday, November 12, 1805.

South From the corner of Sections 18 & 24, ran Random Line between Sections 18 & 24. 85.00 Set a temporary Center Post.

South On Random Line between Sections 17 & 23. 77.00 Fell 100 links West of the S. E. corner of Sec. 23.

North Between Sections 17 & 23, on true line.

21.00 A Hickory, 12 inches diameter.

28.25 A W. Oak, 20 inches diameter.

53.40 A W. Oak, 16 inches diameter.

74.50 A Spring, runs East.

77.00 Moved temporary Center Post to true line. Generally pretty good Oak land.

Township 6, Range 3-7 Ranges.

Chs. Lks.

North Between Sections 18 & 24, on true line.

18.00 A Spring, runs East.

21.00 A Spring, runs East.

31.00 A Brook, 4 links wide, runs S. E.

56.50 A Red Oak, 48 inches diameter.

62.00 A Spring, runs East.

70.00 A Spring, runs East.

85.00 To the corner of Sections 18 & 24.

Good level Oak land.

From corner of Sections 11, 12, 17, 18, ran

West On True Line between Sections 17 & 18.

2.00 A Brook, 2 links wide, runs South.

30.00 A Beech, 16 inches diameter.

38.50 A Brook, 15 links wide, runs South.

40.00 A W. Oak, 15 inches diameter.

49.00 A Spring, runs S. E.

67.18 A Maple, 18 inches diameter.

75.00 A Brook, 15 links wide, runs South.

81.00 Intersected North and South Line, 50 lbs. South

of temporary Center Post, corner to Secs. 17 & 18;

from which a W. Oak, 15 ins. diam. bears

N. 3 E. 27 links, and a W. Oak, 16 ins. diam.

bears S. 16 W. 35 links distant.

Willy, rich land; Timber, Oak, Sugar, &c.

Set Dr. Sec. Post on true line between Secs.

17 & 18, [at average distance,] from which a

W. Oak, 15 ins. diam. bears East 50 lbs. distant.

Set Dr. Sec. Post on the line between Sections

18 & 24, [at average distance,] from which

a W. Oak, 14 ins. diam. bears S. 2 W. 19 links, and a W.

Oak, 12 ins. diam. bears S. 8 E. 30 links distant.

192

Township 6, Range 3-4 Ranges.

Chs. Lks.
Set Quarter Section Post on the line between Sections 11 & 12, [at average distance] from which a W. Oak, 12 ins. diam. bears N. 82 E. 30 links, and a Beech, 6 ins. diam. bears N. 67 W. 10 links distant.

From the corner of Sections 11, 12, 17, 18, run East On Random Line between Sections 11 & 12.
81.00 Fell 35 links North of corner of Sections 11 & 12.

West On True Line between Sections 11 & 12.

- 4.50 A Brook, 3 links wide, runs South.
- 19.00 A Poplar, 72 inches diameter.
- 44.00 A Brook, 4 links wide, runs S.
- 58.50 A W. Oak, 16 inches diameter.
- 61.00 A Spruce, runs S. E.
- 75.00 A Sugar, 12 inches diameter.
- 81.00 To the corner of Sections 11, 12, 17, 18.

Wetly, rich land; Timber, Oak, Sugar, &c.

Set Quarter Section Post on True line between Sections 11 & 12; from which a W. Oak, 16 ins. diam. bears 18 chains distant.

From the corner of Sections 9, 10, 15, 16, run East On Random Line between Sections 9 & 10.
80.00 Fell 10 links North of the corner of Sections 9 & 10.

West On True Line between Sections 9 & 10.

- 23.50 Wheeling Creek, 1.25 links wide, runs N. E.
- 45.00 A Brook, 5 links wide, runs South.

193

Township 6, Range 3-4 Ranges.

Chs. Lks.
80.00 To the corner of Sections 9, 10, 15, 16.

Set Quarter Section Post, on the line between Sections 9 & 10; from which a Beech, 14 ins. diam. bears S. 25 W. 1.35 links distant.

[Sections 1, 2, 3, 4, 5 & 6, "were sold at New York; therefore are not re-surveyed."]

Surveyed in Sept. & Nov. 1805, by
Alexander Holmes,
Deputy Surveyor.