

Township 8, Range 4-7 Ranges.

Chs. Lks.

62.90 A Brook, 2 links wide, runs S. 10 E.

81.50 Fell 49 lbs. N. of Post on Range Line, corner of Secs. 33 & 34.  
Land uneven, soil D. rate; Timber, W. B. Oak, Hickory, Dogwood, &c.

From Post on Range Line, corner of Secs. 33 & 34 - Aug. 15, 1805.  
Corrected the line between Secs. 33 & 34. *Rev. 0° 10'.*

40.75 Moved temporary In. Sec. Post to average measure on true line,  
from which a W. Oak, 24 ins. diam. bears N. 69° E. 16 lbs, and a  
W. Oak, 11 ins. diam. bears N. 60 1/2 W. 10 lbs. distant.

81.50 Fell 28 lbs. N. of temporary Center Post. Moved & set it at the  
intersection of the lines, corner of Secs. 27, 28, 33 & 34, from which  
a W. Oak, 16 ins. diam. bears S. 37 1/2 W. 18 1/2 links, and a  
Hickory, 8 ins. diam. bears N. 44 E. 8 links distant.

x x x x x x x x x

Then traveled South between Secs. 27 & 28, and moved In.  
Sec. Post to the average measure on true line; from which  
a W. Oak, 13 ins. diam. bears S. 37 1/2 W. 34 links, and a W. Oak,  
8 ins. diam. bears N. 28 1/2 E. 21 1/2 links distant.

East Corrected the Line between Sections 27 & 28.

40.00 Moved temporary In. Sec. Post, and set it at average mea-  
sure on true line; from which a W. Oak, 12 ins. diam.  
bears N. 51 E. 27 links, and a W. Oak, 14 ins. diam. bears  
S. 17 1/2 W. 30 1/2 links distant.

59.50 A W. Oak, 42 inches diameter.

80.00 To Post, corner of Sections 21, 22, 27, 28.

x x x x x x x x x

Surveyed in July & August, 1805, by Benjamin Hough, Deputy Surveyor.

Township 6, Range 5 - Seven Ranges.

Chs. Lks.

North Boundary.

[From North West corner of Township; thence]

East 1<sup>st</sup> Mile [North side of Section 36.]

37.00 A Forked W. Oak, each fork 14 ins. diam.

64.00 A W. Oak, 12 inches diameter.

80.00 Set Post, corner of Sections 30 & 36, from  
which a W. Oak, 12 ins. diam. bears  
N. 84 W. 41 links, and a W. Oak, 15 ins.  
diam. bears S. 87 1/2 E. - links distant.

This side the land hilly, and in some places  
rocky; the soil is, in general, thin, but  
would produce good crops of wheat and  
rye for a few years without manure. The  
timber is White Oak and Hickory.

East 2<sup>d</sup> Mile - [North side of Section 30.]

3.20 A B. Oak, 30 inches diameter.

36.85 A W. Oak, 24 inches diameter.

80.00 Set Post, corner of Sections 24 & 30, from  
which a forked Oak, the fork nearest the  
corner 10 ins. diam. bears S. 66 E. 36 links,  
and a W. Oak, 11 ins. diam. bears S. 5 1/2 W.  
17 links distant. A W. Oak, 9 ins. diam.  
is the corner.

The land on the line for this mile is poor  
and hilly, covered mostly with W. Oak,  
some Hickory and Dogwood.

East 3<sup>d</sup> Mile - [North side of Section 24.]

23.76 A W. Oak, 20 inches diameter.

56.14 A W. Oak, 12 inches diameter.

80.00 A W. Oak, 18 ins. diam. [is corner of Secs. 18 & 24]  
from which a W. Oak, 14 ins. diam.  
bears S. 41 1/2 E. 25 links, and a W. Oak, 11



Township 6, Range 5 - Seven Ranges.

Chs. Lks.	
	ins. diam. bears N. 24 W. 38 links distant. The soil of this mile is generally good for tillage and pasturage; covered with W. & B. Oak, Hickory, Dogwood, Sassafras.
East 4 <sup>th</sup> Mile [North side of Section 18]	
40.41	A B. Oak, 18 inches diameter.
60.23	A Hickory, 10 inches diameter.
80.00	[Set Post, corner to Sections 12 & 18, from which] a W. Oak, 14 ins. diam. bears S. 9 W. 44 links, and a W. Oak, 14 ins. diam. bears N. 4 1/2 W. 10 links distant. Middling good wheat land on the line for this mile, covered with Oak, Hickory, Poplar, Dogwood and Sassafras.
East 5 <sup>th</sup> Mile [North side of Section 12.]	
16.09	A B. Oak, 18 inches diameter.
47.57	A B. Oak, 16 inches diameter.
80.00	[Set Post, corner to Sections 6 & 12, from which] a W. Oak, 10 ins. diam. bears N. 50 E. 26 links, and a Poplar, 11 ins. diam. bears S. 56 W. links distant. The soil of this mile is generally thin, but is sufficiently rich to produce wheat, rye, for a few years without manure. The timber is W. Oak, B. Oak, Hickory, and some Poplar.
East 6 <sup>th</sup> Mile [North side of Section 6.]	
12.61	A W. Oak, 10 inches diameter.
61.50	A Sugar, 20 inches diameter.
77.50	Intersected Range Line, West Boundary of Range 4
80.00	[Set Post - from which] a W. Oak, 15 ins. diam. bears S. 26 1/2 W. 13 1/2

Township 6, Range 5 - Seven Ranges.

Chs. Lks.	
	and a W. Oak, 14 ins. diam. bears N. 32 1/4 E. 35 links distant. The soil on this line is generally of a middling quality for raising wheat and rye; covered with Oak, Hickory, Dogwood, Sugar, &c.
East Boundary.	
South 1 <sup>st</sup> Mile [East side of Section 6.]	
29.40	A W. Oak, 14 inches diameter.
44.20	A Spanish Oak, 24 inches diameter.
59.38	A W. Oak, 12 inches diameter.
73.90	A W. Oak, 14 inches diameter.
80.00	[Set Post, corner <del>East</del> to Sections 5 & 6, from which] a W. Oak, — ins. diam. bears S. 33 1/2 E. — links, and a W. Oak, — ins. diam. bears N. 18 1/2 W. 33 links distant. The timber is large B. W. and Spanish Oak, Hickory, and Dogwood. Along the first 1/2 mile the hills are short and steep, but soil rich, and would produce indian corn, wheat, &c.
South 2 <sup>d</sup> Mile [East side of Section 5.]	
10.05	A W. Oak, 20 inches diameter.
15.00	A W. Oak, 20 inches diameter.
43.05	A W. Oak, 10 inches diameter.
64.25	A Spanish Oak, 20 inches diameter.
80.00	[Set Post, corner to Sections 4 & 5, from which] a Hickory, 14 ins. diam. bears S. 61 1/4 E. — links, and a W. Oak, 20 ins. diam. bears S. 61 1/4 W. 61 links distant. This mile is timbered with B. W. and Spanish Oak, Hickory, B. Walnut, Cherry and Dogwood. The land is rich, but much broken with hills.



Township 6, Range 5 - Seven Ranges.

6th. M.  
 South 3<sup>d</sup> Mile [East side of Section 4.]  
 3.90 A W. Oak, 20 inches diameter.  
 51.60 A W. Oak, — inches diameter.  
 65.00 A W. Oak, 6 inches diameter.  
 80.00 [Set Post, corner to Sections 3 & 4, from which]  
 a W. Oak, 20 ins. diam. bears S. 60 E. 41 links,  
 and a W. Oak, — ins. diam. bears N. 79 W.  
 40 links distant.  
 The land generally broken with steep ridges  
 and stones, which renders it in some mea-  
 sure untillable. Timber chiefly Oak and  
 Hickory. In this mile are two small rivu-  
 lets, along which are good bottoms for meadows, &c.

South 4<sup>th</sup> Mile [East side of Section 3.]  
 18.30 A W. Oak, 36 inches diameter.  
 27.56 A W. Oak, — inches diameter.  
 37.10 A Hickory, 12 inches diameter.  
 46.95 A W. Oak, 20 inches diameter.  
 80.00 [Set Post, corner to Sections 2 & 3, from which]  
 a Spanish Oak, 15 ins. diam. bears S. 13 1/2 E.  
 41 1/2 links, and a Spanish Oak, 24 ins. diam.  
 bears S. 67 1/2 — 54 links distant.  
 The land hilly, and soil of a good quality,  
 proper for the production of wheat, rye, oats  
 and indian corn; Timber, Spanish, W. & B.  
 Oak, Hickory and Beech.

South 5<sup>th</sup> Mile - East side of Section 2.  
 6.02 A W. Oak, 36 inches diameter.  
 18.06 A Poplar, 15 inches diameter.  
 59.72 A W. Oak, 9 inches diameter.  
 67.90 A W. Oak, 14 inches diameter.  
 80.00 Set Post, corner to Sections 1 & 2, from which

Township 6, Range 5 - Seven Ranges.

6th. M.  
 a W. Oak, 14 ins. diam. bears S. 44 W. 39  
 links, and a W. Oak, 12 ins. diam. bears  
 S. 63 1/2 E. 37 links distant.  
 The land broken with short narrow ridges.  
 The land poor and stony; a number of small  
 brooks, with excellent water.

South 6<sup>th</sup> Mile - [East side of Section 1.]  
 38.70 A Forked W. Oak.  
 45.15 A Chestnut Oak, 24 inches diameter.  
 63.55 A W. Oak, 18 inches diameter.  
 80.00 [Set Post from which]  
 a W. Oak, 12 ins. diam. bears N. 65 1/2 W.  
 89 links, and a B. Oak, 9 ins. diam. bears  
 N. 3 1/2 E. 57 1/2 links distant.  
 The ascents and descents more gentle than the  
 preceding mile; soil thin, but answers to the  
 production of wheat, &c. Some intervals prope-  
 er for meadow; timbered with Plum, Crab  
 Apple, Cherry; the upland covered with the  
 different species of Oak, Chestnut, Buckle-  
 berry, &c.

West Boundary.

[From Post at North West corner of Township.]  
 South 1<sup>st</sup> Mile - West side of Section 36.  
 18.23 A W. Oak, 13 inches diameter.  
 54.50 A bank of Stone boal in the course.  
 57.86 A W. Oak, 11 inches diameter.  
 80.00 [Set Post, corner to Sections 35 & 36, where] a  
 W. Oak, 14 ins. diam. bears S. 26 1/2 W. 13  
 links, and a W. Oak, 15 ins. diam. bears  
 N. 32 1/2 E. 35 links distant.  
 About 1/3 of this mile is bottom land, suitable



Township 6, Range 5 - Seven Ranges.

6 in. dia.

for meadow, &c.; the other 2/3 is very hilly land, the soil of a middling quality, covered with Oak, Hickory and Dogwood.

South 2<sup>d</sup> Mile - [West side of Section 35.]  
80.00 [Set Post, corner to Sections 34 & 35, where] a W. Oak, 14 ins. diam. bears S. 7 W. 65 links, and a W. Oak, 12 ins. diam. bears S. 7 1/4 W. 10 links distant.

The soil on the line is generally of a middling quality for wheat and rye, and indian corn; covered with Oak, Hickory, Maple, Chestnut and Dogwood.

South 3<sup>d</sup> Mile - [West side of Section 34.]  
78.54 A W. Oak, 15 inches diameter.  
80.00 [Set Post, corner to Sections 33 & 34, from which] a W. Oak, 16 ins. diam. bears S. 10 W. 36 links, and a W. Oak, --- ins. diam. bears N. 44 E. 10 links distant.

Good wheat land on the line for this mile; covered with W. & R. Oak, Hickory, and some Cherry, Chestnut and Dogwood.

South 4<sup>th</sup> Mile - [West side of Section 33.]  
4.37 A B. Oak, 14 inches diameter.  
15.45 A Forked W. Oak - the Easternmost fork is in the course - 10 inches diameter.  
34.86 A forked W. Oak, 18 inches diameter.

80.00 [Set Post, corner to Sections 32 & 33, from which] a Hickory, 14 ins. diam. bears S. 37 W. 7 links, and a W. Oak, 12 ins. diam. bears S. 85 1/2 E. 20 links distant.

The soil of this mile is generally thin,

Township 6, Range 5 - Seven Ranges.

6 in. dia.

but appears to be of a good quality for wheat and rye; covered with Oak, Hickory and Dogwood.

South 5<sup>th</sup> Mile - [West side of Section 32.]  
6.30 A W. Oak, 36 inches diameter.  
80.00 [Set Post, corner to Sections 31 & 32, from which] a Spruce, 14 ins. diam. bears S. 1 1/2 W. 56 links, and a W. Oak, 14 ins. diam. bears S. 61 E. 51 links distant.

The soil of this mile is generally thin, but appears sufficiently strong to produce good crops of wheat, rye and indian corn for a few years without manure; timbered with Oak, Hickory, some Beech and Dogwood.

South 6<sup>th</sup> Mile - [West side of Section 31.]  
348.57 A W. Oak, 14 inches diameter.  
70.69 A W. Oak, 36 inches diameter.  
80.00 [Set Post, corner to Section 31, from which] a Hickory, 14 ins. diam. bears N. 21 W. 21 links, and a Red Oak, 24 ins. diam. bears S. 42 E. 82 links distant.

The soil of this mile is generally of a middling quality for raising wheat, rye, indian corn, &c.; covered with Oak, Hickory, Walnut, Gum and Beech.

South Boundary.

[From Post, South West corner of Township]

East 1<sup>st</sup> Mile - South side of Section 31.  
15.56 A B. Oak, 20 inches diameter.  
21.53 A W. Oak, 18 inches diameter.



Township C, Range 5 - Seven Ranges.

Chs. Lhs.  
 78.15 A W. Oak, 13 inches diameter.  
 80.00 Three Dogwood bushes from one root, each 1 1/2 ins. diam. [corner of Sections 25 & 31, from which] a W. Oak, 16 ins. diam. bears S. 74 1/2 E. 56 links, and a B. Oak, 16 ins. diam. bears N. 84 W. 36 links distant.  
 The soil of this mile is generally good for wheat, rye and indian corn; covered with W. & B. Oak, Hickory and Dogwood.

East 2<sup>d</sup> Mile [South side of Section 25]  
 49.98 A W. Oak, 12 inches diameter.  
 80.00 [Set Post, corner of Sections 19 & 25, from which] a W. Oak, 16 ins. diam. bears N. 25 W. 19 links, and a W. Oak, 24 ins. diam. bears S. 78 W. 18 links distant.  
 The soil of this mile is generally thin, but of a middling good quality for raising wheat, rye and flax; timbered with W. & B. Oak, Hickory and Dogwood.

East 3<sup>d</sup> Mile [South side of Section 19]  
 5.04 A W. Oak, 36 inches diameter.  
 80.00 [Set Post, corner to Sections 13 & 19, from which] a W. Oak, 36 ins. diam. bears N. 21 E. 30 links, and a Red Oak, 10 ins. diam. bears S. 79 1/2 E. 39 links distant.  
 The soil and timber of this mile is as above described of the 2<sup>d</sup> mile.

East 4<sup>th</sup> Mile [South side of Section 13]  
 28.54 A B. Oak, 24 inches diameter.  
 61.26 A W. Oak, 36 inches diameter.  
 80.00 [Set Post, corner to Sections 7 & 13, from which] a

Township C, Range 5 - Seven Ranges.

Chs. Lhs.  
 W. Oak, 7 ins. diam. bears S. 28 W. 3 links, and a Hickory, 4 ins. diam. bears N. 85 1/2 E. 12 links distant.

East 5<sup>th</sup> Mile [South side of Section 7]  
 35.78 A W. Oak, 16 inches diameter.  
 80.00 [Set Post, corner to Sections 1 & 7, from which] a W. Oak, 7 ins. diam. bears N. 86 1/2 E. 31 links, and a B. Oak, 10 ins. diam. bears N. 81 W. 15 links distant.  
 The land on the line for this mile is hilly, covered with Oak, Hickory and Dogwood. The soil is generally thin, but strong enough to produce good crops of wheat and rye, for a few years, without manure.

East 6<sup>th</sup> Mile [South side of Section 1]  
 34.2 A W. Oak, 20 inches diameter.  
 70.21 Intersected Range Line - West Boundary of the 4<sup>th</sup> Range. Marked a B. Oak tree, 18 ins. diam. with 6 notches and a blaze on the West side.  
 The soil of this mile is generally of a poor quality, covered with B. Oak, W. Oak, Hickory and Dogwood.

Surveyed in 1786 - by  
 Absalom Martin,  
 Surveyor from the State of New Jersey.

The land along the line for this mile is generally hilly and hilly timbered with W. & B. Oak, Hickory & Dogwood.



Township 6, Range 5 - Seven Ranges.

[Survey of Eleathan Seofield, in 1802.]

South East corner of Township No. 6, of Range No. 5. Put Post, where a B. Oak, 24 ins. diam. bears N. 82 E. 11 links, and a W. Oak, 20 ins. diam. bears N. 62 W. 83 links distant.

West On Township Line, South Boundary of Section 1, of T. 6, R. 5.

17.35 A Run, 5 links, course N.

23.10 A Drain, course N. E.

80.00 Put Post, corner to Sections 14 & 7, where a W. Oak, 10 ins. diam. bears N. 25 1/2 W. 7 links, and a W. Oak, 10 ins. diam. bears S. 55 W. 30 links distant.

This mile low ridges, thin soil; Timber W. & B. Oak.

West On Township Line, South Boundary of <sup>Section 7,</sup> Town 6, Range 5.

8.00 A Run, 10 links, course N. E.

53.50 A Drain, course N.

69.20 A Run, 5 links, course N.

69.70 Old bearing trees.

80.00 Put Post, corner to Sections 7 & 13, where a W. Oak, 12 ins. diam. bears S. 82 1/2 E. 7 links, and another W. Oak, 15 ins. diam. bears N. 38 W. 45 links distant.

This mile low stony ridge, middling soil, handsomely timbered with W. Oak.

West On Township Line, South Boundary of Section 13, Town 6, Range 5.

66.10 A Drain, course N.

Township 6, Range 5 - Seven Ranges.

chs. lks.

69.20 Old bearing trees.

80.00 A Drain, course N. E. Put a Post, corner to Sections 13 & 19, where a W. Walnut, 10 ins. diam. bears N. 65 E. 13 links, and a W. Oak, 24 ins. diam. bears N. 69 W. 45 links distant. Low ridges, good land for wheat; Timber, W. Oak.

West On Township Line, South Boundary of Section 19, Town 6, Range 5.

19.10 Drain, course S. E.

68.75 Old bearing trees.

78.80

80.00 Put Post, corner to Sections 19 & 25, T. 6, R. 5, where a W. Oak, 15 ins. diam. bears S. 43 1/2 E. 12 links, and another W. Oak, 12 ins. diam. bears N. 45 1/2 W. 29 links distant.

This mile dry ridges, soil middling quality; Timber, Oak. Tuesday, 28<sup>th</sup> September.

West On Township Line, South Boundary of Section 25, Town 6, Range 5.

9.50 A Drain, course N. E.

46.50 A Run, 5 links, course North.

80.00 Put Post, corner of Sections 25 & 31, where a B. Oak, 18 ins. diam. bears N. 82 W. 28 links, and a W. Oak, 15 ins. diam. bears N. 83 E. 22 links distant.

This mile hilly land, thin soil; Timber, W. & B. Oak, some Dogwood Saplings.

West On Township Line, South of Section 31, T. 6, R. 5.

2.90 A Run, 5 links, course N. E.

41.40 A Drain, course North.

52.50 A Drain, course N.



## Township 6, Range 5 - Seven Ranges.

Chs. Lks.	
67-80	Range Line, South West corner of Township No. 6, of Range No. 5. Put a Post, where a B. Oak, 20 ins. diam. bears S. 77 W. 33 links, and a W. Walnut, 10 ins. diam. bears N. 50 E. 49 links distant. This mile high broken ridges, soil middling quality; Timber, W. & B. Oak, some Hickory.
North	On the Range Line, West Boundary of Section 31, Town 6, Range 5.
6-50	Corner of Townships No. 6 & 7, of Range 6.
11-40	A Drain, course E.
43-80	A Drain, course E.
74-30	A Run, 8 links, course N.W.
80-00	Old bearing trees. Put Post, corner to Sections 31 & 32, of T. 6, R. 5, where an Elm, 12 ins. diam. bears S. 9 1/2 E. 30 links, and a W. Oak, 18 ins. diam. bears S. 81 E. 50 links distant. This mile broken ridges, soil middling quality; Timber, Oak, some Hickory, Dogwood, &c.
North	On Range Line, West Boundary of Section 32, of Town 6, Range 5.
50	A Stream, 15 links, course N. 10 E.
7-66	New Post.
25-00	Along a strip of Run Bottom, then leave the Run, course N.E.
56-60	A Drain, course E.
79-75	Old bearing trees.
80-00	Over ridge land, soil middling quality; Timber, Oak, some Hickory. Put Post, corner to Sections 31 & 32, [32 & 33], where a W. Oak, 12 ins. diam. bears S. 29 E. 30 links, and a Hickory, 12 ins. diam. bears N. 33 E. 19 links distant.

## Township 6, Range 5 - Seven Ranges.

Chs. Lks.	
North	Between Sections 19 & 25, of T. 6, R. 5.
2-80	A Run, 5 links, course N.W.
20-93	A Hickory, 10 inches diameter.
27-70	A Run, 8 links, course N.E.
50-65	A W. Oak, 15 inches diameter.
71-00	A Drain, course West.
80-00	Put Post, corner to Sections 19, 20, 25, 26, where a W. Oak, 18 ins. diam. bears S. 44 1/2 W. 20 links, and another W. Oak, 24 ins. diam. bears N. 43 E. 37 links distant. This mile high ridges, soil middling quality; Timber, W. & B. Oak, some Hickory.
North	Between Sections 20 & 26, of T. 6, R. 5.
5-50	A Run, 5 links, course W.
12-80	A Drain, course W.
46-30	A Run, 5 links, course W.
53-34	A B. Oak, 20 inches diameter.
80-00	A Run, 20 links wide, course N.E. Put a Post, corner to Sections 20, 21, 26, 27, where a W. Oak, 18 ins. diam. bears S. 88 W. 48 links, and another W. Oak, 14 ins. diam. bears N. 9 W. 81 links distant. This mile hilly, broken, stony land; Timber, W. & B. Oak; brushy with Dogwood, Oak and Hickory. Wednesday, 29 <sup>th</sup> September.
North	Between Sections 7 & 13, of T. 6, Range 5.
15-05	A Run, 10 links, course E.
28-02	A W. Oak, 15 inches diameter.
40-02	A W. Oak, 18 inches diameter.
60-30	A Run, 10 links, course S.E.
71-32	A W. Oak, 18 inches diameter.
80-00	Put Post, corner to Sections 7, 8, 13, 14, where a



Township 6, Range 5-7 Ranges.

64. 2 1/2. W. Oak, 18 ins. diam. bears S. 24 W. 4 links, and another W. Oak, 20 ins. diam. bears N. 32 E. 35 links distant. This mile low ridges, soil middling quality; Timber, W. & B. Oak, Hickory, Dogwood, &c.

North Between Sections 8 & 14, of T. 6, R. 5.

14.00 A Drain, course West.  
37.82 A W. Oak, 15 inches diameter.  
41.50 A Drain, course E.  
57.60 A B. Oak, 15 inches diameter.  
73.70 A Run, 12 links, course N. E. Steep banks, covered with Laurel.

80.00 Put Post, corner to Sections 8, 9, 14, 15, in a Laurel thicket, where a W. Oak, 15 ins. diam. bears N. 26 W. 23 links, and another W. Oak, 12 ins. diam. bears S. 57 E. 26 links distant. This mile broken ridges, thin hard soil; Timber, W. & B. Oak, some Hickory; brushy with Dogwood and Hickory.

West Between Sections 2 & 3, of Town 6, Range 5.

47.40 A Stream, 25 links wide, course N. E. High hills on each side, small white Pines on West bank.  
77.20 A Drain, course N.  
80.00 Put Post. This mile hilly land, soil thin; Timber, Oak.

West Between Sections 8 & 9, of T. 6, R. 5.

70.20 A Stream, 15 links wide, course N. 80 E. High banks, covered with Laurel.  
75.40 A Run, 5 links, course S. E.  
80.60 Intersect, 30 links South of Post. This mile mostly dry ridges, middling soil, Timber,

Township 6, Range 5-7 Ranges.

64. 2 1/2. Oak. Blase the line; move Post, corner to Sections 2, 3, 8, 9, to average measure, where a W. Oak, 12 ins. diam. bears N. 46 1/2 W. 43 links, and another W. Oak, 14 ins. diam. bears S. 57 1/2 E. 47 links distant. Thursday, 30th Sept.

West Between Sections 14 & 15, of T. 6, R. 5.

30.10 A Drain, course S.  
42.00 A Run, 5 links, course S. E.  
53.50 A Drain, course N.  
80.00 Put Post. This mile broken ridges, poor land; Timber, Oak; brushy with Dogwood and Oak.

West Between Sections 20 & 21, of T. 6, R. 5.

26.50 A Drain, course N. W.  
47.00 A Run, 5 links, course North.  
80.40 Intersect, 37 links North of Post. This mile hilly, stony, poor land; Timber, Oak, and some Hickory; brushy with Dogwood, Oak, and some Laurel. Blase the line; Put Post, corner to Sections 14, 15, 20, 21, to average measure, where a W. Oak, 20 ins. diam. bears S. 44 1/2 E. 9 links, and a Gum, 10 ins. diam. bears N. 24 E. 22 links distant.

West Between Sections 26 & 27, of T. 6, R. 5.

17.50 A Drain, course S. E.  
23.50 A Run, 5 links, course S. E.  
46.50 A Drain, course S.  
80.00 Put Post. This mile hilly land, thin soil; Timber, W. & B. Oak; brushy with Oak, Dogwood and Hickory.



## Township 6, Range 5-7 Ranges

- chs. lks.
- West Between Sections 32 & 33, of T. 6, R. 5.
- 22.50 A Stream, 45 links wide, course N. A narrow bottom
- 40.00 Over point of a ridge, to bottom.
- 45.50 A Stream, 50 links wide, course S. E. Across good bottom.
- 67.59 Over good ridge land. Intersect, 36 chs. north of Post. Close the line East. Put Post, corner to Sections 26, 27, 32, 33, at 80 chains, where a W. Oak, 24 ins. diam. bears N. 51° E. 29 links, and a W. Oak, 30 ins. diam. bears S. 43° E. 34 links distant.
- North On the Range Line, West Boundary of Section 33, of Town 6, Range 5.
- 8.71 A new Post.
- 12.00 Path, course E. & W.
- 13.00 Branch of Captina Creek, 40 links, course E.
- 23.50 A Run, 5 links, course S. E.
- 73.40 Salt Works Path.
- 79.28 Old bearing trees.
- 80.00 Put Post, corner to Sections 33 & 34, where a W. Oak, 30 ins. diam. bears S. 62° W. 4 links, and another W. Oak, 14 ins. diam. bears N. 11½° E. 29 links distant. This mile good ridge land; Timber mostly W. Oak.
- North On the Range Line, West Boundary of Section 34, of Town 6, Range 5.
- 9.00 A Run, 10 links, course E. New bearing trees.
- 74.10 A Run, 5 links, course East.
- 79.10 Old bearing trees.
- 80.00 Put Post, corner to Sections 34 & 35, where a W. Oak, 12 ins. diam. bears S. 53° E. 37 links,

## Township 6, Range 5-7 Ranges

- chs. lks.
- and another W. Oak, 18 ins. diam. bears N. 88° W. 32 links distant.
- This mile dry ridges, hard gravelly soil; Timber, chiefly W. Oak, some Hickory; Oak, Hickory and Dogwood saplings.
- North Between Sections 21 & 27, of Town 6, Range 5.
- 24.52 A W. Oak, 20 inches diameter.
- 41.52 A branch of Captina Creek, 50 chs. wide, course N. 10° E.
- 55.00 South Salt Works Road.
- 65.70 A W. Oak, 36 inches diameter.
- 80.00 Put a Post, corner to Sections 21, 22, 27, 28, where a W. Oak, 30 ins. diam. bears S. 61° W. 24 links, and another W. Oak, 12 ins. diam. bears N. 31° E. 33 links distant. This mile hilly stony land; Timber, W. & R. Oak.
- North Between Sections 29 & 35, of T. 6, R. 5.
- 5.20 A Run, 10 links, course S. E.
- 41.50 A W. Oak, 30 inches diameter.
- 43.00 A Draw, course S. W.
- 67.20 Salt Works Road.
- 80.00 Put Post, corner to Sections 22, 23, 28, 29, where a W. Oak, 12 ins. diam. bears S. 9° W. 14 links, and a Hickory, 10 ins. diam. bears N. 12° E. 14 links distant. Saturday, 2<sup>d</sup> October. This mile poor brushy ridges; Timber, W. Oak, very brushy with Oak, Hickory and Dogwood.
- North Between Sections 9 & 15, of Town 6, Range 5.
- 4.40 A Run, 5 links, course S. E. High banks, covered with Laurel.
- 15.17 A W. Oak, 18 inches diameter.
- 61.44 A W. Oak, 20 inches diameter.



## Township 6, Range 5-7 Ranges.

66. 76.	
74.00	To Bottom.
78.00	To South branch of Captina Creek, 70 links wide, course East; stony and rocky.
80.00	Put Post, corner to Sections 9, 10, 15, 16, where a B. Oak, 10 ins. diam. bears N. 44 W. 3 links, and another B. Oak, 18 ins. diam. bears S. 61 E. 54 links distant. This mile hilly land, thin soil; Timber, W. & B. Oak.
North	Between Sections 10 & 16, of T. 6, R. 5.
3.00	South Salt Works Road.
10.00	Level good land; Timber, W. Oak, to foot of hill.
17.12	A W. Oak, 18 inches diameter.
48.80	A Drain, course E.
51.00	Upper Salt Works Road.
55.00	Over hilly poor land, to Creek Bottom.
60.00	A branch of Captina Creek, 40 lbs. wide, course E.
63.50	Across Bottom; across an Island, part of same stream.
80.00	Over hilly land. Put Post, corner to Sections 10, 11, 16, 17, where a W. Oak, 15 ins. diam. bears N. 61 E. 32 links, and another W. Oak, 10 ins. diam. bears S. 61 W. 24 links distant.
West	Between Sections 4 & 5, of Town 6, Range 5.
16.40	A Drain, course South.
30.50	A Run, 10 links, course S.
55.80	A Drain, course S.
80.00	Put Post. This mile hilly broken land, thin soil; Timber, Oak; brushy with Dogwood, Hickory and Oak.
West	Between Sections 10 & 11, of Town 6, Range 5.
5.50	A Run, 15 links, course S.

## Town 6, Range 5-7 Ranges.

66. 76.	
39.80	A Run, 5 links, course E.
63.30	A Run, 5 links, course S.
82.40	Intersect, 1.56 links South of Post. This mile hilly poor land; Timber, W. & B. Oak, brushy with Dogwood, Oak and Hickory. Place the line; put Post, corner to Sections 4, 5, 10, 11, to average measure, where an Elm, 10 ins. diam. bears S. 63 W. 22 links, and a B. Oak, 20 ins. diam. bears N. 44 E. 51 links distant.
	Sunday, 3 <sup>d</sup> October, 1802.
North	Between Sections 11 & 17, of T. 6, R. 5.
18.00	A Drain, course W.
24.40	A Hickory, 12 inches diameter.
42.80	A W. Oak, 30 inches diameter.
56.00	A Drain, course W.
73.75	A W. Oak, 12 inches diameter.
80.00	Put Post, corner to Sections 11, 12, 17, 18, where a W. Oak, 15 ins. diam. bears S. 71 1/2 W. 21 lbs., and another W. Oak, 10 ins. diam. bears N. 41 1/2 E. 37 links distant. This mile poor brushy ridges; Timber, Oak; brushy with Oak, Dogwood and Hickory.
North	Between Sections 12 & 18, of T. 6, R. 5.
32.68	A B. Oak, 20 inches diameter.
40.70	A Drain, course E.
53.65	A Drain, course S. E.
58.90	A W. Oak, 40 inches diameter.
62.05	A Run, 5 links, course S. E.
77.57	North Boundary of Township. Put Post, corner to Sections 12 & 18, where a W. Oak, 18 ins. diam. bears N. 34 1/2 W. 45 links, and another W. Oak, 24 ins. diam. bears S. 12 E. 61 lbs. dist.



Township 6, Range 5-7 Ranges.

Chs. Lks.	
	This ride dry ridges, thin soil; Timber, W. & B. Oak; brushy with Dogwood and Oak gnubs.
East	On Township Line, North Boundary of Section 12, of Town 6, Range 5.
60	Biggs Post.
6:50	Old bearing trees.
6:90	A Run, 10 links, course S.
41:20	A Run, 5 links, course S.
72:90	A Draw, course North.
77:70	A Draw, course North.
80:00	Put Post. This ride high ridges, soil middling quality; Timber, W. & B. Oak and Hickory, Dogwood, &c.
East	On Township Line, North Boundary of Section 6, of Town 6, Range 5.
1:10	New Post.
5:14	Old bearing trees.
62:20	A Stream, 25 links, course S. E.
81:55	To Township corner. Put Post, corner to Sections 6 & 12, to average measure, where a W. Oak, 15 ins. diam bears S. 44 W. 9 links, and another W. Oak, 14 ins. diam. bears S. 69 E. 16 links distant.
	This ride high ridges, soil middling quality; Timber, W. & B. Oak, some Hickory, Dogwood, &c.
West	Between Sections 16 & 17, of T. 6, R. 5.
7:50	A Run, 10 links, course E.
36:50	Over a hill, to bottom; a cornfield.
42:50	Across bottom and cornfield, which lies mostly North of the line. A branch of Captiva creek, 75 links

Township 6, Range 5-7 Ranges.

Chs. Lks.	
	wide, course S. 20 E.; rocky bottom.
80:00	Put Post. This ride hilly land, thin soil; Timber, Oak, Dogwood saplings, &c.
West	Between Sections 22 & 23, of T. 6, R. 5.
4:20	A Run, 5 links, course N. E.
64:50	North Salt Works Road.
71:00	A Draw, course E.
82:06	Intersect, 8 links North of Post. Close the line; put Post, corner to Sections 16, 17, 22, 23, & to average measure, where a Maple, 12 ins. diam. bears S. 62 W. 14 links, and a W. Oak, 18 ins. diam. bears N. 16 E. 13 links distant. This ride dry ridge land, thin hard soil, thinly timbered with W. Oak, very brushy with Dogwood and Oak.
North	Between Sections 23 & 29.
3:37	North Salt Works Road.
19:60	A Spring Run, course E.
44:00	A W. Oak, 36 inches diameter.
50:50	A Run, 8 links, course E.
63:50	Over hilly land, to bottom, and cornfield.
70:00	A branch of Captiva creek, 50 links, course E. Across bottom and cornfield; the field extends up the creek about 15 chains, to a cabin; then rise a hill.
80:00	Put a Post, corner to Sections 23, 24, 29, 30, where a B. Oak, 18 ins. diam. bears S. 69 W. 14 links, and a W. Oak, 15 ins. diam. bears N. 11 E. 15 links distant. This ride hilly broken land, thin soil; Timber, W. & B. Oak, Dogwood and Oak brush.



Township 6, Range 5-7 Ranges.

61.26 North Between Sections 24 & 30, T. 6, R. 5.  
 11.40 A Stream, 30 links, course S. E.  
 20.40 A W. Oak, 18 inches diameter.  
 38.30 A Run, 5 links, course W.  
 45.40 A B. Oak, 20 inches diameter.  
 73.20 A Run, 5 links, course S. W.  
 76.90 To Township Line, North Boundary. Put Post, corner to Sections 24 & 30, where a W. Oak, 18 ins. diam. bears S. 53 1/2 E. 31 links, and another W. Oak, 20 ins. diam. bears N. 52 W. 35 links distant.  
 This mile hilly, low land; Timber, W. & B. Oak, Dogwood brush, &c.

West On Township Line, North Boundary of Section 18, of Town 6, Range 5.  
 4.20 A Spring Run, course N. E.  
 73.50 Old bearing trees.  
 80.00 Put Post. This mile dry ridges, thin soil; Timber, Oak; brushy with Dogwood, Oak, &c.

West On Township Line, North Boundary of Section 24, of Town 6, Range 5.  
 .34 New Post.  
 1.00 A Stream, 30 links, course S.  
 72.50 Old bearing trees.  
 80.84 New Post.  
 81.00 A Run, 5 links, course S. W.  
 82.54 To Post, corner of Sections 24 & 30. This mile high land, thin soil; Timber, Oak, some Hickory, &c.  
 Put Post, corner to Sections 18 & 24, to average measure, where a W. Oak, 10 ins. diam. bears S. 65 1/2 E. 62 links, and a Hickory, 14 ins. diam. bears N. 29 W. 40 links distant.

Township 6, Range 5-7 Ranges.

61.26 West On Township Line, North Boundary of Section 30, of Town 6, Range 5.  
 26.60 A Run, 10 links, course S.  
 52.50 A Stream, 25 links, course S. 80 E.  
 76.00 A Run, 5 links, course N. E.  
 78.90 Biggs' Post.  
 80.00 Put Post, corner to Sections 30 & 36, of T. 6, R. 5, where a W. Oak, 20 ins. diam. bears S. 75 E. 53 links, and a W. Oak, 24 ins. diam. bears N. 60 W. 18 links distant.  
 This mile hilly, broken land; Timber chiefly Oak, some Hickory.

West On Township Line, North Boundary of Section 36, of Town 6, Range 5.  
 41.20 A Run, 5 links, course S.  
 47.70 A Run, 5 links, course S.  
 68.30 To the N. W. corner of Township 6, Range 5, where a W. Oak, 16 ins. diam. is corner tree.  
 This mile high broken ridges; Timber, Oak.

West Between Sections 28 & 29, of T. 6, R. 5.  
 4.50 Mill Road, course S. E.  
 24.40 A Drain, course S.  
 31.30 A Run, 5 links, course S.  
 62.20 A Drain, course S.  
 65.20 North Salt Works Road, course S. W.  
 70.20 A Run, 5 links, course S. E.  
 80.00 Put Post. This mile low ridges, thin soil; Timber, chiefly small Oak and Dogwood.

West Between Sections 34 & 35, of T. 6, R. 5.  
 33.00 A Spring Run, course S.  
 48.90 A Run, 5 links, course S.



Township 6, Range 5-7 Ranges.

Chs. Lks.	Description
67-84	West Boundary of Township. Intersect 65 links North of Post. This mile poor brushy ridges, thinly timbered with Oak. Put Post, come to Sections 28, 29, 34, 35, where a W. Oak, 36 ins. diam. bears N 47 W. 23 lks., and another W. Oak, 15 ins. diam. bears S 80 W E. 30 links distant.
North 9-19	On West Boundary of Section 35, of T. 6, R. 5. New Post.
10-00	A Drain, course West.
18-67	A Run, 5 links, course S. W.
27-80	Head of Spring, course E.
50-00	Across wind fall; small saplings grown up.
79-50	Old bearing trees.
80-00	Put Post, come to Sections 35 & 36, where a W. Oak, 14 ins. diam. bears S. 43 E. 5 links, and a W. Oak, 10 ins. diam. bears S. 84 W. 25 links distant. This mile ridge land, soil middling quality; Timber chiefly Oak, some Chestnut.
North 3-10	On West Boundary of Section 36, of T. 6, R. 5. A Run, 5 links, course E.
10-09	A new Post.
15-60	A Drain, course E.
25-00	A Run, 15 links, course S. E.
58-25	A Stream, 25 links, course S. E.
74-00	A Run, 5 links, course S. W.
77-34	To corner of Townships 708, of Range 6.
78-50	To N. W. corner of T. 6, R. 5. This mile hilly land, hard gravelly soil; Timber Oak, Dogwood and Oak brush. Oct. 6 <sup>th</sup> Surveyed by Elnathan Seofield, October, 1802.

Township 6, Range 5-7 Ranges.

Chs. Lks.	Description
	Subdivision of "Two Mile Blocks." May 31, 1805.
East	On Random Line between Sections 7 & 8, T. 6, R. 5.
40-00	Set temporary Quarter Section Post.
70-00	Level, good soil, White Oak land.
80-00	Set temporary Center Post. Steep hills.
East	Continued Random Line between Sections 1 & 2.
4-00	A creek, 25 links wide, runs North.
23-00	Stony land - Pine and Laurel.
40-00	Set temporary Quarter Section Post.
79-77	Fell 40 links North of Post on Range Line, corner of Sections 1 & 2, T. 6, R. 5. W. Oak and Dogwood land; good soil.
South	Random Line between Sections 2 & 8.
40-00	Set temporary Quarter Section Post.
56-00	W. Oak land; good soil.
75-00	A Run, 6 links wide, course E.
80-00	Fell 6 links West of temporary Center Post, set at average measure on true E. & W. line. Pine land, steep and stony.
South	Continued Random Line between Sections 1 & 7.
40-00	Set temporary Quarter Section Post.
43-00	A Brook, 10 links wide, course East.
60-00	A Brook, 8 links wide, course East.
79-44	Fell 12 links East of Post on Township Line, corner of Sections 1 & 7, T. 6, R. 5. This mile broken by gullies; Timber, Oak, Pine, Hemlock, &c.



Township 6, Range 5-7 Ranges.

Corrected the line between Sections 2 & 8; a W. Oak, 30 ins. diam. is the Quarter Section corner.

Corrected the line between Sections 1 & 7, and made Quarter Section corner on a W. Oak, 8 inches diameter.

Corrected the line between Sections 7 & 8, and set Quarter Section Post, from which a W. Oak, 14 ins. diam. bears N. 12 E. 7 links, and a W. Oak, 12 ins. diam. bears S. 25 E. 20 links distant.

Set Center Post at intersection of the lines, for corner to Sections 1, 2, 7, 8; from which a Service bush, 6 ins. diam. bears N. 4 E. 4 links, and a W. Oak, 20 ins. diam. bears N. 75 W. 29 links distant.

Corrected the line between Sections 1 & 2, and set Quarter Section Post, from which a W. Oak, 14 ins. diam. bears N. 31 W. 16 links, and a W. Oak, 18 ins. diam. bears S. 25 E. 25 links distant.

May 30, 1805.

- South Random Line between Sections 4 & 10.
- 4.00 A Brook, 25 links wide, from N. 20 W.
- 15.00 Leave same brook, course S. E.
- 22.00 Over a steep point of a hill.
- 40.00 Set temporary Quarter Section Post.
- 46.00 A Drain, 8 links wide, course S. E.
- 62.00 A Road. Low ridges, low soil.
- 65.50 A brook, 90 links wide, runs N. E. Rich bottom.
- 80.00 Set temporary Center Post. Steep, poor hilly land; Oak timber.

Township 6, Range 5-7 Ranges.

South Continued Random Line between Sections 3 & 9. 8.50 Road from Grave Creek.

40.00 Set temporary Quarter Section Post.

50.50 A Brook, 16 links wide, runs N. 70 E.

79.41 Fell 94 links West of Post, come to Sections 2, 3, 8, 9. This mile steep hills, middling soil; Timber, Oak, Hickory, &c.

West Random Line between Sections 3 & 4, 2, 6, R. 5. 10.00 Top of steep hill.

40.00 Set temporary Quarter Section Post.

73.00 Road from Grave Creek. Good soil, White Oak hill land, lies well for cultivation.

80.46 Intersected True North and South Line, 192 links South of temporary Center Post, set at 80 chains from North. Steep hill land.

West Continued Random Line between Sections 9 & 10.

40.00 Set temporary Quarter Section Post.

68.00 Good soil of hill land.

75.00 Down a steep Laurel bank, to a creek, 70 links wide, running N. E.

80.00 Fell 250 links South of the Post, corner of Sections 4, 10, 15, 16. Good bottom land.

Corrected the line between Sections 4 & 10, and set the Quarter Section Post, from which a W. Oak, 14 ins. diam. bears S. 22 E. 29 links, and a W. Oak, 12 ins. diam. bears N. 3 E. 24 links distant.

Set Center Post at intersection of lines, come to Sections 3, 4, 9, 10, from which a Sugar,



Township 6 Range 5-7 Ranges.

6/4. 1/2

16 ins. diam. bears S. 86 E. 33 links and a Hickory, 10 ins. diam. bears - 80 W. 32. links distant.

Corrected the line between Sections 9 & 10, and set Quarter Section Post, from which a W. Oak, 40 ins. diam. bears S. 15 W. 18 links, and a W. Oak, 18 ins. diam. bears N. 29 E. 25 links distant.

Corrected the line between Sections 3 & 4, and set Quarter Section Post, from which a Gum, 8 ins. diam. bears S. 85 W. 20 links, and a B. Oak, 26 ins. diam. bears N. 18 E. 13 links distant.

Corrected the line between Sections 3 & 9, and set Quarter Section Post, from which a Mulberry, 6 ins. diam. bears S. 4 W. 11 links, and a W. Oak, 20 ins. diam. bears N. 30 E. 21 links distant.

May 30, 1805.

East Random Line between Sections 11 & 12.

34.00 A Brook, 14 links wide, runs S. E.

40.00 Set temporary Quarter Section Post.

76.00 A small Run, course S. 30 E.

80.00 Set temporary Center Post.

This mile steep hills, middling soil; Timber, Oak, Hickory, &c.

East Random Line between Sections 5 & 6.

40.00 Set temporary Quarter Section Post.

83.46 Fell 350 links North of Post on Range Line, corner of Sections 5 & 6.

Township 6, Range 5-Seven Ranges.

6/4. 1/2

This mile hilly, middling soil; Timber, Oak, Hickory, &c.

South Random Line between Sections 6 & 12.

40.00 Set temporary Quarter Section Post.

78.00 Fell 240 links East of temporary Center Post, sets at 80 chains from West.

This mile good soil of hill land; Timber, Oak, Hickory, &c.

South Continued Random Line between Secs. 5 & 11.

40.00 Set temporary Quarter Section Post.

80.00 Fell 320 links East of Post, corner of Secs. 4, 5, 10, 11.

This mile steep hills, thin soil; Timber, Oak, Hickory, Beech and Dogwood.

Corrected the line between Sections 11 & 12, and set Quarter Section Post, from which a Hickory, 8 ins. diam. bears N. 41 W. 21 links, and a W. Oak, 18 ins. diam. bears S. 42 E. 35 links distant.

Set Center Post at intersection of the lines, corner to Sections 5, 6, 11, 12, from which a Dogwood, 6 ins. diam. bears S. 52 W. 6 links, and a W. Oak, 14 ins. diam. bears S. 85 E. 28 links distant.

Corrected the line between Sections 6 & 12, and set Quarter Section Post, from which a Gum, 8 ins. diam. bears S. 83 W. 17 links, & a W. Oak, 30 ins. diam. bears S. 26 E. 25 links distant.



Township 6, Range 5-7 Ranges.

Corrected the line between Sections 5 & 6, and set Quarter Section Post, from which a W. Oak, 18 ins. diam. bears N. 50 W. 24 links, and a W. Oak, 20 ins. diam. bears S. 62 W. 18 links distant.

Corrected the line between Secs. 5 & 11, and set Quarter Section Post, from which a W. Oak, 10 ins. diam. bears S. 50 W. 25 links, and a W. Oak, 8 ins. diam. bears N. 18 W. 21 links distant.

Wednesday, May 29, 1805.

East On Random Line between Sections 19 & 20.

13.50 A Brook, 12 links wide, course N. W.

25.00 A Run, 6 links wide, course S. W.

32.00 Poor, steep, stony hill land.

40.00 Set temporary Quarter Section Post.

50.00 Set temporary Center Post.

Good soil of hill land; Oak, Hickory & Dogwood.

East Continued Random Line between Secs. 13 & 14.

40.00 Set temporary Quarter Section Post.

40.50 A small Run, course South.

73.00 A Run, 6 links wide, course South.

79.78 Fell 158 links North of Post, corner of Sections 7, 8, 13, 14.

This mile moderate ridges, middling soil; Timber, Oak, Hickory and Dogwood.

North Random Line between Sections 13 & 19.

20 A small Run, course N. E.

40.00 Set temporary Quarter Section Post.

79.32 Fell 11 links West of temporary Center Post, set at 80 chains from West. Soil & timber as above.

Township 6, Range 5-7 Ranges.

North Random Line continued between Secs. 14 & 20.

40.00 Set temporary Quarter Section Post.

79.88 Fell 23 links West of Post, corner of Sections 14, 15, 20, 21.

This mile high hill land, middling soil; Timber, Oak, Hickory, &c.

Corrected the line between Sections 19 & 20, and set Quarter Section Post, from which a W. Oak, 24 ins. diam. bears S. 58 W. 28 links, and a W. Walnut, 8 ins. diam. bears S. 66 E. 8 links distant.

Set Center Post at intersection of lines, corner to Sections 13, 14, 19, 20, from which a W. Oak, 10 ins. diam. bears N. 28 W. 13 links, and a W. Oak, 10 ins. diam. bears S. 25 W. 22 links distant.

Corrected the line between Secs. 13 & 19, and set Quarter Section Post, from which a W. Oak, 14 ins. diam. bears N. 25 E. 49 links, and a Gum, 8 ins. diam. bears S. 2 E. 35 links distant.

Corrected the line between Sections 13 & 14, & set Quarter Section Post, from which a W. Oak, 30 ins. diam. bears N. 51 E. 26 links, and a Gum, 8 ins. diam. bears N. 89 W. 25 links distant.

Corrected the line between Sections 14 & 20, and set Quarter Section Post, from which a W. Walnut, 6 ins. diam. bears S. 31 W. 10 links, and a Hickory, 24 ins. diam. bears N. 37 E. 23 links distant.



Township 6, Range 5-7 Ranges.

Wednesday, May 29, 1865.

6th. Lks.  
 West Random Line between Sections 15 & 16.  
 2:00 A creek, 75 links wide, course S. 20 E.  
 15:00 First rate bottom.  
 22:00 Good hill land to bottom.  
 40:00 Set temporary Quarter Section Post.  
 58:00 A creek, 90 links wide, course N. 70 E.  
 75:00 Rich Bottom.  
 80:00 Set temporary Center Post.  
 Hill land; Timber, Oak, Hickory, &c.

West Continued Random Line between Secs. 21 & 22  
 23:00 A Run, 4 links wide, runs South.  
 40:00 Set temporary Quarter Section Post.  
 80:00 A Run, 8 links wide, course South.  
 81:65 Fell 48 links South of Post, corner of  
 Sections 21, 22, 27, 28.  
 This mile, steep points of creek hills, thin  
 soil; Timber, Oak, Hickory, &c.

Thursday, May 30, 1865.

North Random Line between Sections 15 & 21  
 8:50 Road from Blue Rock.  
 [40:00 Set temporary Quarter Section Post.]  
 62:00 Steep Laurel points, very broken.  
 68:00 A creek, 60 links wide, runs N. 70 E.  
 75:00 Bottom land, improved.  
 80:00 Fell 100 links East of temporary Center Post,  
 set at 80 chains from the East.  
 Brushy hill land.

North continued Random Line between Secs. 16 & 22.  
 40:00 Set temporary Quarter Section Post.  
 62:50 Road from Manietta.

Township 6, Range 5-7 Ranges.

6th. Lks.  
 80:00 Fell 122 links East of Post, corner of Secs.  
 16, 17, 22, 23.  
 This mile high hill land, thin soil; Timber,  
 Oak, Hickory, &c.

Corrected the line between Sections 15 & 16,  
 and set Quarter Section Post, from which a  
 Cherry, 12 ins. diam. bears S. 84 E. 24 links,  
 and a Buckeye, 18 ins. diam. bears S. 34 W.  
 33 links distant.

Corrected the line between Sections 21 & 22, and  
 set Quarter Section Post, from which a W. Oak,  
 30 ins. diam. bears S. 72 W. 18 links, and a W.  
 Oak, 16 ins. diam. bears N. 51 E. 33 links  
 distant.

Corrected the line between Sections 15 & 21,  
 and set Quarter Section Post, from which  
 a Beech, 6 ins. diam. bears N. 67 W. 4  
 links, and a Beech, 6 ins. diam. bears  
 N. 67 E. 6 links distant.

Set Center Post at intersection of lines, cor-  
 ner to Sections 15, 16, 21, 22, from which a  
 Hickory, 10 ins. diam. bears S. 24 E. 31 W.,  
 and a Hickory, 6 ins. diam. bears N. 25 E.  
 37 links distant.

Corrected the line between Sections 16 & 22,  
 and set Quarter Section Post, from which  
 a W. Oak, 20 ins. diam. bears N. 48 W. 17  
 links, and a W. Oak, 26 ins. diam. bears  
 N. 32 E. 16 links distant.



Township 6, Range 5-7 Ranges.

6hs. 2hs.  
 North Random Line between Sections 17 & 23, T. 6, R. 5.  
 10.00 A Brook, 70 links wide, course N. 70 E. Lower point.  
 18.00 Bottom, improved. Good soil.  
 40.00 Set temporary Quarter Section Post.  
 80.20 Fell 13 links East of temporary Center Post, set at average measure on true line. This mile steep broken hills, thin soil; Timber, Oak, Hickory, Dogwood, &c.

North Random line between Sections 18 & 24.  
 16.50 A Brook, 20 links wide, runs S. E.  
 [40.00 Set temporary Quarter Section Post.]  
 60.00 Cross Brook last named several times, runs S. E.  
 77.42 Fell 26 links East of Post, corner of Sections 18 & 24, on Township Line. Land hilly, middling soil; Timber, Oak, Hickory, &c.

East Random Line between Sections 23 & 24.  
 9.50 A Brook, 40 links wide, course South.  
 40.00 Set temporary Quarter Section Post.  
 80.00 Set temporary Center Post. This mile W. Oak ridges, poor soil.

East continued Random Line between Sections 17 & 18.  
 9.50 A Brook, 20 links wide, runs South.  
 40.00 Set temporary Quarter Section Post.  
 81.64 Fell 34 links North of Post, corner of Sections 11, 12, 17, 18, T. 6, R. 5. This mile middling soil; Timber, W. Oak.

Corrected the line between Sections 17 & 18, and set Quarter Section Post, from which a B. Oak, 36 ins. diam. bears S. 61 E. 20

Township 6, Range 5-7 Ranges.

links, and a Hickory, 10 ins. diam. bears N. 59 W. 40 links distant.

Corrected the line between Sections 23 & 24, and set Quarter Section Post, from which a Maple, 8 ins. diam. bears S. 34 W. 21 links, and a B. Oak, 10 ins. diam. bears N. 7 W. 22 links distant.

Corrected the line between Sections 18 & 24, and set Quarter Section Post, from which a Thorn, 10 ins. diam. bears N. 40 W. 15 links, and a Sycamore, 10 ins. diam. bears S. 10 W. 68 links distant.

Corrected the line between Sections 17 & 23, and set Quarter Section Post, from which a W. Oak, 24 ins. diam. bears S. 12 W. 12 links, and a W. Oak, 14 ins. diam. bears N. 15 E. 40 links distant.

Set Center Post at intersection of lines, for corner to Sections 17, 18, 23, 24, from which a W. Oak, 18 ins. diam. bears S. 19 E. 13 links, and a W. Oak, 18 ins. diam. bears N. 15 W. 40 links distant.

Wednesday, May 29, 1805.

South Random Line between Sections 26 & 32.  
 40.00 Set temporary Quarter Section Post.  
 68.00 A small Run, course S. E.  
 80.00 Set temporary Center Post.

Land hilly, middling soil; Timber, W. Oak, Hickory, &c.



## Township 6, Range 5-7 Ranges.

- | Chs. Lks. |   |
|-----------|---|
| South     | Random Line between Sections 25 & 31.   |
| 40.00     | Set temporary Quarter Section Post.   |
| 67.00     | A small Run, course S. E.   |
| 75.00     | A Run, 4 links wide, runs N. E.   |
| 78.07     | Fell 18 links East of Post on Township Line, corner of Sections 25 & 31.<br>Moderate ridges, middling soil; Timber, Oak, Hickory, Chestnut, &c.   |
| East      | Random Line between Sections 31 & 32.   |
| 33.50     | Set temporary Quarter Section Post.   |
| 60.00     | A small Run, course N. E.   |
| 67.00     | Fell 75 links North of temporary Center Post, set at 80 chains from the North.<br>Soil and timber as before.  |
| East      | Continued Random Line between Secs. 25 & 26.  |
| 40.00     | Set temporary Quarter Section Post.   |
| 72.00     | Road from Manetta.  |
| 72.50     | A Brook, 20 links wide, course N. 20 E.   |
| 79.72     | Fell 4 links North of Post, corner of Sections 19, 20, 25, 26, T. 6, R. 5.<br>Soil and timber same as before.   |
|           | Corrected the line between Sections 26 & 32, and set Quarter Section Post, from which a W. Oak, 16 ins. diam. bears S. 6 W. 20 Ms. and a Poplar, 8 ins. diam. bears S. 88 E. 15 links distant.        |
|           | Set Center Post at intersection of lines, corner to Sections 25, 26, 31, 32, from which a W. Oak, 10 ins. diam. bears N. 51 E. 11 links, and a W. Oak, 10 ins. diam. bears S. 32 W. 28 links distant. |

## Township 6, Range 5-7 Ranges.

- | Chs. Lks. |   |
|-----------|---|
|           | Corrected the line between Sections 25 & 31, and set Post, corner to Quarter Sections, from which a B. Oak, 20 ins. diam. bears S. 45 E. 26 links, and a W. Oak, 14 ins. diam. bears N. 69 W. 39 links distant. |
|           | Corrected the line between Sections 31 & 32, and set Quarter Section Post, from which a B. Oak, 10 ins. diam. bears N. 84 W. 16 links, and a W. Oak, 12 ins. diam. bears S. 83 W. 25 links distant.             |
|           | Corrected the line between Sections 25 & 26, and set Quarter Section Post, from which a W. Oak, 12 ins. diam. bears N. 33 W. 10 Ms., and a W. Oak, 18 ins. diam. bears S. 6 W. 10 links distant.                |
|           | Tuesday, May 28, 1805.  |
| South     | Random Line between Sections 28 & 34.   |
| 10.50     | Old Road, course N. E.  |
| 36.00     | A small Run, course S. W.   |
| 40.00     | Set temporary Quarter Section Post.   |
| 46.50     | A Run, 4 links wide, course S. 20 E.  |
| 80.00     | Set temporary Center Post.<br>White Oak land, tolerably level, good soil. Suit for the day.   |
|           | Wednesday, May 29, 1805.  |
| South     | Continued Random line between Secs. 27 & 33.  |
| 18.50     | Down a steep hill, to Bottom, and Creek, 50 Ms. wide, course N. 70 E.   |
| 24.00     | Rich Bottom Land.   |
| 28.00     | Ure Creek, 70 links wide, course N. 20 W.   |



Township 6, Range 5-7 Ranges.

Chs. Lks.  
 40.00 Set temporary Quarter Section Post.  
 55.50 Creek, 60 links wide, course East. Rich bottom and hill land.  
 79.08 Fell 60 links West of Post, corner of Sections 26, 27, 32, 33, T. 6, R. 5.  
 Steep hill, middling soil; Timber, Oak, Hickory, &c.  
 East Random Line between Sections 33 & 34.  
 24.50 A Brook, 12 links wide, course S. E.  
 27.25 Leave same Brook, course S. E.  
 40.00 Set temporary Quarter Section Post.  
 66.87 Fell 87 links South of temporary Center Post, set at 80 chains from North, on true line. Good soil of White Oak hill land.  
 East Continued Random Line between Secs. 27 & 28.  
 16.00 A Brook, 6 links wide, runs South.  
 40.00 Set temporary Quarter Section Post.  
 79.75 Fell 54 links South of Post, corner of Sections 21, 22, 27, 28, T. 6, R. 5.  
 Land hilly, thin soil; Timber, Oak, Hickory, &c.  
 Corrected the line between Sections 27 & 33, and set Quarter Section Post, from which a W. Oak, 30 ins. diam. bears S. 57 E. 29 links, and an Elm, 6 ins. diam. bears N. 39 W. 12 links distant.  
 Corrected the line between Sections 28 & 34, and set Quarter Section Post, from which a Gum, 8 ins. diam. bears S. 89 W. 19 links, and a W. Oak, 10 ins. diam. bears S. 85 E. 27 links distant.

Township 6, Range 5-7 Ranges.

Chs. Lks.  
 Corrected the line between Sections 27 & 28, and set Quarter Section Post, from which a W. Oak, 16 ins. diam. bears S. 86 W. 22 links, and a W. Oak, 16 ins. diam. bears N. 13 W. 26 links distant.  
 Set Center Post at intersection of lines, corner to Sections 27, 28, 33, 34, from which a W. Oak, 30 ins. diam. bears S. 60 E. 18 links, and a W. Oak, 30 ins. diam. bears S. 51 W. 22 links distant.  
 Corrected the line between Sections 33 & 34, and set Quarter Section Post, from which a Sugar, 10 ins. diam. bears S. 86 E. 10 links, and a Hickory, 8 ins. diam. bears N. 54 E. 11 links distant.  
 Tuesday, May 28, 1805.  
 East Random Line between Sections 35 & 36.  
 7.50 A creek, 50 links wide, course S. E.  
 13.50 Road leading up said creek.  
 34.00 Set temporary Quarter Section Post.  
 38.00 A creek, 50 links wide, runs N. E.  
 44.00 Same creek, course S. E.  
 51.00 Rich bottom, improvement, &c.  
 68.00 Set temporary Center Post.  
 White Oak hill land, middling soil.  
 East Continued Random Line between Secs. 29 & 30.  
 40.00 Set temporary Quarter Section Post.  
 80.38 Fell 36 links South of Post, corner of Sections 23, 24, 29, 30, T. 6, R. 5.  
 This mile points of hills, several gullies leading South; thin soil; Timber, W. Oak.



## Township 6, Range 5-7 Ranges.

Chs. Lks.

South Random Line between Sections 30 &amp; 36.

38.50 Set temporary Quarter Section Post.

76.90 Intersected East and West Line, 8.42 links West West from East Boundary. [What does the Survey or mean here?]

This mile high hill land, poor soil, small Oak, Hickory and Chestnut timber.

South Random Line continued, between Secs. 29 &amp; 35.

7.00 A Road, course E. &amp; W. Hill land.

12.50 A creek, 50 links wide, course N. 70 E. Rich Bottom.

78.96 Land hilly, middling soil; Timber, Oak, Hickory, &amp;c. Sell 107 links West of Post.

Corrected the line between Sections 29 &amp; 35, and set Quarter Section Post, from which a Hickory, 8 ins. diam. bears N. 86 E. 6 links, and a Poplar, 10 ins. diam. bears N. 4 W. 30 links distant.

Set Center Post at intersection of lines, corner to Sections 29, 30, 35, 36, from which a W. Oak, 30 ins. diam. bears S. 39 W. 16 links, and a W. Oak, 30 ins. diam. bears N. 75 E. 28 links distant.

Corrected the line between Sections 30 &amp; 36, &amp; set Quarter Section Post, from which a Hickory, 12 ins. diam. bears S. 49 E. 8 links, and a W. Oak, 14 ins. diam. bears N. 15 E. 34 links distant.

Corrected the line between Sections 35 &amp; 36,

## Township 6, Range 5-7 Ranges.

and set Quarter Section Post, from which a W. Oak, 10 ins. diam. bears N. 69 E. 25 links, and a W. Oak, 16 ins. diam. bears N. 74 W. 48 links distant.

Corrected the line between Sections 29 &amp; 30, and set Quarter Section Post, from which a W. Oak, 30 ins. diam. bears N. 71 W. 17 links, and a W. Oak, 20 ins. diam. bears N. 86 E. 25 links distant.

Surveyed in May, 1805, by  
Levi Barber,  
Deputy Surveyor.