

Chs. Lhs.

+ + + + +  
West Boundary.

+ + + + +  
Set Post, [corner to Sections 33 & 34] from which  
a W. Oak, 12 ins. diam. bears N. 16. 11 links,  
and a W. Oak, 22 ins. diam. bears S. 82° 56' W.  
20 links distant.

The first 30, and from 50 chs. to the end of the  
mile, is a thin soil, but would produce good  
crops of wheat; Timber, Hickory and Oak. -  
From 30 to 50 chs. rich land, shaded with  
various kinds of Oaks, Hickory, Sugar, Walnut,  
Beech and Cherry.

South 4<sup>th</sup> Mile - [West side of Section 32.]

21.04 A. B. Oak, 16 inches diameter.

38.02 A. W. Oak, 17 inches diameter.

50.20 A. Stream, 40 links wide, runs S. 20° E.; <sup>5 1/2 wide</sup> bottom

52.21 A. W. Oak, 11 inches diameter.

63.15 Crossed the same Stream, course —

70.46 A. W. Oak, 20 inches diameter.

80.00 Set Post, [corner to Sections 32 & 33] from which  
a W. Oak, 7 ins. diam. bears N. 81° 50' W. 10 1/2 chs.,  
and a Cherry, 16 ins. diam. bears N. 13° 12' E.  
57 1/2 links distant.

The first 40 chs. the land is uneven, of a thin  
soil, and in many places stony, but would  
produce wheat; Timber, W. Oak and Hickory.  
The Bottom on the Stream is excellent for grass  
or cultivation; Timber, W. & B. Oak, Walnut, B. &  
W. Ash, Sugar, Cherry, Lynn, Elm, Rowan,  
Black and White Haw. There is a good mill  
seat on this Stream, 5 links on right of the  
line, where the water falls 5 feet perpendicular.



Township 7, Range 3-7 Ranges.

Chs. Lks.  
 The last 30 Chs. the soil is equal to the pro-  
 duction of indian corn, tobacco or hemp;  
 shaded with Oak, Hickory, Cherry, W. Wal-  
 nut, Locust, Mulberry and Elm.

South 5<sup>th</sup> Mile [West side of Section 32.]  
 2-40 A Branch, 2 1/2 yards wide, runs East.  
 7-91 A W. Oak, 31 inches diameter.  
 31-08 A R. Oak, 60 inches diameter.  
 45-53 A Red Elm, 24 inches diameter.  
 63-70 A Branch, 1 yard wide, runs S. 50 E.  
 68-10 A Branch, runs N. 60 E.  
 80-00 Set Post, [corner to Sections 31 & 32,] from which  
 an Ash, 36 ins. diam. bears N. 64 W. 11 1/2 links,  
 and a Sugar, 15 ins. diam. bears S. 28 E. 27 1/2  
 links distant.  
 Along this mile the line runs over rich hills,  
 easy to cultivate; Timber, Maple, B. & W. Wal-  
 nut, Cherry, Sugar, Elm, Black Haw. & Ash.

South 6<sup>th</sup> Mile [West side of Section 31.]  
 32-92 A Hickory, 12 inches diameter.  
 38-50 Wheeling Creek, 100 links wide, runs, here, nearly  
 North; the line cut it diagonally, and ran in  
 it 13 1/2 chains.  
 70-14 A W. Oak, 14 inches diameter.  
 \*79-48 Set Post, [at South West corner of this Township,]  
 from which a Hickory, 15 ins. diam. bears  
 N. 56 1/4 E. 11 1/2 links, and a Red Oak, 16 ins.  
 diam. bears S. 83 1/4 W. 31 1/2 links distant.  
 \* Here this line cuts the Southern Boundary  
 of Township 8, in Range 4, and is 2 Chs. 42 Lks.  
 West of the South East corner thereof.  
 The first 24 Chs. 30 Lks. rich hills, easy to cul-

Township 7, Range 3-7 Ranges.

Chs. Lks.  
 tivate; Timber, Maple, B. & W. Walnut, Cherry,  
 Sugar, Ash, Elm, Black Haw. Thence to 52 Chs.  
 the line runs in a rich bottom, excellent for  
 meadow or tillage, shaded with B. & W. Wal-  
 nut, Elm, Ironwood, Buckeye, Cherry and Ash.  
 From 52 Chs. to end of the mile, up the South  
 West side of a ridge, a strong soil, would pro-  
 duce good corn; Timber, Maple, Hickory and Oak.

South Boundary.  
 Beginning at the North East Corner of Town-  
 ship 7, in Range 4. Here stands a Sugar-  
 tree, 12 ins. diam. corner; from which a W.  
 Oak, 24 ins. diam. bears S. 55 1/2 W. 37 links,  
 and a W. Walnut, 14 ins. diam. bears S. 37 1/2  
 E. 45 links distant. The Sugar tree has 6  
 matches on the E. & W. sides.  
 Thence along the South Boundary of T. 7, R. 3.

East 1<sup>st</sup> Mile [South side of Section 31.]  
 26-40 Wheeling Creek, 2-20 links wide, [runs South.]  
 30-80 A Pine [Lynn?] tree.  
 43-93 A Hickory, 10 inches diameter.  
 56-68 A Black Walnut, 24 inches diameter.  
 61-60 Enter a rich Bottom.  
 69-58 A Red Elm, 18 inches diameter.  
 78-10 Wheeling Creek, (part of it) 50 links wide, runs N. 30 E.  
 and crossed it on to an island.  
 80-00 Set Post, [corner to Sections 35 & 31,] from which an  
 Elm, 20 ins. diam. bears N. 75 1/4 W. 49 links, and  
 a Sycamore, 24 ins. diam. bears N. 8 1/2 W. 34 1/2  
 links distant. This corner is on South  
 point of the island.  
 The first 7 1/2 Chs. is on the top of a high strong



Township 7, Range 3-7 Ranges.

Chs. Lks.  
 ridge; Timber, Oak of different kinds, & Hickory. From 7 1/2 to 20 chs. down an easterly descent; and from 28 to 61 chs. over a high ridge, the land in general very rich, equal to the production of indian corn, hemp, or tobacco; timbered with B. & W. Walnut, Hickory, Ash, Oaks, Beech, Sugar and Cherry. From 20 to 28 chs. and from 61 to the end, in rich bottom along Wheeling Creek, excellent for meadow or tillage, shaded with W. & S. Walnut, Elm, Cherry, Sycamore, Buckeye.

East 2<sup>d</sup> Mile [South side of Section 25.]

42 East part of Wheeling Creek, 1.46 links wide, runs N.  
 18.40 A Sugar, 6 inches diameter.  
 34.33 Wheeling, 1.39 links wide, runs S.; bottom 7 1/2 wide.  
 39.48 A Sugar, 30 inches diameter.  
 60.17 A B. Oak, 20 inches diameter.  
 75.05 A W. Oak, 12 inches diameter.  
 80.00 Set Post, [corner to Secs. 19 & 25,] from which a Hickory, 12 ins. diam. bears S. 17 1/2° 13 1/2 lks. and a W. Oak, 20 ins. diam. bears N. 67 1/2° 39 links distant.

The first 9 chs. creek bottom. From 9 to 33 1/2 chs. over a ridge of tillable land; Timber, Oak, Sugar, B. & W. Walnut. From 33 1/2 to 41 1/2 chs. in exceedingly rich bottom, of Wheeling Creek, shaded with B. & W. Walnut, Elm, Cherry, Sycamore and Buckeye. From 41 1/2 to the end, over tillable hills, good land, proper for the cultivation of wheat, and would produce large crops of indian corn; timbered with Oaks, Sugar and Beech.

Township 7, Range 3-7 Ranges.

Chs. Lks.  
 East 3<sup>d</sup> Mile [South Side of Section 19.]  
 23.85 A Sugar, 8 inches diameter.  
 27.25 A Stream, 50 lbs. wide, runs S. 10 W.; bottom 2 1/2 chs. wide.  
 39.37 A Sugar, 6 inches diameter.  
 51.64 A W. Oak, 18 inches diameter.  
 68.08 A W. Oak, 36 inches diameter.  
 80.00 Set Post, [corner to Secs. 13 & 19,] from which a W. Oak, 12 ins. diam. bears S. 54 W. 15 links, and a W. Oak, 15 ins. diam. bears N. 56 1/2° 19 links distant.

The uplands of the first 30 chs. is rich, timbered with Oak, Sugar, W. & B. Walnut; the small bottom on the stream fine for meadow or tillage. From 30 to 50 chs. ascending a hill; strong soil, but the land is stony. From 50 chs. to the end of the mile, on the top, and down the eastern descent of a high ridge of rich land, shaded with Oaks, Sugar, Elm, Ash, B. & W. Walnut.

East 4<sup>th</sup> Mile [South side of Section 13.]

11.00 A Branch, 2 1/2 yards wide, runs S. 45 E.; bottom 4 chains wide.  
 15.25 A W. Oak, 20 inches diameter.  
 22.58 Same Branch, runs N. 50 E.; bottom 2 chs. wide.  
 37.17 A W. Oak, 30 inches diameter.  
 42.00 A Branch, 2 feet wide, runs S. 45 E.  
 55.00 A W. Oak, 22 inches diameter.  
 73.85 A Branch, 2 yards wide, runs South.  
 78.82 A Sugar, 14 inches diameter.  
 80.00 Set Post, [corner to Sections 7 & 13,] from which a W. Oak, 24 ins. diam. bears N. 59 E. 17 1/2 links, and a Sugar, 8 ins. diam. bears N. 47° 50' W. 27 links distant.

Over hills, gradually ascending and descending,







Township 7, Range 3-7 Ranges

Chs. Lks.  
links, and a Beech, 10 ins. diam. bears S.  
50 E. 15 links distant.  
[Road not described here.]

[South 6<sup>th</sup> Mile.—No notes here of this mile. See  
West Boundary of Township 4, Range 2, for  
fuller notes of this East Boundary of T. 7, R. 3,  
with which it is identical.—Recorder.]

Surveyed in 1786, by  
Isaac Sherman, Suror  
on the part of Connecticut

Township 7, Range 3-7 Ranges

Chs. Lks.  
Beginning at the South East corner of Town-  
ship No. 7, in the 3<sup>d</sup> Range; where a Sugar-  
tree, 8 ins. diam. bears N. 60 E. 17 links, and  
a W. Oak, 32 ins. diam. bears N. W. 21 1/2  
links distant. Then—

North On the East Boundary of Section 1.  
25.50 A Brook, 4 links wide, runs S. 10 E. by the S. W. corner of T. 4, R. 2.  
58.50 A Brook, 4 links wide, runs East  
70.00 A Brook, 15 links wide, runs S. 40 E.  
80.00 1 Mile Post; from which a Beech, 15 ins. diam.  
bears S. 3 E. 25 links, and a Beech, 15 ins. diam.  
bears N. 3 W. 32 1/2 links distant.  
Over hilly land, soil of a middling quality; Tim-  
ber, Oak, Beech, and some Sugar tree.

North 2<sup>d</sup> Mile—East Boundary of Section 2.  
.6.00 A Spring, runs West.  
34.00 A Brook, 3 links wide, runs West.  
60.00 A Brook, 4 links wide, runs East.  
61.00 A Brook, 12 links wide, runs S. 30 E.  
80.00 2 Mile Post; from which a Beech, 16 ins. diam.  
bears N. 75 W. 16 links, and a Beech, 18 ins.  
diam. bears S. 83 E. 26 1/2 links distant.  
Over uneven land, soil of a middling quality,  
except the last 10 chains, rich land; Timber,  
chiefly Beech, some Ash and Poplar.

North continued, on East Boundary of Section 3.  
10.00 A Brook, 6 links wide, runs S. 30 E.  
61.00 Little Fork of Short brook, 50 yds. wide, runs East.  
80.00 3 Mile Post, [corner of Sections 3 & 4] from which  
a W. Oak, 16 ins. diam. bears N. 45 E. 36 links,  
and a Beech, 9 ins. diam. bears S. 35 W. 17  
links distant.



6th. Sta. Over hilly land, rich soil, to the creek, then hilly and stony; Timber, Beech, Sugar tree, Ash, to the creek, then Oak. July 23<sup>d</sup>, 1860.

x x x x x x x x x

Remained to the South East corner. Thence -

West On South Boundary of Section 1.

3.50 A Brook, 6 links, runs South.

4.00 Old Town corner.

34.50 A Brook, 4 links, runs South.

51.50 A Brook, 15 links, runs South.

61.50 A Brook, 3 links, runs South.

62.50 A Lick.

74.00 A Brook, 15 links, runs S. 60 E.

80.00 1 Mile Post, corner to Sections 1 & 7; from which a Beech, 14 ins. diam. bears N. 57 E. 27 W., and a Sugar tree, 6 ins. diam. bears S. 60 W. 11 links distant. Trees marked by plan.

Over hilly land, rich soil; Timber, Beech, Sugar tree, some Oak.

West Continued, South Boundary of Section 7.

4.00 A Brook, 5 links wide, runs North.

80.00 2 Mile Post, corner of Secs. 7 & 13; from which a Hickory, 18 ins. diam. bears East 15 1/2 links, and a Sugar tree, 7 ins. diam. bears N. 80 1/2 W. 12 links distant. Trees marked by plan.

Over hilly land, rich soil; Timber, Beech, Sugar tree, some Oak.

North Between Sections 7 & 13.

75 A Sugar tree, 10 inches diameter.

27.46 A Hackberry, 11 inches diameter.

28.25 A Hackberry, 14 inches diameter.

43.43 A Hackberry, 17 inches diameter.

6th. Sta.

54.94 A Beech, 15 inches diameter.

69.00 A Brook, 3 links, East.

79.02 A W. Oak, 10 inches diameter.

80.00 Post, corner to Sections 7, 8, 13, 14; from which a Sugar tree, 13 ins. diam. bears N. 44 E. 22 links, and a Sugar tree, 9 ins. diam. bears S. 58 E. 13 links distant. Trees marked by plan.

Over uneven land, rich soil; Timber, Sugar, Walnut, Oak, Hickory, &c.; Undergrowth, Spice wood.

North Continued, between Sections 8 & 14.

8.00 A Brook, 3 links, runs E.

9.27 A B. Walnut, 22 inches diameter.

23.24 A W. Oak, 17 inches diameter.

43.33 Wagon Road.

60.24 A Sugar tree, 13 inches diameter.

75.00 A Brook, 10 links, E.

80.00 Post, corner to Sections 8, 9, 14, 15; from which a Sugar tree, 9 ins. diam. bears N. 7 1/4 W. 16 links, and an Elm, 13 ins. diam. bears S. 27 E. 29 links distant. Trees marked by plan.

Land same as last mile.

East Random Line between Secs. 8 & 9.

80.00 Random Post.

East Continued, between Secs. 2 & 3.

80.00 Range Line, corner, 36 Ws. North

West Between Sections 2 & 3.

14.37 A B. Walnut, 20 inches diameter.

25.00 A Brook, 4 links, runs South.

29.35 A Brook, 4 links, runs South.



- 6 hrs. 35.64 A Chestnut, 12 inches diameter.
- 38.00 Forks of a Brook, runs South; the right hand fork comes from the North, the other comes West, and up the same, 400 links, course S.
- 58.65 A Hickory, 20 inches diameter.
- 61.02 A Sugar tree, 40 inches diameter.
- 72.57 A Sugar tree, 6 inches diameter.
- 80.00 1 Mile - a Beech, 15 ins. diam. Corner to Sections 2, 3, 8, 9; from which a Hickory, 21 ins. diam. bears N. 3 W. 4 links, and a Beech, 14 ins. diam. bears S. 24 E. 25 links distant. Trees marked by plan.  
Hilly land, soil rich; Timber, Sugar, Walnut, Beech, Oak and Hickory.
- West continued, between Sections 8 & 9.
- 1.50 A Brook, 6 links, runs South. July 25, 1800.
- 15.94 A Sugar tree, 15 inches diameter.
- 32.46 A Sugar tree, 10 inches diameter.
- 54.56 A Poplar, 33 inches diameter.
- 57.00 A Brook, 5 links, North.
- 57.48 A Maple, 22 inches diameter.
- 58.00 A Brook, 4 links, North
- 71.33 A dead Sugar tree, 16 inches diameter.
- 74.00 A Brook, 10 links, N. 50 E.
- 79.00 A Beech, 7 inches diameter.
- 80.00 2 Mile Post, corner to Sections 8, 9, 14, 15, made. Over hilly land, soil of middling quality; Timber, Beech, Sugar tree, Oak, &c.
- North Between Sections 9 & 15.
- 23.03 A W. Oak, 13 inches diameter.
- 27.50 Little Fork of Short Creek, 50 links, runs East.
- 53.00 A Brook, 7 links wide, runs S. 30 E.

- 6 hrs. 57.23 A Hickory, 13 inches diameter.
- 80.00 3 Mile Post, corner of Sections 9, 10, 15, 16; from which a W. Oak, 14 ins. diam. bears S. 23 E. 24 links, and a W. Oak, 17 ins. diam. bears N. W. 20 1/2 links distant. Trees marked by plan. First 1/2 mile creek hills, rich; Timber, Sugar tree, Walnut, some Oak and Beech; last 1/2 mile first rate Oak land.  
x x x x x x x x x x  
Repaired to corner of Sections 7 & 13, on South Boundary Line. Thence -
- West On South Boundary of Section 13.
- 5.93 A W. Oak, 14 inches diameter.
- 12.00 A Brook, 10 links, S.
- 23.50 A Brook, 3 links, N.
- 31.29 An Ash, 18 inches diameter.
- 40.14 A Sugar tree, 10 inches diameter.
- 44.50 A Spring, South.
- 49.40 A W. Oak, 33 inches diameter.
- 61.99 A B. Oak, 15 inches diameter.
- 64.00 A Brook, 8 links, S.
- 66.59 A W. Oak, 17 inches diameter.
- 75.50 A Brook, 8 links, S.
- 80.00 To a Post, by a Brook, 2 hrs. wide, course S. 60 E., Corner to Sections 13 & 19; from which a Hickory, 10 ins. diam. S. 45 W. 28 1/2 links, and a Hickory, 7 ins. diam. bears N. 28 E. 24 links distant. Trees marked by plan. Over first rate land, well timbered, and also well watered.
- South continued on S. Boundary of Section 19.
- 17.63 A W. Oak, 38 inches diameter.
- 39.37 A Sugar tree, 8 inches diameter.



Township 7, Range 3-7 Ranges.

Ch. No.	Description
40.85	A Dogwood, 8 inches diameter.
43.60	A Maple, 11 inches diameter.
59.50	A Brook, 18 links, runs S; and a Brook, 5 links, comes N. 80 E.
63.17	A Sugar tree, 10 inches diameter.
70.00	A Brook, 3 links, S. 50 E.
73.69	A Sugar tree, 7 inches diameter.
74.61	A W. Oak, 10 inches diameter.
80.00	4 Mile Post, corner to Sections 19 & 25; from which a Maple, 8 ins. diam. bears N. 2 E. 16 links, and a Dogwood, 5 ins. diam. bears S. 15 E. 12 1/2 links distant. Trees marked by plan. First 1/2 mile uneven land, thin soil; Timber, Oak; last half mile very hilly poor land.
North Between Sections 19 & 25.	
25.65	A Poplar, 18 inches diameter.
36.42	A W. Oak, 15 inches diameter.
54.73	A W. Oak, 15 inches diameter.
60.67	A W. Oak, 12 inches diameter.
80.00	Do 1 Mile Post, corner to Sections 19, 20, 25, 26; from which a Sugar tree, 13 ins. diam. bears N. 65 1/2 E. 26 links, and a W. Oak, 15 ins. diam. bears S. 61 W. 54 links distant. Trees marked by plan. Over poor hilly Oak land.
North continued, between Sections 20 & 26.	
16.06	A W. Oak, 30 inches diameter.
31.02	A W. Oak, 13 inches diameter.
60.00	A Spring, E.
68.26	A W. Oak, 48 inches diameter.
80.00	2 Mile Post, corner to Sections 20, 21, 26, 27; from which a W. Oak, 38 ins. diam. bears

Township 7, Range 3-7 Ranges.

Ch. No.	Description
	N. 8 E. 29 1/2 links, and a Hickory, 10 ins. diam. bears S. 2 W. 38 links distant. Trees marked by plan. Over tolerable good Oak land.
East	On Random Line, between Sections 20 & 21
80.00	Random Post. July 30, 1800.
East	continued, Random, between Secs. 14 & 15.
80.19	Post at Sections 8, 9, 14, 15.
West	Between Sections 14 & 15.
14.03	A Sugar tree, 9 inches diameter.
30.93	A W. Oak, 40 inches diameter.
35.00	Forks of a Brook, 15 links, N.
68.47	A W. Oak, 17 inches diameter.
78.20	A W. Oak, 18 inches diameter.
80.00	3 Mile Post, corner to Sections 14, 15, 20, 21; from which a W. Oak, 10 ins. diam. bears N. 55 E. 18 links; and a W. Oak, 15 ins. diam. bears S. 3 W. 29 links distant. Trees marked by plan. Over uneven thin W. Oak land.
West	continued between Sections 20 & 21.
25.80	A W. Oak, 38 inches diameter.
28.00	A Brook, 3 links, N.
61.44	A B. Oak, 22 inches diameter.
80.00	A Post, corner to Sections 20, 21, 26, 27. Over tolerable good Oak land.
North	Between Sections 21 & 27.
2.00	A Brook, 3 links, W.
11.70	A W. Oak, 48 inches diameter.
41.83	A W. Oak, 15 inches diameter.



Township 7, Range 3-7 Ranges.

Chs. Ls.  
80.00 3 Mile Post, corner to Sections 21, 22, 27, 28, from which a W. Oak, 12 ins. diam. bears S. 63 E. 14 links, and an Elm, 6 ins. diam. bears N. 14 W. 14 links distant. Trees marked by plan. Over tolerable good Oak land.

x x x x x x x x x x

West On South Boundary of Section 25.

4.95 A W. Oak, 15 inches diameter.  
11.96 A W. Oak, 14 inches diameter.  
14.50 A Brook, 4 links, S.  
27.00 A B. Oak, 19 inches diameter.  
42.68 A Sugar tree, 11 inches diameter.  
50.27 A Buckeye, 9 inches diameter.  
52.00 Wheeling Creek, 100 links, S. Sept. 9, 1800.  
72.54 A Cherry tree, 14 inches diameter.  
73.80 A W. Oak, 32 inches diameter.  
80.00 Post, set on the side of the Bottom, corner to Sections 25 & 31; from which a W. Oak, 46 ins. diam. bears N. 42 W. 35 1/2 links, and a Honey Locust, 16 ins. diam. bears S. 48 1/2 E. 40 links distant. Trees marked by plan. Over hilly rich land; Timber, Sugar tree, Walnut, some Oaks, &c.; Creeks Bottoms narrow.

West continued, South Boundary of Section 31.

5.50 Wheeling Creek, 100 links, N. 40 E.  
18.14 A Buckeye, 15 inches diameter.  
29.72 A B. Walnut, 19 inches diameter.  
32.22 A Sugar tree, 11 inches diameter.  
45.20 A Hickory, 11 inches diameter.  
52.26 A Spanish Oak, 15 inches diameter.  
57.86 A Lyrus, 15 inches diameter.  
60.00 Wheeling Creek, 100 links, S. 60 W.  
91.00 Post, at S. W. corner of Section 31; from which

Township 7, Range 3-7 Ranges.

Chs. Ls.  
a B. Oak, 12 ins. diam. bears S. 50 1/2 E. 31 Ws, and a W. Oak, 8 ins. diam. bears N. 23 1/2 W. 6 links distant. Trees marked by plan. Over hilly rich land; Timber, Sugar tree, Walnut, Oak, &c.

North On West Boundary of Section 31.

7.71 A Sugar tree, 15 inches diameter.  
27.00 Wheeling Creek, 100 links; down the same 1300 links; crossing the same, N. 30 E.  
41.50 A Hickory, 11 inches diameter.  
51.40 A Hickory, 12 inches diameter.  
62.50 A B. Walnut, 20 inches diameter.  
63.91 A Sugar tree, 10 inches diameter.  
64.49 A B. Walnut, 14 inches diameter.  
80.00 Post, corner to Sections 31 & 32; from which a Hickory, 14 ins. diam. bears N. 84 1/2 W. 5 Ws, and a Sugar tree, 7 ins. diam. bears S. 33 E. 10 1/2 links distant. Trees marked by plan. Over hilly rich land; Timber, Sugar tree, Walnut, Oak, Hackberry, &c.

North continued, West Boundary of Section 32.

6.58 A W. Walnut, 12 inches diameter.  
11.50 A Brook, 3 links, E.  
28.50 A Brook, 5 links, E.  
31.22 A Spanish Oak, 50 inches diameter.  
34.85 An Elm, 18 inches diameter.  
40.78 A Hickory, 15 inches diameter.  
49.74 A Spanish Oak, 50 inches diameter.  
61.00 A Brook, 5 links, E.  
73.16 A W. Oak, 42 inches diameter.  
79.25 A Brook, 3 links, E.  
80.00 Post, by West side of a Brook, 25 links, S. 15 E.,



Township 7, Range 3-7 Ranges.

Chs. Lks.  
 corner to Sections 32 & 33; from which an  
 Elm, 8 ins. diam. bears S. 10 E. 17 links, and  
 an Elm, 6 ins. diam. bears N. 46 W. 16 links  
 distant. Trees marked by plan.  
 Over rich hilly land; Timber, Sugar tree, Walnut,  
 Beech, Hackberry, &c.

East Random Line, between Secs. 32 & 33.  
 91.00 Random Post.

East Roadway, continued, between Secs. 26 & 27.  
 80.00 corner, North 130 links. Run on 37 1/2 - true course 12 1/2  
 minutes.

West Between Sections 26 & 27.  
 5.65 A W. Oak, 36 inches diameter.  
 12.00 A Brook, 5 links, S.  
 27.03 A Hickory, 9 inches diameter.  
 31.50 A Brook, 12 links, S.  
 35.80 A Hickory, 16 inches diameter.  
 69.50 An Elm, 16 inches diameter.  
 71.00 A Brook, 15 links, S.  
 77.00 A Brook, 7 links, S. 70 E.  
 80.00 Post, corner to Sections 26, 27, 32, 33; from which  
 a Spanish Oak, 17 ins. diam. bears S. 13 1/2 E. 13  
 links, and a W. Oak, 10 ins. diam. bears N. 52  
 E. 23 links distant. Trees marked by plan.  
 Over hilly land, soil of a middling quality; Tim-  
 ber, Oak, Hickory, Beech, &c.

West continued between Sections 32 & 33.  
 1.29 A W. Oak, 15 inches diameter.  
 30.00 A Brook, 8 links, S.  
 43.40 A B. Oak, 40 inches diameter. Sept. 10, 1800.

Township 7, Range 3-7 Ranges.

Chs. Lks.  
 56.50 Forks of a Brook, 5 links, S.  
 58.38 A Sugar tree, 15 inches diameter.  
 89.61 A Sugar tree, 10 inches diameter.  
 91.00 Crossing a Brook, to a Post, corner to Secs. 32 & 33.  
 Over hilly land, soil of a middling quality; Tim-  
 ber, Oak, Hickory, Beech, Sugar tree, &c.

North On West Boundary of Section 33.  
 9.87 A W. Oak, 13 inches diameter.  
 13.00 A Brook, 15 links, S. 20 E.  
 17.50 A Brook, 15 links, S. 20 W.  
 18.95 A W. Oak, 10 inches diameter.  
 29.04 A W. Oak, 12 inches diameter.  
 31.00 A Brook, 15 links, S. 20 E., rapidly.  
 43.20 A W. Oak, 13 inches diameter.  
 60.27 A B. Oak, 13 inches diameter.  
 77.50 A Brook, 10 links, S. 20 W.  
 80.00 Post, corner to Sections 33 & 34; from which a  
 W. Oak, 14 ins. diam. bears N. 12 E. 27 links, and  
 a Sugar tree, 10 ins. diam. bears S. 31 1/2 W. 30  
 links distant. Trees marked by plan.  
 x x x x x x x x x

Surveyed in 1800, by  
 Zachary Biggs,  
 Deputy Surveyor.



Subdivision of "2 Mile Blocks."  
 Thursday, November 1, 1804.

x x x x x x x x x

South Random Line between Sections 3 & 9.  
 80.00 Fell 70 links West of corner of Sections 2, 3, 8, 9.

North On True Line between Sections 3 & 9.  
 14.00 A Beech, 24 inches diameter.  
 45.00 A Mill Dam.  
 80.00 Set temporary center Post.  
 Hilly, rich land; Timber, Oak, Sugar, &c.

x x x x x x x x x

From corner of Sections 3 & 4, on E. Boundary, ran  
 West On Random Line between Sections 3 & 4.  
 80.00 Crossed North and South Line.

West On Random between Sections 9 & 10.  
 80.00 Fell 50 links South of corner of Secs. 9, 10, 15, 16.

Saturday, November 10, 1804.

East On True Line between Sections 9 & 10.  
 22.00 A W. Oak, 24 inches diameter.  
 25.00 A Spring, runs N.E.  
 29.00 A Brook, 10 links wide, runs S.  
 31.00 A Brook, 3 links wide, runs S.  
 66.00 A W. Oak, 28 inches diameter.  
 71.00 A Brook, 6 links wide, runs S.  
 80.00 Crossed North and South Line at center Post, cor-  
 ner to Sections 3, 4, 9, 10; from which a W  
 Oak, 15 ins. diam. bears East 9 links, and a  
 W. Oak, 24 ins. diam. bears West 57 links distant.  
 Hilly land; Timber, Oak, Hickory, &c.

East Continued True Line, between Secs. 3 & 4.  
 15.00 A Spring, 3 links S.  
 44.00 A Brook, 8 links wide, runs S.  
 45.00 A Sugar, 12 inches diameter.  
 53.00 A Brook, 3 links wide, runs S.  
 57.50 A B. Oak, 12 inches diameter.  
 72.50 A Brook, 3 links wide, runs S.  
 80.00 To the corner of Sections 3 & 4, on E. Boundary.  
 Hilly land, timbered with Oak, Hickory, &c.

x x x x x x x x x

Between Sections 9 & 10. Set Quarter Section  
 Post at average distance; from which a W.  
 Oak, 14 ins. diam. bears S. 2 E. 15 links, and an  
 Elm, 6 ins. diam. bears N. 7 W. 23 links  
 distant.

Between Sections 3 & 4. Set Quarter Section  
 Post at average distance; from which a Wal-  
 nut, 7 ins. diam. bears S. 60 W. 15 links, and a  
 Walnut, 8 ins. diam. bears N. 32 E. 23 links dis-  
 tant.

Between Sections 3 & 9. Set Quarter Section  
 Post at average distance; from which a Cher-  
 ry, 16 ins. diam. bears S. 49 E. 4 links, and a Beech,  
 14 ins. diam. bears West 35 links distant.

From the corner of Sections 2, 3, 8, 9, ran-  
 South On True Line between Sections 2 & 8.  
 4.00 A Brook, 3 links wide, runs South.  
 11.00 A Road.  
 13.00 A Poplar, 36 inches diameter.  
 14.00 A Brook, 3 links wide, runs E.  
 74.00 A Sugar, 14 inches diameter.



Township 7, Range 3-7 Ranges.

Chs. Lks.	
80.00	Set temporary Center Post. Land generally rich; Timber, Oak, Sugar, &c.
	South continued True Line between Sections 147.
3.00	A Brook, 5 links wide, runs E.
18.25	A Red Oak, 48 inches diameter.
48.25	A Sugar, 12 inches diameter.
61.00	A W. Oak, 20 inches diameter.
75.00	A Brook, 10 links wide, runs E.
79.00	To corner of Sections 147, on South Boundary. Hilly land, good soil; Timber, Oak, Hickory, &c.
	From corner of Sections 142, on E. Boundary, run
West	On True Line between Sections 142.
7.00	A Brook, 10 links wide, runs South; then kept up a Spring Run, and at
11.50	To head of Spring.
14.25	A Hickory, 14 inches diameter.
43.00	A W. Oak, 36 inches diameter.
56.00	A Brook, 5 links wide, runs S.
80.00	Crossed North and South Line, 50 links North of temporary Center Post. [Moved it to intersection] corner to Sections 1, 2, 7, 8; from which a Sugar, 8 ins. diam. bears N. 45 W. 7 links, and a W. Oak, 40 ins. diam. bears S. 45 E. 10 links distant.
	West continued True Line between Sections 7 & 8.
4.00	A Brook, 3 links wide, runs S.
24.50	A Poplar, 36 inches diameter.
30.00	A Brook, 2 links wide, runs S.
44.00	An Ash, 30 inches diameter.
55.00	A Brook, 5 links wide, runs S.
60.75	A Beech, 18 inches diameter.
73.00	A Spring head, North.

Township 7, Range 3-7 Ranges.

Chs. Lks.	
80.00	To the corner of Sections 7, 8, 13, 14. Hilly rich land; Timber, Oak, Sugar, &c.
	Between Sections 148. Set In Sec. Post at the average distance; from which a Hickory, 14 ins. diam. bears South 6 links, and a Beech, 12 ins. diam. bears N. 34 W. 26 links distant.
	Between Sections 7 & 8. Set In Sec. Post at the average distance; from which a Su- gar, 10 ins. diam. bears N. 14 W. 7 links, and a Beech, 16 ins. diam. bears S. 14 E. 10 links distant.
	Between Sections 142. Set In Sec. Post at average distance; from which a W. Oak, 36 ins. diam. bears West 3.00 links distant.
	Between Sections 147. Set In Sec. Post at average distance; from which a Sugar, 12 ins. diam. bears South 8 chs. 50 links distant. No other trees near.

Friday, August 30, 1805.

Chs. Lks.	
	From corner of Sections 19, 20, 25, 26, run-
East	On Random Line between Sections 19 & 20.
19.50	A Brook, 6 links wide, runs S. E.
39.50	A Brook, 12 links wide, runs S. E.
40.00	Set temporary Quarter Section Post.
58.50	A Spring, runs S.
67.00	A Brook, 5 links wide, runs S. W.
80.00	Set temporary Center Post. Hilly land, rich soil; Timber, Oak, Beech, &c.



64.26  
 East Continued Random Line between Sections 13 & 14.  
 40.00 Set temporary Quarter Section Post.  
 80.00 Fell 24 links North of Corner of Secs. 7, 8, 13, 14.  
 Land level and nick; Timber, Oak, Sugar.

West Corrected the line between Secs. 13 <sup>and 19 & 20</sup> & 14, setting  
 temporary Quarter Section Posts, and Center Post  
 on true line.

Saturday, August 31, 1805.

From corner of Sections 14, 15, 20, 21, ran  
 South On Random Line between Sections 14 & 20.  
 32.50 A Spring, runs S. W.  
 40.00 Set temporary Quarter Section Post  
 64.00 A Brook, 6 links wide, runs S. W.  
 65.50 A Spring, runs W.  
 80.00 Crossed the East and West Lines.  
 Level, rich land; Timber, Oak, Sugar, &c.

South Continued Random line between Secs. 13 & 19.  
 6.50 A Spring, runs W.  
 40.00 Set temporary Quarter Section Post.  
 80.00 Fell 74 links West of the Corner of Secs. 13 & 19,  
 on South Boundary,  
 Level, good land; Timber, Oak, Sugar, &c.

North Corrected the line between Secs. 13 & 19, & set  
 In Sec. Post on true line; from which an  
 Elm, 4 ins. diam. bears S. 64 W. 10 links,  
 and an Ash, 5 ins. diam. bears N 67 E 28  
 links distant.  
 Set Center Post at intersection of true lines,  
 corner to Sections 13, 14, 19, 20; from which  
 a W. Oak, 14 ins. diam. bears N 84 W. 14

64.26  
 links, and a W. Oak, 18 ins. diam. bears  
 N 82 E. 16 links distant.

East Between Sections 13 & 14. Set In Sec. Post  
 on true line; from which an Ash, 12  
 ins. diam. bears S. 86 W. 36 links, and a  
 Sugar, 6 ins. diam. bears N. 86 E. 19 W.  
 distant.

West Between Sections 19 & 20. Set In Sec. Post  
 on true line; from which a Sugar, 14  
 ins. diam. bears S. 52 E. 11 links, and a  
 W. Oak, 4 ins. diam. bears N 27 W. 27 W.  
 distant.

North Corrected the line between Sections 14 & 20,  
 and moved temporary Quarter Section Post  
 to true line, at average measure; from which  
 a W. Oak, 15 ins. diam. bears S. 16 W. 26 W.,  
 and a W. Oak, 18 ins. diam. bears N 5 E.  
 17 links distant.

From the corner of Sections 19, 20, 25, 26, ran  
 West On Random line between Sections 25 & 26.  
 1.50 A Spring, runs S. W.  
 21.50 A Brook, 10 links wide, runs S.  
 40.00 Set temporary Quarter Section Post.  
 44.50 A Brook, 4 links wide, runs S. E.  
 69.00 A Brook, 30 links wide, runs South.  
 80.00 Set temporary Center Post.  
 Kelly land, good soil; Timber, Oak, Hickory, &c.

West Continued Random Line between Secs. 31 & 32.  
 6.00 A Brook, 4 links wide, runs S. E.



Township 7, Range 3-7 Ranges.

Chs. Ls.	
28.50	A Brook, 4 links wide, runs S.
29.00	A Spring, runs S. E.
45.00	Set temporary Quarter Section Post.
68.50	A creek, 25 links wide, runs S. E.
91.00	Struck corner of Sections 31 & 32 on W. Boundary. Hilly land, good soil; Timber, Hickory, Oak, Sugar, &c.
East	Corrected the line between Sections 31 & 32, and Sections 25 & 26, and set temporary Quarter Section and Center Posts at average distances.
South	From corner of Sections 26, 27, 32, 33, ran on Random line between Sections 26 & 32.
1.50	A Spring, runs N. E.
25.50	A Brook, 4 links wide, runs E.
40.00	Set temporary Quarter Section Post.
66.50	A Brook, 6 links wide, runs S. E.
80.00	Crossed the East and West Line. Hilly land; Timber, Oak, Hickory, &c.
South	Continued Random Line between Secs. 25 & 31.
4.00	A Brook, 3 links wide, runs S. E.
37.50	A Brook, 6 links wide, runs S. E.
40.00	Set temporary Quarter Section Post.
41.00	A creek, 100 links wide, runs S. E.
47.00	Run down the creek.
51.00	The creek, 150 links wide, N. W. course.
62.00	Same creek, course N. E.
80.00	Fell 28 links East of corner of Secs. 25 & 31, on South Boundary. Land, the first half mile hilly, and the rest due good bottom; Timber, Oak, Sugar, &c.

Township 7, Range 3-7 Ranges.

Chs. Ls.	
North	Corrected line between Sections 25 & 31. Set Dr. Sec. Post on true line, from which a Hickory, 6 ins. diam. bears S. 73 E. 10 links, and a W. Oak, 12 ins. diam. bears N. 88 W. 46 links distant.
	Crossed East and West Line at Center Post, corner of Sections 25, 26, 31, 32; from which a W. Oak, 16 ins. diam. bears S. 29 E. 6 links, and a Hickory, 14 ins. diam. bears N. 32 W. 17 links distant.
West	Traveled West between Sections 31 & 32, and set Dr. Sec. Post; from which a Hickory, 14 ins. diam. bears S. 38 E. 28 links, and a Walnut, 9 ins. diam. bears N. 48 W. 26 links distant.
East	Traveled East between Sections 25 & 26, and set Dr. Sec. Post; from which a Sugar, 7 ins. diam. bears N. 56 W. 3 links, and a W. Oak, 14 ins. diam. bears S. 46 E. 27 links distant.
North	Corrected the line between Sections 26 & 32, and set Dr. Sec. Post; from which a Hickory, 12 ins. diam. bears S. 59 E. 11 links, and a W. Oak, 9 ins. diam. bears N. 30 W. 36 links distant.
South	Random Line, between Sections 27 & 33.
1.00	A Brook, 6 links wide, runs S. E.
31.00	A Brook, 5 links, runs S. E.
40.00	Set temporary Quarter Section Post.
50.50	A Brook, 6 links wide, runs S. E.



Township 7, Range 3-7 Ranges.

Chs. Lks  
 77.50 A Brook, 7 links wide, runs S. E.  
 80.00 Fell 125 links West of corner of Secs. 26, 27, 32, 33.  
 Good land; Timber, Oak and Hickory.

North Corrected the line between Sections 27 & 33, &  
 between Sections 28 & 34, and set the tempo-  
 rary Dr. Sec. and Center Posts on the  
 true line.

Friday, August 30, 1805

From corner of Sections 21, 22, 27, 28, ran  
 West On Random Line between Sections 27 & 28.

20.50 A Brook, 2 links wide, runs S. E.  
 35.50 A Brook, 3 links wide, runs S. E.  
 40.00 Set temporary Quarter Section Post.  
 60.00 A Brook, 8 links wide, runs S. E.  
 80.00 Crossed North and South Lines.  
 Good land; Timber, Oak, Hickory.

West On Random Line between Sections 33 & 34.  
 1.50 A Brook, 8 links wide, runs S. E.  
 9.50 A Spring, runs N. E.  
 45.00 Set temporary Quarter Section Post.  
 50.00 A Brook, 3 links wide, runs S. W.  
 88.00 A Brook, 12 links wide, runs S. W.  
 90.00 Fell 82 links South of corner of Secs. 33 & 34, on  
 West Boundary of Township.  
 Good land; Timber, Oak, Ash, &c.

East Corrected line between Sections 33 & 34. Set Dr.  
 Sec. Post, on true line; from which a W. Oak,  
 18 ins. diam. bears N. 17 W. 29 links, and  
 a W. Oak, 9 ins. diam. bears S. 26.6 links  
 distant.

Township 7, Range 3-7 Ranges.

Chs. Lks  
 Crossed North and South Lines at the Center  
 Post, corner of Sections 27, 28, 33, 34; from  
 which a W. Oak, 20 ins. diam. bears N. 64  
 E. 22 links, and a Walnut, 12 ins. diam.  
 bears S. 48 W. 43 links distant.

East Corrected the line between Secs. 27 & 28. Set  
 Dr. Sec. Post on true line; from which a  
 W. Oak, 16 ins. diam. bears S. 14 E. 38 lks,  
 and a W. Oak, 17 ins. diam. bears N. 37 W.  
 28 links distant.

x x x x x x x x  
 South Traveled South, between Secs. 27 & 33. Set  
 Dr. Sec. Post, on true line; from which a  
 Beech, 5 ins. diam. bears S. 79 E. 28 lks.,  
 and a W. Oak, 12 ins. diam. bears N. 45 W.  
 27 links distant.

x x x x x x x x  
 South Random Line between Sections 15 & 21.  
 5.00 A Brook, 2 links wide, runs East.  
 28.50 A Brook, 15 links wide, runs S. E.  
 40.00 Set temporary Quarter Section Post.  
 65.00 A Brook, 10 links wide, runs East.  
 80.00 Fell 200 links West of corner of Secs. 14, 15, 20, 21.  
 Very rich land; Timber, Oak, Hickory, Sa-  
 gar, &c.

North Corrected the line between Sections 15 & 21, &  
 between Sections 16 & 22, and set the tempo-  
 rary Quarter Section Posts, and Center Post  
 on the true line.

Monday, September 29, 1805.

From corner of Sections 21, 22, 27, 28, ran-



Township 7, Range 3 - 7 Ranges.

Ch. Sta.  
 East On Random Line between Sections 21 & 22.  
 40.00 Set temporary Quarter Section Post.  
 43.00 A Brook, 10 links wide, runs S. E.  
 80.00 Crossed North and South Line.  
 Level, rich land; Timber, Sugar, Oak, &c.

East Continued Random Line between Secs. 15 & 16.  
 50 A Brook, 4 links wide, runs S.  
 24.00 A Brook, 4 links wide, runs S. <sup>original notes</sup> [Acres dimly struck out in] }  
 40.00 Set temporary Quarter Section Post.  
 50.00 A Brook, 4 links wide, runs South.  
 80.00 Struck Post, corner of Sections 9, 10, 15, 16.  
 uneven rich land; Timber, Sugar, Walnut, Oak, &c.

West Corrected line between Sections 15 & 16, and set  
 In Sec. Post on true line; from which a  
 Hickory, 12 ins. diam. bears N. 12 W. 27  
 links distant. No other timber seen.  
 Crossed North and South Line at Center Post,  
 corner of Sections 15, 16, 21, 22; from which  
 a Sugar, 14 ins. diam. bears East 7 links,  
 and a W. Oak, 16 ins. diam. bears S. 59 W.  
 21 links distant.

x x x x x x x x x

South Traveled South between Sections 15 & 21. Set  
 In Sec. Post on true line; from which  
 a Cherry, 15 ins. diam. bears N. 85 W. 16  
 links, and a Walnut, 18 ins. diam. bears S. 27  
 E. 8 links distant.

West Corrected line between Sections 21 & 22. Set  
 Quarter Section Post on true line; from  
 which a W. Oak, 12 ins. diam. bears S.  
 38 E. 4 links; and a W. Oak, 14 ins. diam.  
 bears N. 66 W. 37 links distant.

Township 7, Range 3 - 7 Ranges.

Surveyed in 1804 & 1805, by  
 Alexander Holmes,  
 Deputy Surveyor.