

(Omitted at page 611.)  
 South Continued Random Line between Secs. 15 & 21.  
 2.00 A Brook, 3 links wide, runs S. 70 E.  
 4.50 A Brook, 2 links wide, runs N. 80 E.  
 40.00 Set temporary Quarter Section Post.  
 81.80 Set 180 links West of Post, corner of Sections  
 14, 15, 20, 21, T. 9, R. 5.  
 Land tolerably level, soil 2<sup>d</sup> rate; Timber, B. Oak,  
 W. Oak, Hickory, Poplar, Dogwood, &c.  
 From Post, corner of Sections 14, 15, 20, 21 -  
 North Corrected the line between Sections 15 & 21.  
 42.10 Moved temporary Dr. Sec. Post to true line.  
 80.90 Moved temporary Center Post to average mea-  
 sure, on true line.

chs. lks.

North Boundary.

[From Post  
 1<sup>st</sup> Mile [North side of Section 36.] Thence]  
 18.37 A Large Brook, sufficient water to turn a mill.  
 34.00 A W. Oak, 12 inches diameter.  
 54.43 A B. Oak, 30 inches diameter.  
 80.00 Set Post, [corner to Sections 30 to 36] from which  
 a Poplar, 24 ins. diam. bears S. 15 1/2 E. 8 links,  
 and a Hickory, 12 ins. diam. bears N. 67 1/2 W.  
 34 links distant.  
 Land, first 20 chs. is rich bottom; the remaining  
 60 chs. hilly, and broken with stones; thin soil;  
 Timber, Oak, Beech, Poplar, &c.  
 East 2<sup>d</sup> Mile [North side of Section 30.]  
 20.18 A Beech, 8 inches diameter.  
 48.90 A Chestnut, 36 inches diameter.  
 71.48 A Chestnut Oak, 12 inches diameter.  
 80.00 Set Post, [corner to Sections 24 & 30] from which a  
 Hickory, 20 ins. diam. bears N. 62 W. 2 links, &  
 a W. Walnut, - ins. diam. bears S. 65 E. 24 W.  
 distant.  
 Land hilly, and broken with stones; Timber, Oak,  
 Hickory, Beech and Walnut.  
 East 3<sup>d</sup> Mile [North side of Section 24.]  
 23.84 A W. Oak, 10 inches diameter.  
 55.15 A W. Oak, 15 inches diameter.  
 80.00 Set Post, [corner to Sections 18 & 24] from which  
 a Spanish Oak, 24 ins. diam. bears N. 64 1/2 E.  
 3 1/2 links, and a Red Oak, 24 ins. diam. bears  
 S. 11 1/2 W. 21 links distant.  
 The first 60 chs. along this mile is very hilly  
 land; the remainder is soil of a good quality;



Township 7, Range 6-7 Ranges.

6th Lk. covered with Oak, Hickory, Maple, Ash, Beech, Poplar and Walnut.

East 4th Mile - [North side of Section 18.]  
20.36 An Ash, 24 inches diameter.  
47.42 A W. Oak, 24 inches diameter.  
80.00 Set Post, [corner to Sections 12 & 18,] from which a Sugar, 18 ins. diam. bears S. 36 1/2 E. - links, and a W. Oak, 18 ins. diam. bears N. 24 E. 24 links distant.

Land hilly, soil of a middling quality, for wheat, rye, &c.; Timber, Oak, Hickory, Ash, Maple, Poplar, Beech, Dogwood and Spice.

East 5th Mile - [North side of Section 12.]  
25.79 A Beech, 6 inches diameter.  
43.57 A W. Oak, 8 inches diameter.  
55.08 A W. Oak, 20 inches diameter.  
80.00 Set Post, [corner to Sections 6 & 12,] from which a W. Oak, 20 ins. diam. bears S. 32 3/4 E. 40 links, and a W. Oak, 18 ins. diam. bears N. 65 3/4 W. 45 links distant.

Land, soil and timber, same as described in the last mile.

East 6th Mile - [North side of Section 6.]  
8.35 A B. Oak, 18 inches diameter.  
42.15 A W. Oak, 18 inches diameter.  
65.66 A Brook, with sufficient water to turn a mill, course S. E.

79.20 [Intersected West Boundary of 5th Range.] Set Post, from which a W. Oak, 20 ins. diam. bears N. 64 1/2 E. 17 links, and a W. Oak, 20 ins. diam. bears S. 55 1/2 W. 74 links distant.

Township 7, Range 6-7 Ranges.

6th Lk. Upland, hilly, with narrow interwoods of bottom or meadow land; soil on the hills thin and poor, and in many places stony; Timber, Oak, Hickory, Gum and Dogwood.

East Boundary.

From Post

Thence

South 1st Mile - [East side of Section 6.]  
18.23 A W. Oak, 13 inches diameter.  
54.50 A Bank of Stone coal in the line.  
57.86 A W. Oak, 4 inches diameter.  
80.00 Set Post, [corner to Sections 5 & 6,] from which a W. Oak, 15 ins. diam. bears S. 26 1/4 W. 13 links, and a W. Oak, 14 ins. diam. bears N. 33 1/4 E. 35 links distant.

About one-fourth of this mile is bottom land, suitable for meadow, &c.; the other three-fourths is very hilly; the soil of a middling quality; covered with Oak, Hickory and Dogwood.

South 2d Mile - [East side of Section 5.]  
80.00 Set Post, [corner to Sections 4 & 5,] from which a W. Oak, 15 ins. diam. bears S. 7 W. 65 links, and a W. Oak, 12 ins. diam. bears S. 76 1/2 W. 10 links distant.

The soil on this mile is generally of a middling quality for wheat, &c., covered with Oak, Hickory, Maple, Chestnut and Dogwood.

South 3d Mile - [East side of Section 4.]  
78.54 A W. Oak, 15 inches diameter.  
80.00 Set Post, [corner to Sections 3 & 4,] from which a W. Oak, 16 ins. diam. bears S. 10 W. 36 links, and a W. Oak, - ins. diam. bears N. 44 E. 10 links distant.



Township 7, Range 6-7 Ranges.

chs. Ls. Good wheat land on the line for this mile, covered with W. & B. Oak, Hickory, some Cherry, Chestnut and Dogwood.

- South 4th Mile - [East side of Section 3.]
- 4.37 A B. Oak, 14 inches diameter.
- 15.45 A forked W. Oak, the Post fork 10 ins. diam. in line.
- 34.86 A forked W. Oak, 18 inches diameter.
- 80.00 Set Post, [corner to Sections 2 & 3] from which a Hickory, 14 ins. diam. bears S. 37 W. 7 links, and a W. Oak, 12 ins. diam. bears S. 85 1/2 E. 20 links distant.

The soil of this mile is generally thin, but appears to be of a good quality for wheat & rye, covered with Oak, Hickory, and Dogwood.

- South 5th Mile - [East side of Section 2.]
- 66.30 A W. Oak, 24 inches diameter.
- 80.00 Set Post, [corner to Sections 1 & 2] from which a Lym, 14 ins. diam. bears S. 1 1/2 W. 56 links, and a W. Oak, 13 ins. diam. bears S. 61 E. 51 links distant.

This mile the soil is generally thin, but appears sufficiently strong to produce good crops of wheat, rye and indian corn for a few years without manure; timbered with Oak, Hickory, some Beech and Dogwood.

- South 6th Mile - [East side of Section 1.]
- 48.57 A W. Oak, 14 inches diameter.
- 70.69 A W. Oak, 36 inches diameter.
- 80.00 Set Post from which a Hickory, 14 ins. diam. bears N. 21 W. 21 links, and a Red Oak, 24 ins. diam. bears S. 42 E. 82 Ws. distant.

Township 7, Range 6-7 Ranges.

The soil of this mile is generally of a middling quality for raising wheat, rye, and indian corn; covered with Oak, Hickory, Walnut, Gum and Beech.

West Boundary.

- South [From Post, 1st Mile - Thence]
- 17.00 A large Brook, running S.W. with water sufficient to turn a mill.
- 26.66 A Brook, with water sufficient to turn a mill.
- 34.32 A W. Oak, 24 inches diameter.
- 44.59 A Hickory, 10 inches diameter.
- 80.00 Set Post, [corner to Sections 35 & 36] from which a Poplar, 4 ins. diam. bears N. 42 W. 15 links, and an Elm, 3 ins. diam. bears S. 71 1/2 E. 32 Ws. distant.

The first 70 chs. along this mile, the line passes through a Bottom well calculated for meadows, the remaining 10 chs. soil thin and stony.

- South 2d Mile - [West side of Section 35.]
- 72.26 A B. Oak, 18 inches diameter.
- 80.00 Set Post, corner to Sections 34 & 35; from which a B. Oak, 20 ins. diam. bears S. 6 1/2 W. 34 links, and a Chestnut, 20 ins. diam. bears S. 86 1/2 W. 49 1/2 links distant.

Land along this mile is hilly, soil equal to the production of wheat, rye and indian corn; Timber, Oak, Hickory, Poplar, Beech, &c.

- South 3d Mile - [West side of Section 34.]
- 22.65 A W. Oak, 24 inches diameter.
- 54.35 A W. Oak, 10 inches diameter.
- 80.00 Set Post, [corner to Sections 33 & 34] from which a Sugar, 16 ins. diam. bears S. 23 1/2 E. 54 Ws. distant.



Township 7, Range 6-7 Ranges.

Chs. Lks.  
 Land hilly, and in places broken with stones; soil of a good quality, covered with Oak, Hickory, Poplar, Beech, Maple, Ash, Walnut and Dogwood.

South 4<sup>th</sup> Mile - [West side of Section 33.]  
 28.72 A Sugar, 8 inches diameter.  
 71.28 A B. Oak, 20 inches diameter.  
 80.00 Set Post, [corner to Sections 32 & 33.] from which a Red Oak, 18 ins. diam. bears S. 81 W. 47 links distant.  
 Land hilly, soil of a good quality for wheat, grass, &c.; Timber, Oak, Hickory, Maple, Poplar, Beech and Dogwood.

South 5<sup>th</sup> Mile - [West side of Section 32.]  
 23.16 A B. Oak, 20 inches diameter.  
 67.54 A Swamp Oak, 18 inches diameter.  
 80.00 Set Post, [corner to Sections 31 & 32.] from which a Red Oak, 16 ins. diam. bears N. 58 1/2 W. 36 links, and a W. Oak, 10 ins. diam. bears S. 57 E. 67 links distant.  
 Land hilly, and broken with stones in some places; soil and timber the same as the last mile.

South 6<sup>th</sup> Mile - [West side of Section 31.]  
 40.04 A W. Oak, 14 inches diameter.  
 62.14 A B. Oak, 18 inches diameter.  
 80.00 Set Post from which a B. Oak, 16 ins. diam. bears N. 37 1/2 E. 26 links, and a B. Oak, 10 ins. diam. bears S. 57 E. 67 links distant.  
 Land very hilly, and broken with rocks and stones; soil thin; Timber, Oak, Hickory, Dogwood, Poplar, Gum and Beech.

Township 7, Range 6-7 Ranges.

Chs. Lks.  
 South Boundary  
 From Post  
 East 1<sup>st</sup> Mile - [South side of Section 31.] Thence  
 20.64 A W. Oak, 16 inches diameter.  
 27.33 A Brook, 40 links wide, running S. 20 W. with water sufficient to turn a mill.  
 43.91 A Hickory, 12 inches diameter.  
 80.00 Set Post, [corner to Sections 25 & 31.] from which a Gum, 12 ins. diam. bears S. 23 W. 18 lks., and a W. Oak, 20 ins. diam. bears N. 27 E. 54 links distant.  
 Land hilly, with narrow intervals of good bottom, well calculated for meadows; light thin soil in general upon the hills; Timber, Oak, Poplar, Gum and Dogwood.

East 2<sup>d</sup> Mile - [South side of Section 25.]  
 22.50 A W. Oak, 20 inches diameter.  
 62.03 A W. Oak, 16 inches diameter.  
 80.00 A Sugar, 12 ins. diam. [corner of Secs. 19 & 25] from which a Hickory, 18 ins. diam. bears S. 64 W. 60 links, and a Poplar, 18 ins. diam. bears N. 54 W. 68 links distant.  
 Land, &c. same as last mile.

East 3<sup>d</sup> Mile - [South side of Section 19.]  
 17.90 A B. Oak, 30 inches diameter.  
 37.86 A B. Oak, 30 inches diameter.  
 58.22 A W. Oak, 14 inches diameter.  
 80.00 Set Post, [corner to Sections 13 & 19.] from which a W. Oak, 20 ins. diam. bears S. 66 1/2 W. 16 lks., and a Spanish Oak, 14 ins. diam. bears N. 48 W. 21 links distant.  
 Soil thin, but would produce wheat for some



## Township 7, Range 6-7 Ranges.

Ch. Lk.

years; Timber, Oak, Hickory, Beech and Dogwood.

East 4<sup>th</sup> Mile [South side of Section 13.]  
 15.20 A Chestnut Oak, 15 inches diameter.  
 42.16 A W. Oak, 24 inches diameter.  
 80.00 Set Post, [corner to Sections 7 & 13,] from which  
 a B. Walnut, 18 ins. diam. bears S. 47 $\frac{1}{2}$  W. 50  
 links, and a Lym, 10 ins. diam. bears S. 70  
 E. 18 links distant.  
 Land along this mile hilly, soil rich in gen-  
 eral; Timber, B. W. and Chestnut Oak, Dog-  
 wood, Beech, Maple, Poplar, Lym, Chest-  
 nut, W. & B. Walnut, Lym and Spice.

East 5<sup>th</sup> Mile [South side of Section 7.]  
 22.14 A W. Oak, 24 inches diameter.  
 44.47 A Maple, 10 inches diameter.  
 59.37 A W. Oak, 16 inches diameter.  
 80.00 Set Post, [corner to Sections 1 & 7,] from which  
 a W. Oak, 24 ins. diam. bears N. 53 $\frac{3}{4}$  E. 31  
 links, and a W. Oak, 15 ins. diam. bears  
 S. 26 W. 20 links distant.  
 Land same as 4<sup>th</sup> Mile.

East 6<sup>th</sup> Mile [South side of Section 1.]  
 17.93 A W. Oak, 13 inches diameter.  
 40.37 A W. Oak, 10 inches diameter.  
 70.70 Set Post, in West Boundary of 5<sup>th</sup> Range;  
 from which a W. Oak, 20 ins. diam. bears  
 N. 16 W. 20 links distant.  
 Land, soil and timber, similar to that described  
 in the last mile.  
 N.B. - The trees bearing from the Corners of

## Township 7, Range 6-7 Ranges

Ch. Lk.

Townships, are marked with 6 notches and a  
 blaze below them. Those bearing from the  
 corners of lots [Sections] with notches deno-  
 ting the number of miles from the Townships  
 corner stated from. Trees in the lines run-  
 ning North and South, with 2 notches and  
 a blaze on the North and South sides, and  
 those in the lines running East and West, with  
 2 notches on the East and on the West sides. -  
 At the end of each mile is fixed a Post notched  
 as the trees.

Surveyed in 1786, by  
 James Simpson,  
 Surveyor for the State  
 of Maryland



Township 7, Range 6-7 Ranges.

6th Lk. September 29<sup>th</sup>, 1801.  
 Survey of Township 7, in the 6<sup>th</sup> Range.  
 Beginning at a Post in the South East corner  
 of Section No. 1, and North East corner of Section  
 No. 6 in Town No. 6, in the 6<sup>th</sup> Range; where  
 a B. Oak, 26 ins. diam. bears S. 22 W. 18 links,  
 and a W. Oak, 18 ins. diam. bears N. 20 W. 25  
 links distant. Then Run—  
 West On South Boundary of Section 1.—Bearing 1° 00' to the  
 East North of the old line.  
 27.29 A W. Oak, 12 inches diameter.  
 25.00 Over a moderate ridge, good wheat land, to the  
 head of a Run.  
 46.50 Followed down the Run, to a Stream, 12 Ms. wide,  
 course North.  
 61.50 A W. Oak, 20 inches diameter.  
 64.50 A Run, 4 links wide, runs S. E.  
 70.00 Found old bearing trees.  
 80.00 Set a Post, corner of Sections 1 & 7, T. 7, R. 6, and  
 corner of Section 6 & 12, T. 6, R. 6; where a Hick  
 ory, 17 ins. diam. bears S. 26 W. 16 links and a  
 Red Oak, 12 ins. diam. bears N. 4 E. 3 links  
 distant.  
 Good wheat land; Timber, Oak, Hickory and Dog-  
 wood.  
 West On South Boundary of Section 7, T. 7, R. 6.  
 10.13 A Hickory, 12 inches diameter.  
 25.47 A Maple, 12 inches diameter.  
 42.73 Over moderate ridges, wheat land, to a Stream,  
 12 links wide, runs N.  
 47.50 A W. Oak, 24 inches diameter.  
 70.00 A Stream, 10 links wide, runs N. E. Over moderate  
 ridges, good soil of wheat land; Timber as before.

Township 7, Range 6-7 Ranges.

6th Lk. 80.00 Set a Post, corner of Sections 7 & 13, where  
 a Hickory, 14 ins. diam. bears N. 59 E. 35  
 links, and a Red Oak, 30 ins. diam. bears S.  
 52 W. 25 links distant. 51 Ms. East of corner of Section 12 & 13.  
 Poor stony land; Timber, Oak, Hickory & Dogwood.  
 North Between Sections 7 & 13.  
 18.50 Over rich soil of land, to a Drain, 7 Ms. runs East.  
 30.34 A W. Oak, 20 inches diameter.  
 40.48 A Maple, 16 inches diameter.  
 44.62 A W. Oak, 10 inches diameter, stands on the top  
 of a hill. Over poor soil of hill land; much thick.  
 63.25 A Road, runs S. 70 W. Over a good soil of land.  
 80.00 Set a Post, corner of Sections 7, 8, 13, 14, where  
 a W. Oak, 12 ins. diam. bears N. 37 E. 26 Ms,  
 and a W. Oak, 10 ins. diam. bears S. 52 W. 27  
 links distant.  
 Thin soil of wheat land; Timber on this line,  
 Oak, Hickory, Poplar, &c.  
 North Between Sections 8 & 14.  
 17.18 A W. Oak, 22 inches diameter.  
 21.40 A W. Oak, 10 inches diameter.  
 26.50 A Stream, 25 links wide, runs N. E.  
 61.00 Down a hill, rich soil of land, to a creek, 30  
 links wide, runs East.  
 73.34 A W. Oak, 14 inches diameter, stands near the  
 top of a steep hill; poor stony land.  
 80.00 Set a Post, corner of Sections 8, 9, 14, 15.  
 Very poor land, and stony; Timber, Oak, & Dogwood.  
 West On South Boundary of Section 13. Sept. 29<sup>th</sup>.  
 3.42 A W. Oak, 12 inches diameter.  
 39.96 A Chestnut, 24 inches diameter.



Township 7, Range 6-7 Ranges.

6 hrs. 2ks.  
 44.50 Over a moderate ridge, good wheat land, to a Run, 7 links wide, runs North.  
 50.23 A B. Oak, 24 inches diameter.  
 65.00 Land as before; Timber, Oak, Hickory, Chestnut, &c.  
 72.00 A Run, 6 links wide, runs South.  
 75.15 A Road, runs South.  
 78.50 A Run, 7 links wide, runs South.  
 80.00 Set a Post, corner of Sections 13 & 19, where a Gum, 6 ins. diam. bears N. 88 W. 33 links, and a W. Oak, 14 ins. diam. bears N. 76 E. 25 links distant.  
 Poor thin soil of land; Timber, Oak, Beech, &c.; brush thick.

West On South Boundary of Section 19.  
 1.41 Set a Post, corner of Sections 18 & 24, T. 6, R. 6, where a , - ins. diam. bears S. 45 E. 34 links, and a Dogwood, 7 ins. diam. bears N. 83 W. 3 links distant.  
 9.75 A W. Oak, 14 inches diameter.  
 44.62 A W. Oak, 16 inches diameter.  
 60.15 A Run, 4 links wide, runs S; steep hills on each side.  
 80.00 Set a Post, corner of Sections 19 & 25, where a Red Oak, 12 ins. diam. bears N. 84 E. 21 links, and a Red Oak, 16 ins. diam. bears S. 79 W. 27 links distant.  
 This mile very rough land, poor thin soil; Timber, Oak and Hickory; brush thick.

North Between Sections 19 & 25.  
 7.61 A Maple, 14 inches diameter.  
 13.50 Down a steep hill, to a Stream, 20 links wide, runs S. W.  
 22.35 A W. Oak, 24 inches diameter.  
 23.00 A Run, 7 links wide, runs S. 20 E.  
 52.00 The top of a hill, very poor land, scrub Oak timber.

Township 7, Range 6.

6 hrs. 2ks.  
 59.06 A W. Oak, 20 inches diameter.  
 80.00 Set a Post, corner of Sections 19, 20, 25, 26, where a W. Oak, 17 ins. diam. bears S. 3 W. 44 links, and a B. Oak, 14 ins. diam. bears N. 3 W. 52 links distant.  
 This mile very poor soil of land, thinly timbered with Oak and Hickory; small brush & saplings very thick.

North Between Sections 20 & 26.  
 6.13 A Red Oak, 12 inches diameter.  
 15.00 A Hickory, 15 inches diameter.  
 22.30 A Run, 7 links wide, runs West.  
 26.01 A Gum, 13 inches diameter.  
 50.00 Land and timber the same.  
 59.18 A W. Oak, 18 inches diameter.  
 80.00 Land level. Set a Post, corner of Sections 20, 21, 26, 27.  
 Thin soil; Timber the same as the last mile.

West On South Boundary of Section 25.  
 2.31 The corner of Sections 24 & 30, of T. 6, R. 6.  
 31.00 Down a steep rich soil of land, to a Stream, 20 links wide, runs S. W.  
 48.70 A Drain, 10 links wide, runs South.  
 53.04 A W. Oak, 10 inches diameter.  
 54.00 The top of a hill. Land not fit for cultivation.  
 64.05 A Gum, 18 inches diameter. Land as before.  
 75.00 The top of a hill. Good wheat land.  
 80.00 Set a Post, corner of Sections 25 & 31, where a Poplar, 10 ins. diam. bears N. 43 E. 14 links, and a Maple, 7 ins. diam. bears S. 57 W. 8 links distant.  
 Poor stony land; Timber, Oak, Hickory, Beech, Poplar, &c.



Township 7, Range 6-7 Ranges.

6 M. Lks. West On South Boundary of Section 31.  
 2:31 Set a Post, corner of Sections 30 & 36, 36, 40, 6, where a Poplar, 24 ins. diam. bears N. 20 W. 8 links, and a Beech, 12 ins. diam. bears S. 9 E. 23 links distant.  
 11:30 A B. Oak, 20 inches diameter, stands on the top of a hill. Good wheat land.  
 38:00 Down a hill, to a creek, 30 links wide, runs S. Sand as before; Timber, Oak, Hickory, Dogwood and Poplar.  
 43:45 A W. Oak, 22 inches diameter.  
 64:19 To the corner of Townships 6 & 7, in the 6th Range. Here set a Post, from which a W. Oak, 12 ins. diam. bears N. 51 W. 33 links, and a B. Oak, 24 ins. diam. bears S. 23 E. 49 links distant. Stands on the top of a high hill.  
 Good soil of hill land; Timber, Oak, Hickory, Poplar, Dogwood, &c. Wednesday, Sept. 30th.

North On the East Boundary of Section 1. Varied 50 to the East of the Old line.  
 16:50 The top of ridge; thin soil of land.  
 24:70 A W. Oak, 16 inches diameter.  
 37:13 A Drain, 4 links wide, runs East. Over good soil of wheat land.  
 62:00 Over hilly land, middling soil; Timber, Oak, Hickory and Dogwood.  
 66:50 A Stream, 12 links wide, runs N. W.  
 72:50 A creek, 30 links wide, runs N. 20 E. Over bottom land; Thorn and Plum, brush, thick.  
 80:00 Set a Post, corner of Sections 1 & 2, where a W. Oak, 18 ins. diam. bears N. 19 W. 39 links, and a W. Oak, 36 ins. diam. bears S. 39 E. 20 links distant.

Township 7, Range 6-7 Ranges.

6 M. Lks. Stands on a steep hill, thin soil of land; Timber as before.  
 North On East Boundary of Section 2.  
 17:00 The West bank of the last mentioned creek.  
 21:50 The foot of a hill; over bottom land; Timber, Oak, Elm, &c.  
 60:00 Hilly land, thin soil; Timber, Oak & Hickory.  
 80:00 Set a Post, corner of Sections 2 & 3, where a Sugar, 10 ins. diam. bears S. 55 E. 47 links, and a Cherry tree, 14 ins. diam. bears N. 50 W. 43 links distant.  
 Over a rich soil of land; Timber, Oak, Sugar tree, Cherry tree, &c.

West Between Sections 2 & 3.  
 5:00 A creek, 80 links wide, runs N. E.  
 11:70 A Road, S. W. Over good bottom land; Timber as before.  
 18:50 Over the points of several ridges to the last mentioned creek, 80 links wide, runs South; Bottom 3 chs. on the West side.  
 80:00 On the South side of said creek, rich land; Timber, Oak, Sugar, B. & W. Walnut. Set a Post, corner to Sections 2, 3, 6, 9, where a Sugar, 10 ins. diam. bears N. 82 W. 52 links, and a W. Oak, 18 ins. diam. bears S. 13 E. 24 links distant.

West Between Sections 8 & 9.  
 6:25 Over bottom land, to a Creek, 60 links wide, runs N. E.  
 25:30 Over the side of a hill, poor land, to a Run, 7 links wide, runs South.  
 52:10 Over a high hill, land as before, to a Run, 6 links wide, runs South.  
 61:00 The top of a hill; wheat land.



## Township 7, Range 6-7 Ranges

64. The
- 79.38 Fell 16 links North of the corner of Secs. 8, 9, 14, 15, where a W. Oak, 14 ins. diam. bears S. 19 W. 3 links, and a Red Oak, 16 ins. diam. bears N. 3 E. 44 links distant. Thin soil, wheat land; Timber, Oak, Hickory, Dogwood, &c.
- North Between Sections 9 & 15.
- 54.37 A W. Oak, 16 inches diameter.
- 56.07 A W. Oak, 6 inches diameter.
- 64.20 Over level, good wheat land, to a W. Oak, 15 inches diam.
- 72.00 Down a steep hill, land as before; Timber, Oak, Hickory, Dogwood, &c. to a Water course, 30 links wide, runs E. - no water.
- 80.00 Set a Post, corner of Sections 9, 10, 15, 16, where a Pin Oak, 20 ins. diam. bears S. 8 E. 52 links, and a Cherry tree, 15 ins. diam. bears N. 59 W. 67 links distant. Rich Bottom; Timber, Oak, Cherry tree, &c. - Thorn and Plum brush.
- North Between Sections 10 & 16.
- 15.80 Over bottom land, timber and soil the same as before, to a stream, 20 links wide, runs S. 10 E.; then hill land.
- 54.69 A Hickory, 10 inches diameter.
- 68.30 A Hickory, 12 inches diameter.
- 72.10 A W. Oak, 15 inches diameter.
- 77.00 A Run, 3 links wide, runs West.
- 80.00 Set a Post, corner of Sections 10, 11, 16, 17. Over poor land, thin soil; Timber, Oak, Hickory, Dogwood, &c.; small brush thick.
- Friday, October 2<sup>d</sup>, 1801.

## Township 7, Range 6-7 Ranges 639

64. The
- West Between Sections 14 & 15.
- 28.00 A creek, 25 links wide, runs S. 20 E.
- 80.00 Set a Post, corner of Sections 14, 15, 20, 21, where a W. Oak, 8 ins. diam. bears S. 29 E. 39 links, and a Red Oak, 20 ins. diam. bears N. 42 W. 24 links distant. Land hilly, soil middling; Timber mostly W. Oak, some B. Oak & Hickory; brush thick.
- West Between Sections 20 & 21.
- 43.50 A Drain, 10 links wide, runs S. 20 E. Land as before, saplings thick.
- 79.50 Fell 30 links North of the corner of Sections 20, 21, 26, 27, where a W. Oak, 16 ins. diam. bears S. 29 W. 39 links, and a Beech, 6 ins. diam. bears N. 41 E. 6 links distant. Good soil of wheat land; Timber, Oak, Hickory, Chestnut, &c.
- West Between Sections 26 & 27.
- 23.00 Land as before, to a Run, 7 links wide, runs S.
- 29.81 A Maple, 12 ins. diam. stands at the top of a hill; poor land.
- 41.45 A Gum, 20 inches diameter.
- 59.30 A Run, 6 links wide, runs South.
- 61.35 A Poplar, 26 inches diameter.
- 80.00 Set a Post, corner of Sections 26, 27, 32, 33, where a Poplar, 22 ins. diam. bears S. 81 W. 20 links, and a Beech, 8 ins. diam. bears N. 37 E. 15 links distant. Steep hills, thin soil; Timber, Oak, Hickory, Beech, &c.
- West Between Sections 32 & 33.
- 10.43 A Chestnut, 15 inches diameter.



## Township 7, Range 6-7 Ranges.

66. Lks.  
 24.92 A W. Oak, 15 inches diameter.  
 32.85 A Spring, running South.  
 53.00 A Run, 4 links wide, runs South.  
 65.65 To the Range Line. Here set a Post, corner of Sections 32 & 33, where a Hickory, 15 ins. diam. bears S. 77 E. 68 links, and a Hickory, 20 ins. diam. bears S. 53 W. 18 lks. distant.

This line hilly wheat land; Timber, Oak, Hickory, Chestnut, Poplar and Dogwood; brush thick.

North Between Sections 21 & 27.

2.34 A W. Oak, 16 inches diameter.  
 20.18 A W. Oak, 40 inches diameter.  
 25.00 Over rich soil of land, to a Run, 7 lks. wide, runs E.  
 43.60 A Hickory, 20 inches diameter.  
 52.25 A Run, 10 links wide, runs East.  
 80.00 Set a Post, corner of Sections 21, 22, 27, 28, where a Poplar, 15 ins. diam. bears N. 42 W. 12 lks., and a Chestnut, 12 ins. diam. bears S. 42 E. 20 links distant.

This wide tolerably level, good soil for farming, Timber, Oak, Chestnut, Poplar, &c.; brush thick.

North Between Sections 22 & 28.

13.40 A W. Oak, 13 inches diameter.  
 18.37 A Chestnut, 20 inches diameter.  
 34.71 A Hickory, 18 inches diameter.  
 48.50 A Run, 4 links wide, runs East.  
 64.64 A Stream, 10 links wide, runs East.  
 67.01 A W. Oak, 22 inches diameter.

80.00 Set a Post, corner to Sections 22, 23, 28, 29.  
 This wide land generally level; Timber, Oak, Hickory, Chestnut, Dogwood, &c.; brush very thick.

## Township 7, Range 6-7 Ranges.

66. Lks.  
 North On East Boundary of Section 3.  
 .60 A Road, runs West.  
 4.50 A creek, 80 links wide, runs East. Over bottom land.  
 18.50 A Drain, 7 lks. wide, runs S. E.  
 27.60 Land hilly, thin soil.  
 65.97 A Red Oak, 20 inches diameter. Over level land, good soil for wheat; Timber, Oak, Hickory and Dogwood.  
 80.00 Down a hill. Set a Post, corner of Sections 3 & 4. Stands in a Stream, 15 lks. wide, runs East; where a Sugar tree, 18 ins. diam. bears N. 2 E. 60 links, and a Sugar tree, 9 ins. diam. bears S. 19 W. 32 links distant. Bottom 2.50 links wide.

North On East Boundary of Section 4.

64.90 A Run, 6 links wide, runs East.  
 80.00 Set a Post, corner to Sections 4 & 5, where a W. Oak, 22 ins. diam. bears S. 62 W. 41 links, and a W. Oak, 16 ins. diam. bears N. 44 E. 26 links distant.

This wide hilly land, thin soil and stony; Timber, Oak, Hickory, &c.; brush thick.  
 (See Page 798.)

North Between Sections 11 & 17.

4.37 An Oak, 14 inches diameter.  
 15.00 Over poor land, to a Run, 7 links wide, runs S. 15 W.  
 45.00 Followed up the Run; swampy land; Thorn and Plum brush.

47.71 An Oak, 16 inches diameter.

80.00 Set a Post, corner of Sections 11, 12, 17, 18, where a W. Oak, 12 ins. diam. bears N. 43 W. 26 lks., and a W. Oak, 10 ins. diam. bears S. 4 E. 27 links distant.



Township 7, Range 6 - 7 Ranges.

642  
Over thin soil of land, not very uneven; Timber mostly Oak Saplings, very thick.

North Between Sections 12 & 18.  
24.00 A Stream, 12 links wide, runs East. Over good wheat land; Timber, Oak & Chestnut.  
43.50 A Stream, 10 links wide, runs S. E.  
46.04 A B. Walnut, 15 inches diameter.  
65.98 To the Town Line. Here set a Post, corner of Sections 12 & 18, where a W. Oak, 15 ins. diam. bears N. 65 W. 21 links, and a Gum, 14 ins. diam. bears S. 18 E. 10 links distant. Stand 18 links East of the corner of Secs. 7 & 13, T. 8, R. 6.  
Over moderate ridges, good wheat land; Timber, Oak, Hickory, Chestnut, Gum and Dogwood.

West Between Sections 16 & 17. Oct. 4, 1801.  
5.00 A Stream, 12 links wide, runs South.  
25.00 The top of a hill; wheat land.  
40.20 A Stream, 10 links wide, runs South; low bottom, 4.00 wide.  
43.00 A Stream, 12 links wide, runs S. 20 E.  
80.00 Set a Post, corner of Sections 16, 17, 22, 23, where a W. Oak, 14 ins. diam. bears S. 77 W. 36 links, and a W. Oak, 15 ins. diam. bears N. 61 E. 34 links distant.  
Over moderate ridges, good soil of wheat land; Timber, Oak, Chestnut, Hickory and Dogwood; brush thick.

West Between Sections 22 & 23.  
17.20 A Stream, 10 links wide, runs South.  
41.50 A Stream, 12 links wide, runs S. 20 E.  
80.80 Fell 82 links North of the corner of Section

Township 7, Range 6 - 7 Ranges.

643  
22, 23, 28, 29; where a W. Oak, 14 ins. diam. bears N. 13 E. 16 links, and a W. Oak, 21 ins. diam. bears S. 2 E. 36 links distant.  
This line moderate, middling soil of wheat land; Timber, Oak, Hickory, Chestnut and Dogwood; Oak & Hickory brush very thick.

West Between Sections 28 & 29.  
15.28 A W. Oak, 15 inches diameter.  
18.32 A W. Oak, 12 inches diameter.  
29.88 A W. Oak, 36 inches diameter.  
49.00 A Run, 4 links wide, runs S. E.  
65.00 Level rich soil.  
77.27 A Poplar, 16 inches diameter.  
80.00 Set a Post, corner of Sections 28, 29, 34, 35; where a Chestnut, 40 ins. diam. bears N. 26 E. 23 links, and a Chestnut, 36 ins. diam. bears S. 48 W. 34 links distant.  
Stony land, good soil for small grain; Timber on this line, Oak, Chestnut, Poplar and Dogwood.

West Between Sections 34 & 35.  
6.40 A Run, 3 links wide, runs South. Same land.  
11.75 The top of a steep hill; stony land.  
25.20 A Run, 10 links wide, runs South.  
27.50 A W. Oak, 36 inches diameter.  
29.64 A W. Oak, 22 inches diameter.  
42.00 The top of a steep hill; land the same.  
55.10 A Run, 8 links wide, runs South.  
57.19 A W. Oak, 20 inches diameter.  
64.94 To the Range Line. Here set a Post, corner of 34 & 35, where a Poplar, 14 ins. diam. bears N. 37 W. 22 links; and a B. Oak, 20 ins. diam.



bears S. 72 E. 52 links distant.  
 Steep hills, stony land, rich soil; Timber, Oak, Poplar, Chestnut and Beech.

North  
 5.68 Between Sections 23 & 29.  
 A W. Oak, 14 inches diameter.

13.50 The top of a Chestnut ridge; stony land.

23.00 A Run, 7 links wide, runs E.

62.00 Thin soil of land; Timber, Oak, Hickory and Dogwood, mostly not 6 inches diameter.

67.25 A Hickory, 14 inches diameter.

71.50 A Run, 4 links wide, runs N. W.

80.00 Set a Post, corner of Sections 23, 24, 29, 30, where a Beech, 12 ins. diam. bears S. 84 W. 9 links, and a W. Oak, 24 ins. diam. bears S. 57 E. 23 links distant.  
 Poor stony land; Timber, Oak and Beech.

North Between Sections 24 & 30.  
 6.40 A Run, 7 links wide, runs S. 20 W.

6.91 A W. Walnut, 14 inches diameter.

33.00 The top of a Chestnut ridge; stony land, rich soil.

41.00 A Poplar, 14 inches diameter.

46.66 A Chestnut, 24 inches diameter.

65.88 To the Town Line. Here Set a Post, corner of Sections 24 & 30, where a Chestnut Oak, 24 ins. diam. bears S. 82 W. 33 links, and a Chestnut, 14 ins. diam. bears N. 22 E. 31 links distant.  
 Steep hills, stony land; Timber, Chestnut, Poplar, Hickory, Oak, &c.

North On Range Line, East Boundary of Section 5.  
 9.50 A Run, 3 links wide, runs S. W.

64.00 Thin soil of land; Timber, Oak, Hickory and Dogwood, mostly under 6 inches diameter.

73.00 A Run, 6 links wide, runs N. E.

80.00 Set Post, corner of Sections 5 & 6, where a W. Oak, 13 ins. diam. bears S. 13 W. 30 links, and a W. Oak, 15 ins. diam. bears N. 13 E. 20 links distant.  
 Land hilly, muddling soil; Timber, W. Oak, Dogwood and Hickory; brush thick.

North On East Boundary of Section 6.  
 14.70 A Stream, 25 links wide, runs S. E. over steep hill; bottom on the north 4.00 wide.

28.50 The top of a hill; W. Oak timber.

47.50 A creek, 30 links wide, runs East.

51.20 A Path, leading down said creek.

61.50 A Run, 7 links wide, S. W.

66.58 To the Town corner. Here set a Post, where a W. Oak, 18 ins. diam. bears N. 49 E. 19 links, and a W. Oak, 18 ins. diam. bears S. 55 W. 70 links distant.  
 Hilly land, soil not good for small grain; Timber, W. Oak, Hickory and Dogwood; brush thick.

West On North Boundary of Section 6.  
 12.50 The last-mentioned Path and creek, runs S. 20 E. Bottom 5.00 wide.

32.50 The top of a steep hill.

80.00 To a Post, corner of Secs. 1 & 7, Town 8, now corner of Secs. 6 & 12, Town 7; where a W. Oak, 22 ins. diam. bears N. 9 W. 34 links, and a W. Oak, 18 ins. diam. bears S. 37 E. 53 links distant.  
 Hilly land, soil muddling for wheat; Timber, Hickory and Dogwood.



## Township 7, Range 6-7 Ranges.

- 6<sup>th</sup> Lk.  
West On North Boundary of Section 12.  
17.50 A Run, 4 links, runs South.  
25.00 A Run, 7 links, runs South.  
53.50 A Run, 6 links, runs South.  
67.50 A Run, 6 links, runs South.  
79.80 To the corner of Sections 12 & 18.  
Over rolling rich soil of hill land; Timber, Oak, Hickory, Dogwood and Poplar; Spice and other brush.
- West On North Boundary of Section 18.  
2.35 A Run, 4 links, runs South.  
39.00 A Run, 4 links, runs S. 10 W.  
52.50 A Stream, 12 links wide, runs S. E.  
80.00 Set a Post, corner of Sections 18 & 24, where a W. Oak, 12 ins. diam. bears N. 86 E. 7 links, and a Hickory, 30 ins. diam. bears N. 60 W. 17 links distant. Said Post stands 2 links West of the corner of Secs. 13 & 19, T. 8, R. 6.  
Soil of land on this mile the same as the last; Timber, Oak, Hickory, B. & W. Walnut, Poplar, Sugar and Gum; not very brushy.
- West On North Boundary of Section 24.  
13.00 Land and timber as before.  
54.50 Steep hills, soil unequal; Timber, Oak, Chestnut, Beech, &c. to the head of a Run, running North.  
76.50 The top of a hill, over a good soil of land; Timber, the same.  
80.12 To the corner of Sections 19 & 25, T. 8, R. 6.  
81.02 To the corner of Sections 24 & 30. Stands on a steep side hill.  
Poor stony land; Timber, Oak, Chestnut and Beech.

## Township 7, Range 6-7 Ranges.

- 6<sup>th</sup> Lk.  
West On North Boundary of Section 30.  
18.50 To the top of a hill; Land and timber the same as before.  
79.45 To the corner of Sections 25 & 31, T. 8, R. 6.  
80.00 Set a Post, corner of Sections 30 & 36, T. 7, R. 6, where a W. Oak, 29 ins. diam. bears N. 10 W. 6 links, and a W. Oak, 22 ins. diam. bears S. 28 E. 19 links distant.  
This mile very rough broken land, soil generally poor; Timber, Oak, Chestnut, Beech and Hickory; very stony.
- West On North Boundary of Section 36.  
47.00 A creek, 50 links wide, runs South. The last 10 chs. good soil of land; balance as before.  
53.00 Over bottom land; Timber, Oak, Sugar tree, Elm and Ash.  
65.80 To the corner of Towns 7 & 8, where a W. Ash, 12 ins. diam. bears South 41 links, and a W. Walnut, 14 ins. diam. bears N. 4 W. 25 links distant.  
Good soil of hill land; Timber, Oak, Sugar tree, Walnut, &c.  
Tuesday, October 6<sup>th</sup>, 1801.

Surveyed in 1801, by  
Levi Barber,  
Deputy Surveyor.



Township 7, Range 6-7 Ranges

Subdivision of "2 Mile Blocks."  
May 25, 1805.

From Post on Township Line, corner of Sec. 147-  
Random Line, between Sections 1 & 7.

North  
40.00 Set temporary Quarter Section Post.  
80.00 Set temporary Center Post.  
This mile rough hill land, inequalities of soil;  
Timber, Oak, Hickory, Dogwood, &c.

North  
Continued Random Line between Secs. 2 & 8.  
.75 A Run, 6 links wide, course West.  
39.00 Road from Marietta.  
40.00 Set temporary Quarter Section Post.  
40.50 A creek, 40 links wide, course N. E.  
80.75 Fell 84 links East of Post, corner of Sections  
2, 3, 8, 9, T. 7, R. 6.  
This mile steep hills, poor soil; Timber, Oak,  
Hickory, &c.

From Post, corner of Sections 1 & 2, on Range  
Line-

West  
Random Line between Sections 1 & 2.  
40.00 Set temporary Quarter Section Post.  
78.50 A Run, 5 links wide, course N. 70 W.  
80.38 Hit the Post, temporary Centre, set at 80 chs.  
from the South.  
Moderate ridges, middling soil; Timber, Oak,  
Hickory and Dogwood.

West  
Continued Random Line between Secs. 7 & 8.  
14.70 A creek, 75 links wide, course North.  
17.00 Road from Marietta.  
40.00 Set temporary Quarter Section Post.  
68.00 Old Road to Satt creek.

Township 7, Range 6-7 Ranges

64.41 Fell 12 links South of Post, corner of Sections  
7, 8, 13, 14, T. 7, R. 6.  
Land hilly, middling soil; Timber, Oak,  
Hickory, &c.

Corrected the line between Sections 1 & 7, and set  
the Dr. Sec. Post; from which a Thorn,  
6 ins. diam. bears S. 87 E. 21 links, and a  
Poplar, 8 ins. diam. bears N. 89 W. 23  
links distant.

Set Center Post at intersection of the lines,  
corner to Sections 1, 2, 7, 8; from which a  
W. Oak, 18 ins. diam. bears S. 15 W. 16 chs.;  
and a W. Oak, 14 ins. diam. bears N. 5 W.  
18 links distant.

Corrected the line between Sections 1 & 2, and  
set the Dr. Sec. Post; from which a W.  
Oak, 18 ins. diam. bears S. 71 W. 21 links,  
and a W. Oak, 50 ins. diam. bears N. 68  
E. 38 links distant.

Corrected the line between Sections 2 & 8, & set  
the Dr. Sec. Post; from which a W. Walnut,  
6 ins. diam. bears S. 77 E. 26 links, and a  
W. Walnut, 8 ins. diam. bears S. 53 E. 25 chs.  
distant.

Corrected the line between Sections 7 & 8,  
and set the Quarter Section Post; from  
which a W. Oak, 10 ins. diam. bears S.  
61 W. 33 links, and a Hickory, 10 ins.  
diam. bears S. 75 E. 23 links distant.



## Township 7, Range 6-7 Ranges.

Chs. Lks.

May 27, 1805.

- From Post, corner of Sections 9, 10, 15, 16, ran  
East Random Line between Sections 9 & 10.
- 3:50 A Brook, 20 links wide, course S. E.
- 40:00 Set temporary Quarter Section Post.
- 48:00 A Brook, 10 links wide, course South.
- 65:50 A Run, 4 links wide, course South.
- 80:00 Set temporary Center Post.  
This mile moderate ridges, good wheat  
land; W. Oak and Dogwood timber.
- Continued Random Line between Secs. 3 & 4.
- 40:00 Set temporary Quarter Section Post.
- 80:00 Intersected Range Line at Post, corner of  
Sections 3 & 4.  
Soil and timber as before.
- From Post, corner of Sections 2, 3, 8, 9, ran  
North Random Line between Sections 3 & 9.
- 50 A back, 50 links wide, course East.
- 13:50 A Creek, 40 links wide, course S. E.
- 15:00 Rich Bottom Land.
- 40:00 Set temporary Quarter Section Post.
- 80:04 Fell 41 links East of temporary Center Post,  
at average measure, on true E. & W. Line.  
W. Oak hill land, middling soil.
- Continued Random Line, between Secs. 4 & 10.
- 40:00 Set temporary Quarter Section Post.
- 60:00 A small Run, course S. E.
- 79:74 Fell 135 links East of Post, corner of Sections  
4, 5, 8, 9, T. 7, R. E.  
This mile high hill land, thin soil; Tim-  
ber, Oak, Hickory, Dogwood, &c.

## Township 7, Range 6-7 Ranges.

Chs. Lks.

- Corrected the line between Sections 4 & 10,  
and set the Quarter Section Post; from which  
a W. Oak, 14 ins. diam. bears N. 71 W. 2 lbs,  
and a W. Oak, 8 ins. diam. bears N. 24 E.  
13 links distant.
- Set Center Post at intersection of the lines, cor-  
ner to Sections 3, 4, 9, 10; from which a  
Hickory, 10 ins. diam. bears S. 49 W. 11  
links, and a Hickory, 14 ins. diam. bears  
N. 84 E. 16 links distant.
- Corrected the line between Sections 3 & 9, and  
set the Quarter Section Post; from which  
a Sugar, 8 ins. diam. bears S. 58 W. 12 lbs.,  
and a W. Oak, 12 ins. diam. bears S. 40 E.  
19 links distant.
- Corrected the line between Sections 9 & 10, and  
set the Quarter Section Post; from which  
a W. Oak, 10 ins. diam. bears N. 55 E. 5 lbs.,  
and a B. Oak, 30 ins. diam. bears S. 30 W.  
27 links distant.
- Corrected the line between Sections 3 & 4, and  
set the Quarter Section Post; from which a  
W. Oak, 20 ins. diam. bears N. 70 W. 16 lbs.,  
and a Dogwood, 6 ins. diam. bears N. 82 E.  
15 links distant.
- From Post, corner of Sections 4, 5, 10, 11, ran  
North Random Line between Sections 5 & 11.
- 40:00 Set temporary Quarter Section Post.
- 72:50 A small Run, course N. E.
- 80:00 Set temporary Center Post.



## Township 7, Range 6-7 Ranges.

Chs. Lks.	
	This wide high dividing land, thinly timbered, with much Chestnut and Aspen brush.
North	Continued Random Line, between Secs. 6 & 12.
29.50	A Creek, 20 links wide, course S. E.
33.00	Set temporary Quarter Section Post.
66.00	Fell 150 links East of Post, on N. Boundary, corner of Sections 6 & 12, T. 7, R. 6. Land hilly, good soil; Timber, Oak, Hickory, Chestnut, &c.
	From Post, corner of Sections 11, 12, 17, 18, ran-
East	Random Line between Sections 11 & 12.
40.00	Set temporary Quarter Section Post.
80.00	Fell 24 links North of Post, set at 80 chs. on true E. & W. Line. [So in the Surveyors notes.] Land hilly, middling soil; Timber, Oak, Hickory, Chestnut, &c.
East	Continued Random Line, between Secs. 5 & 6.
40.00	Set temporary Quarter Section Post.
79.78	Fell 49 links North of Post on Range Line, corner of Sections 5 & 6. High hill land, middling soil; Timber, Oak, Hickory, Chestnut, &c.
	Corrected the line between Sections 11 & 12, and set 2 <sup>d</sup> Sec. Post, from which a W. Oak, 10 ins. diam. bears N. 25 E. 19 links, and a B. Oak, 20 ins. diam. bears S. 55 W. 12 links distant.
	Set Center Post, corner of Sections 5, 6, 11, 12, from which a W. Oak, 14 ins. diam. bears S. 12 W. 18 links, and a W. Oak, 22 ins. diam. bears N. 67 E. 25 links distant.

## Township 7, Range 6-7 Ranges.

Chs. Lks.	
	Corrected the line between Sections 5 & 6, and set 2 <sup>d</sup> Sec. Post, from which a Maple, 10 ins. diam. bears S. 7 E. 44 links, and a W. Oak, 8 ins. diam. bears N. 33 E. 15 links distant.
	Corrected the line between Sections 6 & 12, and set 2 <sup>d</sup> Sec. Post, from which a W. Oak, 12 ins. diam. bears N. 79 W. 47 links, and a W. Oak, 20 ins. diam. bears S. 75 E. 18 links distant.
	Corrected the line between Sections 5 & 11, and set 2 <sup>d</sup> Sec. Post, from which a W. Oak, 10 ins. diam. bears S. 52 W. 18 links, and a Hickory, 8 ins. diam. bears N. 47 E. 20 links distant.
	May 25, 1805.
	From Post on Township line, corner of Secs. 13 & 19-
North	Random Line between Sections 13 & 19.
34.00	A Run, 5 links wide, course East.
40.00	Set temporary Quarter Section Post.
74.00	A Run, 4 links wide, course East.
80.00	Set temporary Center Post. Land moderate ridges, middling soil; Timber, Oak, Hickory, &c. May 25 <sup>th</sup> - quit for the day.
North	Continued Random Line between Secs. 14 & 20.
40.00	Set temporary Quarter Section Post.
55.00	A Brook, 10 links wide, course East.
80.88	Fell 57 links East of Post, corner of Sections 14, 15, 20, 21, T. 7, R. 6. Land moderate ridges, good soil; Timber, Oak, Hickory, Dogwood, &c.



Township 7, Range 6-7 Ranges.

6th. Lk.  
 West From Post, corner of Sections 7, 8, 13, 14, ran-  
 Random Line between Sections 13 & 14.  
 9.00 A Brook, 16 links wide, course N. E.  
 31.00 A Run, 4 links wide, course S. E.  
 40.00 Set temporary Quarter Section Post.  
 80.47 Fell 60 links North of temporary Center Post  
 at average measure on N. & S. Line  
 Land, soil and timber as before.

West Continued Random Line between Sections 19 & 20.  
 22.00 A Run, 4 links wide, runs S. 70 E.  
 40.00 Set temporary Quarter Section Post.  
 80.03 Fell 16 links North of Post, corner of Sections  
 19, 20, 25, 26, T. 7, R. 6.  
 Land hilly, soil generally thin; Timber, Oak,  
 Hickory, &c.; much small brush.

Corrected the line between Sections 13 & 14, &  
 set the 2d. Sec. Post; from which a B. Oak,  
 30 ins. diam. bears S. 15 W. 12 links, and  
 a B. Oak, 30 ins. diam. bears N. 67 E. 32  
 links distant.

Corrected the line between Sections 14 & 20,  
 and set the 2d. Sec. Post; from which a Chest-  
 nut, 8 ins. diam. bears N. 19 W. 13 links, and  
 a Dogwood, 6 ins. diam. bears S. 23 W. 17 links  
 distant.

Set Center Post at intersection of the lines; cor-  
 ner to Sections 13, 14, 19, 20; from which a W.  
 Oak, 18 ins. diam. bears N. 5 E. 46 links, and a  
 B. Oak, 18 ins. diam. bears S. 23 W. 19 links dist.

Corrected the line between Sections 13 & 19. Set  
 the 2d. Sec. Post; from which a W. Oak, 14

Township 7, Range 6-7 Ranges.

6th. Lk.  
 ins. diam. bears S. 45 E. 10 links, and a W.  
 Oak, 16 ins. diam. bears S. 42 W. 38 links distant.

Corrected the line between Sections 19 & 20, and  
 set the 2d. Sec. Post; from which a B. Oak,  
 20 ins. diam. bears N. 71 E. 26 links, and  
 a B. Oak, 22 ins. diam. bears S. 28 W. 52 links  
 distant.

May 26, 1805.  
 From Post, corner of Sections 21, 22, 27, 28 -  
 East Random Line between Sections 21 & 22.  
 40.00 Set temporary Quarter Section Post.  
 80.00 Set temporary Center Post.  
 This run tolerably level, good soil; Timber,  
 Oak, Hickory, Poplar, Dogwood, &c.

East Continued Random Line between Sections 15 & 16.  
 40.00 Set temporary Quarter Section Post.  
 42.00 Captiva Creek, 30 links wide, course S. E.  
 59.00 Good Bottom land.  
 80.00 Fell 4 links South of Post, corner of Sections  
 9, 10, 15, 16, T. 7, R. 6.  
 Good W. Oak hill land. May 26, 1805 - quiet for the day.

May 27, 1805.  
 From Post, corner of Sections 14, 15, 20, 21 -  
 North Random Line between Sections 15 & 21.  
 34.00 A Brook, 10 links wide, course East.  
 40.00 Set temporary Quarter Section Post.  
 79.62 Fell 68 links East of temporary Center Post,  
 at average measure on true E. & W. Line.  
 This run good soil, lies well for farming;  
 Timber, Oak, Hickory and Dogwood.



6 chs. 1/2 chs.  
 North Continued Random Line, between Sections 16 & 22.  
 13.50 A Brook, 8 links wide, course East.  
 40.00 Set temporary Quarter Section Post.  
 50.50 A Brook, 16 links wide, course East.  
 80.15 Fell 156 links East of Post, corner of Sections  
 16, 17, 22, 23, T. 7, R. 6.  
 Land hilly, middling soil; Timber, Oak, Hick-  
 ory, &c.

Corrected the line between Sections 15 & 21, and  
 set the Dr. Sec. Post, from which a W.  
 Oak, 14 ins. diam. bears N. 50 W. 9 links,  
 and a W. Oak, 18 ins. diam. bears S. 3 1/2  
 E. 25 links distant.

Set center Post, at intersection of the lines,  
 corner to Sections 15, 16, 21, 22; from which  
 a B. Oak, 20 ins. diam. bears N. 60 E. 20  
 links, and a W. Oak, 14 ins. diam. bears  
 N. 83 W. 20 links distant.

Corrected the line between Sections 16 & 22,  
 and set the Dr. Sec. Post, from which a  
 W. Oak, 20 ins. diam. bears S. 29 E. 9 chs.,  
 and a W. Oak, 14 ins. diam. bears N. 50  
 E. 39 links distant.

Corrected between Sections 21 & 22, and set the  
 Dr. Sec. Post, from which a W. Oak, 20 ins.  
 diam. bears N. 13 E. 45 links, and a B. Oak,  
 20 ins. diam. bears S. 25 E. 39 chs. distant.

Corrected the line between Sections 15 & 16, and set  
 the Dr. Sec. Post, from which a Crab App-  
 ple, 12 ins. diam. bears S. 18 E. 14 links, and

6 chs. 1/2 chs.  
 a W. Oak, 8 ins. diam. bears N. 15 E. 40  
 links distant.

May 27, 1805.

From Post, corner of Sections 16, 17, 22, 23, ran-  
 North Random Line between Sections 17 & 23.  
 40.00 Set temporary Quarter Section Post.  
 50.00 A Run, 4 links wide, course S. E.  
 80.00 Set temporary Center Post.  
 This mile high hill land, thinly timbered with  
 Oak and Hickory; much small brush.

North Continued Random Line between Secs. 18 & 24.  
 33.00 Set temporary Quarter Section Post, in a Run,  
 4 links wide, course S. E.  
 65.55 Fell 74 links East of Post on Town Line, cor-  
 ner of Sections 18 & 24, T. 7, R. 6.  
 This mile good farming land; Timber, Oak,  
 Hickory, Poplar, Dogwood.

From Post, corner of Sections 23, 24, 29, 30-  
 East Random Line between Sections 23 & 24.  
 40.00 Set temporary Quarter Section Post.  
 44.00 A Spring Run, 3 links wide, course South.  
 64.00 A Small Run, course South.  
 80.97 Fell 8 links North of temporary Center Post,  
 set at 80 chs. from the South. [The tem-  
 porary Center Post, it will be seen above, was  
 set at 33 chs. from the South - not 80 chs. as  
 stated.]  
 Moderate ridges, thin soil; Timber, Oak, Hick-  
 ory and Chestnut.

East Continued Random line, between Secs. 17 & 18.



## Township 7, Range 6-7 Ranges.

6 W. Lk.

40.00

79.94

Set temporary Quarter Section Post.  
 Met Post, corner of Sections 11, 12, 17, 18.  
 This mile good soil of hill land; Timber,  
 Oak, Hickory and Dogwood.

Corrected the line between Sections 17 & 23,  
 set the Dr. Sec. Post; from which a W. Oak,  
 18 ins. diam. bears S. 29 W. 25 links, and a  
 W. Oak, 18 ins. diam. bears S. 49 E. 24 W.  
 distant.

Set Center Post at intersection of the lines,  
 corner to Sections 17, 18, 23, 24; from which  
 a Chestnut, 36 ins. diam. bears N. 53 E.  
 20 links, and a B. Oak, 6 ins. diam. bears  
 S. 61 W. 20 links distant.

Corrected the line between Sections 23 & 24,  
 and set the Dr. Sec. Post; from which a  
 W. Oak, 18 ins. diam. bears N. 33 E. 9 W.,  
 and a W. Oak, 10 ins. diam. bears S. 60  
 W. 13 links distant.

Corrected the line between Sections 18 & 24,  
 and set the Dr. Sec. Post; from which a  
 W. Oak, 30 ins. diam. bears S. 23 W. 6 W.,  
 and a Beech, 8 ins. diam. bears N. 88 E.  
 16 links distant.

Corrected the line between Secs. 17 & 18, and  
 set the Dr. Sec. Post; from which a Hick-  
 ory, 10 ins. diam. bears N. 64 E. 14 links, and  
 a W. Oak, 12 ins. diam. bears S. 17 W. 17  
 links distant.

## Township 7, Range 6-7 Ranges.

6 W. Lk.

May 26, 1805.

From Post, corner of Sections 19, 20, 25, 26,  
 West Random Line, between Sections 25 & 26.  
 32.00 A Run, 6 links wide, course South.

40.00 Set temporary Quarter Section Post.  
 53.00 A Brook, 16 links wide, course South.

80.00 Set temporary Center Post.  
 This mile steep high hills, inequalities of  
 soil; Timber, Oak, Hickory, Beech.

West continued Random Line, between Secs. 31 & 32.  
 .10 A Spring Run, 5 links wide, course South.

32.50 Set temporary Quarter Section Post.  
 52.00 A Brook, 12 links wide, course South.

66.68 Fell 20 links North of Post, on Range Line,  
 corner of Sections 31 & 32, T. 7, R. 6.  
 This mile high steep hills, poor soil; Tim-  
 ber, Oak, Hickory, &c.

From Post, on South Boundary, corner of Secs. 25 & 31.  
 North Random Line between Sections 25 & 31.

40.00 Set temporary Quarter Section Post.

42.00 Hill land - to Bottom.

47.00 A Brook, 25 links wide, course S. W.

52.00 Cross a bend in said Brook; nick Bottom.

80.94 Fell 19 links West of temporary Center Post, set  
 at 80 chs. from the East. [The temporary Cen-  
 ter Post - it is seen above - was set at 32 chs. 50 W.  
 from the East, - not 80 chs. as alleged.]  
 Steep side hill land, middling soil; Timber,  
 Oak, Hickory, &c.

North continued Random Line, between Secs. 26 & 32.  
 34.00 A Run, 4 links wide, course S. E.



## Township 7, Range 6-7 Ranges.

Chs. Lks.  
40.00 Set temporary Quarter Section Post.  
80.84 Fell 100 links East of Post, corner of Sections 26, 27, 32, 33, T. 7, R. 6.  
This mile steep brushy hills, middling soil; Timber, Oak, Hickory, Beech, &c.

Corrected the line between Sections 25 & 26, and set the Dr. Sec. Post; from which a Chestnut, 10 ins. diam. bears N. 1 W. 43 links, and a Poplar, 24 ins. diam. bears S. 60 E. 21 links distant.

Set center Post, at intersection of the lines, corner to Sections 25, 26, 31, 32; from which a Beech, 10 ins. diam. bears N. 47 E. 12 links, and a Poplar, 30 ins. diam. bears N. 30 W. 22 links distant.

Corrected the line between Sections 25 & 31, and set the Dr. Sec. Post; from which a Maple, 18 ins. diam. bears N. 2 E. 8 links, and a Beech, 8 ins. diam. bears S. 51 W. 38 links distant.

Corrected the line between Sections 31 & 32, and set the Dr. Sec. Post; from which a B. Oak, 20 ins. diam. bears N. 45 W. 29 links, and a W. Oak, 20 ins. diam. bears N. 68 E. 39 links distant.

Corrected the line between Sections 26 & 32, and set the Dr. Sec. Post; from which a W. Oak, 24 ins. diam. bears S. 6 E. 23 links, and a W. Oak, 24 ins. diam. bears N. 24 E. 30 links distant.

## Township 7, Range 6-7 Ranges.

Chs. Lks.  
May 26, 1805.  
From Post, corner of Sections 26, 27, 32, 33 - North Random Line between Sections 27 & 33.  
40.00 Set temporary Quarter Section Post.  
80.00 Set temporary Center Post.  
Land hilly, soil of middling quality; Timber, Oak, Hickory, &c.

North Continued Random Line, between Sections 28 & 34.  
4.00 A Run, 18 links wide, runs S. W.

26.00 A Run, 6 links wide, course S. E.

40.00 Set temporary Quarter Section Post.

79.66 Fell 156 links East of Post, corner of Sections 28, 29, 34, 35, T. 7, R. 6.  
High hill land, thin soil; Timber, Oak, Chestnut, &c.

From Post on Range line, corner of Sections 33 & 34, ran - East Random Line between Sections 33 & 34.

32.50 Set temporary Quarter Section Post.

37.00 A Spring Run, course South.

51.00 A Brook, 18 links wide, course S. W.

65.38 Intersected true North and South Line, 76 links North of temporary center Post, set at 80 chs. from the South.

Land moderate ridges, good soil; Timber, Oak, Sugar, Hickory, &c.

East Continued Random Line, between Sections 27 & 28.  
7.00 A Run, 4 links wide, course N. W.

40.00 Set temporary Quarter Section Post.

52.00 A Run, 4 links wide, course N. 20 W.

79.71 Fell 70 links North of Post, corner of Sections 21, 22, 27, 28, T. 7, R. 6.



Chs. Lk.

Land hilly, thin soil; Timber, Oak, Hickory, &c.

Corrected the line between Sections 27 & 33, and set the Dr. Sec. Post; from which a Maple, 14 ins. diam. bears N. 15 E. 16 Ms, and a Beech, 14 ins. diam. bears S. 5 E. 30 links distant.

Set center Post, at intersection of the lines, corner to Sections 27, 28, 33, 34; from which a Sugar, 30 ins. diam. bears S. 46 E. 24 Ms, and a Sugar, 20 ins. diam. bears N. 86 E. 8 links distant.

Corrected the line between Sections 33 & 34, and set the Dr. Sec. Post; from which a W. Oak, 14 ins. diam. bears S. 9 W. 19 links, and a Beech, 8 ins. diam. bears N. 53 W. 11 Ms. distant.

Corrected the line between Sections 28 & 34, and set the Dr. Sec. Post; from which a W. Oak, 20 ins. diam. bears N. 69 W. 7 links, and a W. Oak, 16 ins. diam. bears N. 42 E. 14 links distant.

Corrected the line between Sections 27 & 28, and set the Dr. Sec. Post; from which a Poplar, 10 ins. diam. bears S. 7 W. 26 Ms, and a B. Oak, 40 ins. diam. bears N. 37 E. 33 links distant.

May 27, 1805.

From Post, corner of Sections 23, 24, 29, 30 - West Random Line between Sections 29 & 30. 5.50 A Run, 6 links wide, course S. 70 W.

Chs. Lk.

22.50 A Brook, 10 links wide, course N. 60 W.

40.00 Set temporary Quarter Section Post.

63.00 A Brook, 12 links wide, course N. W; crossed it several times.

80.00 Set temporary Center Post. Rough land, inequalities of soil; Timber, Oak and Hickory.

West continued Random Line, between Secs 35 & 36.

32.50 Set temporary Quarter Section Post.

65.50 A Brook, 6 links wide, course North.

66.69 Fell 32 links South of Post, corner of Sections 35 & 36, on Range Line.

This mile very broken land, middling soil; Timber, Oak, Hickory, Beech, &c.

From Post, corner of Sections 28, 29, 34, 35 -

North Random Line between Sections 29 & 35.

40.00 Set temporary Quarter Section Post.

48.00 High hill land.

80.24 Fell 65 links East of temporary center Post. Steep stony hills, poor soil; Timber, Oak, Hickory, Chestnut, &c.

North continued Random Line between Secs. 30 & 36.

8.50 A Brook, 12 links wide, course West.

33.00 Set temporary Quarter Section Post.

65.87 Fell 90 links East of Post, on Township line, corner of Sections 30 & 36. Steep hills, thin soil; Timber, Oak & Hickory.

Corrected the line between Sections 35 & 36, and set the Quarter Section Post; from which a Beech, 8 ins. diam. bears 71 E. 32 Ms,



Chs. Lks.

and a Maple, 8 ins. diam. bears S. 37 W. 23 links distant.

Corrected the line between Sections 29 & 35, and set the Dr. Sec. Post; from which a Hickory, 15 ins. diam. bears S. 17 E. 11 W. and a W. Oak, 9 ins. diam. bears N. 5 W. 27 links distant.

Corrected the line between Sections 30 & 36, and set the Dr. Sec. Post; from which a Hickory, 14 ins. diam. bears N. 24 W. 35 links, and a Hickory, 12 ins. diam. bears S. 8 E. 12 links distant.

Set center Post, at intersection of the lines, corner to Sections 29, 30, 35, 36; from which a W. Oak, 14 ins. diam. bears N. 22 W. 27 links, and a W. Oak, 30 ins. diam. bears S. 33 E. 16 links distant.

Corrected the line between Sections 29 & 30, and set the Dr. Sec. Post; from which an Ironwood, 11 ins. diam. N. 77 W. 33 links, and a Beech, 10 ins. diam. bears S. 49 E. 40 links distant.

Surveyed in May, 1805, by  
Levi Barber,  
Deputy Surveyor.

Chs. Lks.

North Boundary.

From Post Then

East 1<sup>st</sup> Mile - [North side of Section 36.]

18.12 A Sugar, 10 inches diameter.

39.50 A Sugar, inches diameter.

66.67 A Red Oak, 24 inches diameter.

80.00 Set Post, [corner to Sections 30 & 36,] from which a Sugar, 10 ins. diam. bears S. 10 E. 24 W., and a Sugar, 18 ins. diam. bears N. 35 1/2 W. 40 links distant.

The soil along this mile is very rich, and would produce indian corn, tobacco, &c. Timber, Oak, Hickory, Beech, Walnut, Spice.

East 2<sup>d</sup> Mile - [North side of Section 30.]

6.29 A Buckeye, 24 inches diameter.

19.67 A Sugar, inches diameter.

56.33 A Red Oak, 20 inches diameter.

80.00 Set Post, [corner to Sections 24 & 30,] from which a Beech, 14 ins. diam. bears N. 27 W. 56 1/2 links, and a Beech, 20 ins. diam. bears S. 58 1/2 E. 44 links distant.

Land along this mile is hilly, soil rich; Timber, Oak, Hickory, Beech, Walnut, Spice.

East 3<sup>d</sup> Mile - [North side of Section 24.]

49.00 A W. Oak, 20 inches diameter.

69.87 A large Brook, running a N. E. course, which contains sufficient water to turn a mill.

80.00 Set Post, [corner to Sections 18 & 24,] from which an Elm, 20 ins. diam. bears S. 5 E. 27 W., and a Poplar, 12 ins. diam. bears N. 30 E. 31 links distant.

Face of the country, soil and timber, same as the first mile.